

2(a)(i)	caused by <u>pathogen</u>(s) ; transmissible ; I contagious A communicable bod transfer from infected person to uninfected person	2
2(a)(ii)	any two from: 1 HIV / virus, <u>mutates</u> frequently / AW ; A high rate of mutation 2 <i>idea that</i> different, antigens / proteins on surface (of the virus) ; A antigenic variation 3 different strains of HIV exist ; I species 4 HIV enters cells so beyond reach of antibodies / ref. to antigenic concealment / incorporates into host DNA ; 5 AVP ; e.g. antigens change too quickly for vaccine development to keep up vaccines cannot contain all antigens need a new vaccine for each, strain / type / variant <i>idea that</i> if attenuated virus is used there is a risk of vaccine-derived infections <i>idea that</i> any immunity gained to vaccine will not be of any use if antigens keep changing	2
2(b)(i)	<u>85</u> (%) ;	1
2(b)(ii)	<i>row 1</i> testing blood donors / only accepting blood donations from HIV-negative people / screening blood donations / heat-treating blood donations / <i>ref. to</i> saving blood before blood transfusion (autologous blood transfusion) ; I use sterile needles <i>row 2, one from assume mothers are HIV-positive</i> (test mothers for HIV and if positive) start on, anti-retroviral treatment / ART ; give the baby ART ; advise mothers to avoid breast-feeding ; (feed baby) with formula milk only / AW ; A <i>ref. to</i> wet nurse / uninfected woman deliver babies by, caesarean section / C-section ;	2