

Question	Marking Guidance	Mark	Comments
03.1	Valve A (Left) atrioventricular Chamber B Left ventricle;	1	Reject right side in either context Accept mitral/bicuspid for Valve A . Reject tricuspid for Valve A Ignore AV for Valve A
03.2	Accept any two suitable safety precautions for 1 mark, eg; Use a sharp scalpel/scissors Wash hands/wear gloves Disinfect bench/equipment Cover any cuts Cut away from self/others/on a hard surface Safe disposal	1 max	Ignore take care with scalpel/scissors or keep away from fingers Ignore goggles
03.3	1. Pressure in (left) <u>atrium</u> is higher than in ventricle/ B causing valve to open; OR (When) pressure above valve is higher than below valve it opens; 2. Pressure in (left) <u>ventricle/B</u> is higher than in atrium causing valve to close; OR (When) pressure in below valve is higher than above valve it closes;	2	1. and 2. Ignore pressure in front of/behind valve 1. and 2. As long as direction of opening/closing of valve is correct, ignore 'semi lunar' 2. Accept cords/tendons prevent valve turning inside out
03.4	1. More impulses/action potentials along sympathetic (nervous system pathway/branch); 2. To SAN increasing the heart rate (seen in Figure 3);	2	1. Ignore signals/information/ messages 1. Idea of more impulses/action potentials is required
03.5	73.4; (73.4375)	1	Accept any correct rounding except 73

03.6	Group to be given 1. Sugar solution (only) OR A drink with sugar (and no caffeine); Reason 2. To show/prove that sugar (alone) is not causing the increases (in HR) OR To show that sugar does not have an effect;	2	1. Accept 'glucose' for sugar 1. Ignore named drinks unless qualified 1. Ignore 'sugar' by itself 1. Ignore references to use of a placebo tablet 2. Accept 'to see the effect of sugar'
--------------------	---	----------	---

