

Question	Marking Guidance	Mark	Comments
02.1	Homeostasis;	1 (1 x AO1)	Accept homeostatic Accept homeostatis, homestasis homostasis and phonetic spellings of homeostasis

Question	Marking Guidance	Mark	Comments
02.2	1. Water potential of blood decreases/low(ers) OR Water potential of blood becomes more negative; 2. (Body cells) lose water by <u>osmosis</u>;	2 (2 x AO2)	1. Accept increase in water potential gradient between blood and cells 1. Accept Ψ for 'water potential', but ignore WP 1. Accept Ψ of cells/ tissues higher than blood but not if context suggests due to increase of Ψ of cells 2. Accept water enters blood by osmosis Ignore any references to insulin, or to glucose entering cells

Question	Marking Guidance	Mark	Comments
02.3	Activation of cyclic AMP hydrolysis;	1 (1 x AO1)	

Question	Marking Guidance	Mark	Comments
02.4	1. Increase/decrease/change in pH is detected OR Increase/decrease/change in pH affects (stimulation of chemo)receptors OR Separate mechanisms/systems controls increase/decrease/change	2 (2 x AO2)	

	OR Separate mechanisms/systems gives greater (degree of) control; 2. Returned/restored to norm/set point/original OR (pH) returned/restored to 7.35 - 7.45;		2. Accept other terms for norm/set point/original e.g. optimum 2. Accept any pH value from pH 7.35 to 7.45
--	--	--	--

Question	Marking Guidance	Mark	Comments
02.5	1. (Increase in aerobic) respiration produces more carbon dioxide OR Increase in respiration produces (more) carbon dioxide OR Anaerobic respiration produces lactate; 2. Decrease in (blood) pH and (increased stimulation of) chemoreceptors increase (rate of) ventilation;	2 (2 x AO2)	1. The idea of 'more' carbon dioxide or more respiration must be conveyed 1. Accept lactic acid for lactate 1. Reject anaerobic respiration produces lactate and carbon dioxide Ignore any references to heart rate 2. Accept increase in acidity/H⁺ or gives pH value below 7.35 for decrease in pH
