

Question number	Answer	Additional guidance	Mark
5(a)	ACCEPT any two from : • BMI / body mass index • waist to hip ratio / hip to waist ratio • waist to height ratio / height to waist ratio • waist circumference • skin fold (thickness)	IGNORE risk factors ACCEPT mass ÷ height² / weight ÷ height²	(1)

Question number	Answer	Mark
5(b)(i)	The only correct answer is B B 1-6 only <i>A is incorrect because 1-4 bonds are present in straight chains only</i> <i>C is incorrect because 1-4 bonds are present in straight chains only</i> <i>D is incorrect because 1-6 bonds form the branches</i>	(1)

Question number	Answer	Additional guidance	Mark
5(b)(ii)	• makes the person feel full / prevents so much food from being in the stomach / fills up the stomach so less food needed to satisfy hunger / glucomannan takes the space of the food (1)	IGNORE: reduces food intake decreases volume of stomach	(1)

Question number	Answer	Additional guidance	Mark
5(b)(iii)	An explanation that includes the following points: - because it contains lots of {monosaccharides / glucose / energy} (1) - therefore {energy input could be greater than energy output / (excess) glucose converted to fat} (1) - glucomannan would no longer be filling up the stomach so more food could be eaten (1)	ACCEPT sugar for glucose polymer of glucose lots of mannose broken down into lots of {glucose / monosaccharides / mannose} ACCEPT excess energy stored as fat	(2)

Question number	Answer	Additional guidance	Mark
5(c)(i)	An answer that includes the following points: - group on low fat diet lost 4.3 (kg) and group on very low-carbohydrate diet lost 8.1 (kg) (1) (overall) loss of 8.1 (kg) is {1.88 / 1.9} times more weight (1) - which is slightly lower than the other studies are claiming (1) - claims are referring to low-carbohydrate diet but this one is a very low-carbohydrate diet (1)	ACCEPT group on low fat diet lost 3.8 (kg) more ACCEPT about twice as much / for low-fat diet this is 4.6% of starting weight and for very low-carbohydrate 8.9% starting weight ACCEPT results are at the lower end of the claim	(3)

Question number	Answer	Additional guidance	Mark
5(c)(ii)	An answer that includes two of the following points: • (blood) {cholesterol / LDL} levels (1) • blood pressure (1) • heart rate (1)	IGNORE other named risk factors ACCEPT LDL : HDL	(2)