

number			
3(a)	A description that makes reference to two of the following points: - transcription / transcribe the DNA / synthesis of RNA (1) - credit detail of role of RNA polymerase in transcription (1) - repairs mistakes in the (newly-synthesised) RNA (1)	ACCEPT mRNA / tRNA / rRNA DO NOT ACCEPT translation e.g. RNA polymerase: binds to the (DNA) promotor (region), unwinds the DNA (helix), separates the DNA strands, lines up the (RNA) nucleotides on the {DNA / template strand}, forms phosphodiester bonds between (RNA) nucleotides	(2)

number			
3(b)	An answer that makes reference to at least one similarity and one difference: Similarities: - both {consist of three bases / are three bases / are triplets} (1) Differences: - start codon start translation_and the stop codon ends translation (1) {three / more than one} possible codons for the stop codon but start codon {does not / has only one codon} (1) (first) transfer RNA binds to the start codon but there is not a tRNA for the stop codon (1) - start codon codes for {an amino acid / methionine} but a stop codon does not code for an amino acid (1)	ACCEPT an indication of one triplet and more than one triplet, one code for start but stop code is degenerate ACCEPT stop codon does not	(3)

number			
3(c)	A description that makes reference to two of the following points: - translation / synthesis of {(poly)peptide (chain) / primary structure (of protein)} (1) - hold {(two) tRNAs together (on the mRNA) / (two) tRNAs on the mRNA} (until) a peptide bond joins (two adjacent) amino acids together (1)	IGNORE protein synthesis DO NOT ACCEPT transcription	(2)