


Question Number	Answer	Additional guidance	Mark
5(a)(i)	An answer that includes the following points: • at least two curved cisternae drawn (without ribosomes or interconnections) (1) • vesicle drawn (1) • cisternae labelled (1) • second correct label (1)	<u>Example of diagram</u> 	(4)

Question Number	Answer	Mark
5(a)(ii)	The only correct answer is C two <i>A is not correct because the Golgi apparatus is involved in the formation of extracellular enzymes and modification of proteins</i> <i>B is not correct because the Golgi apparatus is involved in the formation of extracellular enzymes and modification of proteins</i> <i>D is not correct because the Golgi apparatus does not form peptide bonds</i>	(1)

Question Number	Answer	Mark
5(a)(iii)	The only correct answer is D ribosomes <i>A is not correct because the ribosomes would become radioactive first</i> <i>B is not correct because the ribosomes would become radioactive first</i> <i>D is not correct because the ribosomes would become radioactive first</i>	(1)

Question Number	Answer	Additional guidance	Mark
5(b)(i)	120(%) / 54.5(%) / 54(%) / 55(%)	Example of calculation $\frac{0.5 - 1.1}{0.5} \times 100$	(1)

Question Number	Answer	Mark
5(b)(ii)	The only correct answer is B interphase <i>A is not correct because the Golgi apparatus would increase in size in interphase</i> <i>C is not correct because the Golgi apparatus would increase in size in interphase</i> <i>D is not correct because the Golgi apparatus would increase in size in interphase</i>	(1)

Question Number	Answer	Additional guidance	Mark
5(b)(iii)	An answer that makes reference to four of the following points: • mitosis / two cells formed from one cell (1) • therefore {number / size} of Golgi (in each cell) has to increase (in interphase / G1) (1) • to provide enough cell {contents / organelles} for two (daughter) cells (after mitosis has occurred) (1) • because increased {protein synthesis / protein modification / gene expression} will occur (in interphase) (1) • because named protein(s) are required (by the cell) (1)	Accept relationship between {number/size} of Golgi and level of protein synthesis e.g. enzymes, hormones, structural proteins	(4)