

| Question | Marking Guidance                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Mark  | Comments                                                                                                |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------------------------|
| 07.1     | 1. Less/no antibody produced;<br>2. (Because HIV) destroys helper T cells;<br>3. (So) few/no B cells activated / stimulated<br><b>OR</b><br>(So) few/no B cells undergo mitosis/differentiate/form plasma cells;                                                                                                                                                                                                                                                                              | 3     | 2. Accept ‘reduces number’ for ‘destroys’                                                               |
| 07.2     | <p><b>Not effective in treating AIDS because</b></p> 1. Number of T cells < 200 at 4 <u>months</u> ;<br>2. (So) drug is not effective<br><b>OR</b><br>AIDS symptoms occur;<br>3. Does not remove (all) HIV (particles)<br><b>OR</b><br>Number of HIV (fairly) constant/stable<br><b>OR</b><br>(Slight) increase in HIV (over 16 months);<br>4. No stats test;<br>5. Only shows (results over) 16 months;<br>6. Only one person;<br>7. Unknown side effects (of drug);<br>8. No control group; | 5 max | Max 4 if not one of 9. or 10.<br><br>1 Accept 3.5 - 5 months<br><br>1. and 9. Reject day/week only once |
|          | <p><b>Effective in treating AIDS because</b></p> 9. Number of T cells > 200 after 5 <u>months</u><br><b>OR</b><br>Number of T cells increasing after 4 <u>months</u> ;<br>10. So drug is effective<br><b>OR</b><br>AIDS symptoms relieved/removed;                                                                                                                                                                                                                                            |       | 9. Accept any month after 5 months OR ‘in the long term’                                                |
| TOTAL    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 8     |                                                                                                         |