

Question	Marking Guidance	Mark	Comments
04.1	1. Reduced surface area OR Fewer co-transport/carrier/channel proteins; 2. Decreases water potential in ileum/lumen OR Increases water potential in cells; 3. (So) water moves out of cells/into ileum by <u>osmosis</u> OR (So) less/no water moves into cells/out of ileum by <u>osmosis</u>;	3 (3 x AO2)	1. Ignore references to diffusion OR facilitated diffusion OR active transport 1. Ignore SA Accept gut for ileum 2. Accept Ψ for water potential 2. Ignore WP 2. Accept reduces water potential gradient 3. Accept lumen for ileum 3. Accept absorbed for moves

Question	Marking Guidance	Mark	Comments
04.2	1. Anti-toxins/antibodies cause phagocytosis/ destruction/agglutination/neutralisation (of toxin); 2. Anti-toxin/antibody prevents/reduces (chance of) diarrhoea OR (<i>C difficile</i>) patients with no diarrhoea have high(est) (concentration of) anti-toxin/antibody OR (<i>C difficile</i>) patients with diarrhoea have low(est) (concentration of) anti-toxin/antibody; 3. (Offered to <i>C. difficile</i>) patients with diarrhoea OR (Offered to) patients with low (concentrations of) anti-toxin/antibody;	3 (1 x AO1, 2 x AO2)	1. For 'neutralised', accept idea of preventing toxin binding/damaging cells lining the ileum. 2. and 3 Accept people for patients 2. Ignore symptoms for diarrhoea 3. Accept 'passive immunity offered' for 'antibody offered'

Question	Marking Guidance	Mark	Comments
04.3	1. Peptide bonds hydrolysed; 2. Endopeptidase(s) break internal (peptide) bonds; 3. Exopeptidase(s) break terminal (peptide) bonds; 4. (Membrane-bound) dipeptidase(s) break dipeptides to amino acids;	3 max (3 x AO1)	Ignore named structures in the digestive system 2. Accept 'bonds within' OR 'bonds in middle' for internal 3. Accept 'external bonds' OR 'bonds at ends' OR 'penultimate bonds' for terminal 2., 3. and 4. Accept 'act on' OR 'affect' OR 'hydrolyse' for break 4. Accept between 2 amino acids for dipeptides Ignore stomach acid
