

Question number	Answer	Additional guidance	Mark
2(a)(i)	A description which includes the following points: • use of Benedict's (reagent) (1) • heating (1)	Accept Fehling's or other suitable test Accept water bath qualified e.g. hot/warm/boiling/stated temperature above 40°C	(2)

Question number	Answer	Additional guidance	Mark
2(a)(ii)	An explanation that includes the following points: • use same mass for each food (1) • use same volume of distilled water for each (1) • standardise the test procedure (1) • compare result with a colour chart described (1)	Accept volume e.g volume of Benedict's added, time of heating/temperature/same volume of extract e.g. that has been devised using a range of concentrations of reducing sugars / in which the colours correspond to a range of concentrations of reducing sugars	(3)

Question number	Answer	Additional guidance	Mark
2(a)(iii)	An answer that includes the following points: • take the food residue (from the filter paper) (1) • and test it (for reducing sugars) with Benedict's (1)	Accept Fehling's or other suitable test	(2)

Question number	Answer	Additional guidance	Mark					
2(b)	An answer that includes all of the following in this order: <table><tr><td>apple</td><td>sweet potato</td><td>potato</td><td>bread</td><td>cashew nut</td></tr></table> (2)	apple	sweet potato	potato	bread	cashew nut	2 marks all correct 1 mark if one mistake made e.g two foods reversed / one food out of place leaving the rest out of place but in correct sequence	(2)
apple	sweet potato	potato	bread	cashew nut				

Question number	Answer	Additional guidance	Mark
2(c)(i)	An explanation that includes the following points: - apple (1) - because there was {more / most} reducing sugar (1) - therefore leaving least copper ions in the solution (1)	Accept the most / more copper (ions) {have reacted with reducing sugar / been removed}	(3)

Question number	Answer	Additional guidance	Mark
2(c)(ii)	An answer that includes four of the following points: • use {standard / known} {mass/volume} of sweet potato / use a standard volume of sweet potato extract / volume of extraction liquid (1) • carry out reducing sugar test (1) • {filter the solution / remove precipitate} (after the test is carried out) (1) • {weigh the precipitate remaining in the filter paper / measure intensity of blue color in filtrate} (1) • convert this {mass / intensity} to a concentration of reducing sugar / compare colour of tube contents precipitate with a colour chart qualified (1)	Accept size e.g. that has been devised using a range of concentrations of reducing sugars / in which the colours correspond to a range of concentrations of reducing sugars	(4)