

3(a)(i)	middle monomer circled ;			1												
3(a)(ii)	alpha / α ;			1												
3(a)(iii)	<table border="1"><thead><tr><th>sugar</th><th>number of glycosidic bonds in one molecule</th><th>reducing sugar or non-reducing sugar</th></tr></thead><tbody><tr><td>glucose</td><td>0</td><td>reducing ;</td></tr><tr><td>maltose</td><td>1</td><td>reducing ;</td></tr><tr><td>raffinose</td><td>2</td><td>non-reducing ;</td></tr></tbody></table> one mark per correct row if no row completely correct, allow one mark for correct column			sugar	number of glycosidic bonds in one molecule	reducing sugar or non-reducing sugar	glucose	0	reducing ;	maltose	1	reducing ;	raffinose	2	non-reducing ;	3
sugar	number of glycosidic bonds in one molecule	reducing sugar or non-reducing sugar														
glucose	0	reducing ;														
maltose	1	reducing ;														
raffinose	2	non-reducing ;														
3(b)	(K _m =) 0.02 ; (unit =) mol dm ⁻³ ;			2												
3(c)(i)	fatty acid ; A carboxylic acid / butanoic acid			1												
3(c)(ii)	(react with) glycerol ; plus any two from: condensation reaction / formation of water ; to form ester bond ; ref. to two other fatty acids (react with glycerol) / total of three fatty acids ; AVP ; e.g. further detail of reaction, e.g. reacts with –OH of glycerol			3												