

Question number	Answer	Additional guidance	Mark
1(a)(i)	An answer that includes two of the following points: • pain / hurts / tender / aches / throbbing / dolor • redness / red / rubor • warmth / heat / hot / increased temperature / calor • loss of function	All 3 correct = 2 marks 1 or 2 correct = 1 mark IGNORE itching IGNORE rash IGNORE fever	(2)

Question number	Answer	Additional guidance	Mark
1(a)(ii)	An answer that includes two of the following points: • pain alerts the person that there is an injury (1) • warmth speeds up {chemical reactions / skin cell division / phagocytosis / increases rate of enzyme activity (of person) / defence mechanisms} (1) • swelling results in more {blood / white blood cells / platelets / phagocytes / antibodies/ tissue fluid} (to the wound) (1) • redness results in more {blood / white blood cells / platelets / phagocytes / antibodies} (to the wound) (1)	NB CE from (i) ACCEPT to avoid {contact with area / using the injured part} ACCEPT reduce activity of bacterial enzymes / reduce growth of bacteria } * two different ideas must be given to award 2 marks	(2)

Question number	Answer	Additional guidance	Mark
1(b)(i)	An answer that includes the similarity and two of the three differences: Similarities: (overall) both treatments decrease inflammation (1) Differences: - curcumin is more effective than drug A (throughout) (1) - maximum decrease for drug A is less than that for curcumin (1) - credit a comparison at specific days (1)	DO NOT PIECE TOGETHER but accept in adjacent sentences ACCEPT converse where appropriate turmeric for curcumin IGNORE references to rate e.g. inflammation increases {2 / 4} days after operation with drug A but increases after day 3 with curcumin extract (1)	(3)

Question number	Answer	Additional guidance	Mark
1(b)(ii)	The correct answer is C 33.3 (g) <i>A is incorrect because 0.03g contains 0.009g curcumin</i> <i>B is incorrect because 3.33g contains 0.1g of curcumin</i> <i>D is incorrect because 33.3 recurring has been rounded incorrectly</i>		(1)

