

Question	Marking Guidance	Mark	Comments
02.1	1. RNA converted into DNA using reverse transcriptase; 2. DNA incorporated/inserted into (helper T cell) DNA/chromosome/genome/nucleus; 3. DNA transcribed into (HIV m)RNA; 4. (HIV mRNA) translated into (new) HIV/viral proteins (for assembly into viral particles);	4	1. Reject 'messenger' or 'm' before RNA 3. Accept descriptions of transcription 4. Accept descriptions of translation 4. Accept named viral protein, eg capsid 4. Reject viral cells

Question	Marking Guidance	Mark	Comments
02.2	<u>For</u> 1. (There appears to be) no virus/ HIV(-1)/RNA/DNA, so could be a cure/effective; 2. No CCR5/receptor, so not get HIV(-1) in the future OR No CCR5/receptor, so nothing for HIV(-1) to bind to; 3. Only one transplant/BSCT needed (shown by patient Q) 4. Would not need (daily) ART (16 months after BSCT); <u>Against</u> 5. Don't know if chemotherapy/radiotherapy is needed OR Do not know if BSCT alone would be effective; OR Do not know which treatment is having the effect OR Could be due to chemotherapy/radiotherapy; 6. Only for HIV-1; 7. Don't know if it would work in all people OR Only worked/tried in 2 cases; 8. Might not be long term OR Only 18 months; 9. HIV-1 may mutate and be able to bind to a different receptor (on T_H cells); 10. Might be a lack of (suitable stem cell/BSCT) donors;	5 max	Max 4 for reasons for or against 1. Ignore virus is killed 2. Reject less CCR5/less HIV(-1) bind 5. Accept: chemotherapy/radiotherapy is toxic/harmful/has side-effects 6. Accept: Might not work in other types of HIV 10. Accept stem cells/BSCT (might be) rejected
