

Question	Marking Guidance	Mark	Comments
06.1	(1) $I^A I^O$ and (2) $I^A I^B$;	1 (AO2)	Accept $I^O I^A$ for (1) and $I^B I^A$ for (2). Accept AO or OA for (1) and AB or BA for (2). Accept lower case for A, B and O.

Question	Marking Guidance	Mark	Comments
06.2	1. Rhesus positive parents produce 7/Rhesus negative child OR 3 and 4 produce 7/Rhesus negative child OR Two Rhesus positive produce 7/Rhesus negative child; 2. Both Rhesus positive/3 and 4 have recessive <u>allele</u> OR Both Rhesus positive/3 and 4 are heterozygous/carriers OR If Rhesus positive was recessive, all children (of 3 and 4) would be Rhesus positive / have recessive (phenotype);	2 (2 x AO2)	1. Reject if incorrect evidence and correct evidence provided. 1. Accept Rhesus positive parents produce Rhesus positive and Rhesus negative child. 2. Reject if incorrect explanation and correct explanation provided. 1 and 2. Accept 'affected' for Rhesus positive and 'unaffected' for Rhesus negative.

Question	Marking Guidance	Mark	Comments
06.3	Correct answer of 0.125 / $\frac{1}{8}$ / 12.5% = 2 marks;; Incorrect answer of 0.25 / $\frac{1}{4}$ / 25% = 1 mark;	2 (2 x AO2)	Accept 1 in 8 for 2 marks or accept 1 in 4 for 1 mark. Accept equivalent raw fractions e.g., $\frac{2}{16}$ for 2 marks or $\frac{4}{16}$ for 1 mark. Accept 12.5 for 1 mark.

Question	Marking Guidance	Mark	Comments
06.4	0.2 OR 0.20;	1 (AO2)	

Question	Marking Guidance	Mark	Comments
06.5	1. Chi-squared; 2. 3;	2 (2 x AO2)	1. Accept χ^2 or Chi ²

Question	Marking Guidance	Mark	Comments
06.6	1. Selection (against/for a blood group/phenotype/allele); 2. (High rate of) mutation; 3. Immigration/emigration; 4. No random mating.	2 max (2 x AO2)	1 to 4. Reject converse statements as context would be incorrect' Ignore births/deaths. 3. Accept 'migration' or population is not isolated. 4. Ignore no 'random fertilisation'.