

Question	Marking Guidance	Mark	Comments
06.1	1. Microvilli provide a large surface area OR Folded (cell-surface) membrane provides a large surface area; 2. Many channel/carrier proteins for facilitated diffusion; 3. Many <u>carrier</u> proteins for active transport; 4. Many channel/carrier proteins for co-transport; 5. Many mitochondria produce ATP OR Many mitochondria for active transport; 6. Many ribosomes to produce carrier/channel proteins;	3 max (3 x AO1)	Max 2 from mark points 2, 3 and 4. For 2, 3, 4, 5 and 6 penalise omission of 'many' only once. 1. Ignore 'brush border'. 3 and 4. Accept sodium-potassium pumps as an alternative to carrier proteins. 4. Accept 'co-transport protein' or 'symport' for type of transport protein. 5. Accept co-transport for active transport. 6. Accept abundant rough endoplasmic reticulum for many ribosomes, but abbreviation is not enough.

Question	Marking Guidance	Mark	Comments
06.2	Collecting duct and distal (convoluted) tubule;	1 (AO1)	Do not accept DCT for distal convoluted tubule.

Question	Marking Guidance	Mark	Comments
06.3	1. Has a (specific) <u>tertiary</u> structure/shape; 2. (Structures are) <u>complementary</u>;	2 (2 x AO2)	1. Accept in context of ADH or receptor. 1. Ignore 3D. 1. Reject reference to Antigen or antibody. 1 and 2. Reject reference to active site, enzyme, substrate or induced fit only once.

Question	Marking Guidance	Mark	Comments
06.4	1. Aorta OR Carotid artery/sinus; 2. (ADH) increases (re)absorption of water; 3. Increases volume of (blood) and pressure increases OR Increases volume of (blood) and pressure returns to normal;	3 (1 x AO1, 2 x AO2)	1. Ignore arteries but reject named incorrect artery. 2. Reject if other substances are also absorbed e.g. glucose, ions.