

1(a)	<table><tr><th>description</th><th>letter</th></tr><tr><td>efferent blood vessel</td><td>B ;</td></tr><tr><td>part of nephron containing cells that respond to ADH</td><td>F, G ;</td></tr><tr><td>part of nephron where podocyte cells are located</td><td>C ;</td></tr><tr><td>part of nephron containing cells that are located in the medulla</td><td>E, G ;</td></tr></table>	description	letter	efferent blood vessel	B ;	part of nephron containing cells that respond to ADH	F, G ;	part of nephron where podocyte cells are located	C ;	part of nephron containing cells that are located in the medulla	E, G ;	4
description	letter											
efferent blood vessel	B ;											
part of nephron containing cells that respond to ADH	F, G ;											
part of nephron where podocyte cells are located	C ;											
part of nephron containing cells that are located in the medulla	E, G ;											
1(b)	<i>any five from:</i> 1 microvilli / basal membrane folds, increase / give large, surface area ; 2 for / many, (named) transport proteins ; 3 Na⁺ / sodium ions, and, glucose / amino acids, move / co-transported, into cell (from filtrate / lumen) ; 4 Na⁺/sodium ions, pumped / move (out of cell) to, blood / tissue fluid ; 5 <i>ref. to <u>active transport</u> ;</i> 6 many <u>mitochondria</u>, give / for, energy / ATP ; 7 <u>tight junctions</u> and reason ;	5										
1(c)(i)	<i>any two from:</i> 1 as water potential (of blood) increases concentration of ADH (in the blood) decreases ; 2 two ADH figures related to two % change in water potential figures ; 3 between 0% and (+)10% change in water potential, <u>ADH</u> (concentration), does not change / is constant / stays the same / plateaus ;	2										

Question	Answer	Marks
1(c)(ii)	blood, volume / pressure, decreases ;	1

Question	Answer	Marks
----------	--------	-------