

Question number	Answer	Additional guidance	Mark
2(a)	The correct answer is C, fibrin <i>A is incorrect because cholesterol is not part of the wound</i> <i>B is incorrect because collagen is inside the artery wall</i> <i>D is incorrect because fibrinogen is soluble</i>		(1)

Question number	Answer	Additional guidance	Mark
2(b)	The correct answer is A, 1 <i>B is incorrect because prothrombin is the only inactive enzyme precursor in the list</i> <i>C is incorrect because prothrombin is the only inactive enzyme precursor in the list</i> <i>D is incorrect because prothrombin is the only inactive enzyme precursor in the list</i>		(1)

Question number	Answer	Additional guidance	Mark
2(c)	The correct answer is C, 3 <i>B is incorrect because fibrin is the only insoluble molecule in the list</i> <i>C is incorrect because fibrin is the only insoluble molecule in the list</i> <i>D is incorrect because fibrin is the only insoluble molecule in the list</i>		(1)

Question number	Answer	Additional guidance	Mark
2(d)	An explanation that includes three of the following points: • to keep thromboplastin separate from prothrombin (1) • so that prothrombin will not be converted into thrombin (1) • the blood clotting process will be prevented (1) • to have thromboplastin {available / released quickly} (when needed) (1)	ACCEPT other descriptions of what will not happen e.g. fibrin will not be formed ACCEPT will be at a high concentration (when needed) NB award mps if candidate clearly states what would happen if the thromboplastin was NOT inside platelets	(3)