

5(a)	<i>Fig. 5.1: <u>species</u> ;</i> <i>Fig. 5.2: <u>genetic</u> ;</i> <i>Fig. 5.3: habitat / ecosystem ;</i>	3
------	---	----------

Question	Answer	Marks
5(b)(i)	<i>plants:</i> 1 quadrats ; 2 transects ; 3 <i>ref. to use</i>, ACFOR / Braun-Blanquet or estimate percentage cover (of species) count species calculate plus species abundance record species density AW species frequency ; <i>insects:</i> 4 pooters / pitfall traps / nets / light traps / sugar traps ; 5 mark-release-recapture ; <i>accept in either section:</i> 6 (identification) keys ;	4
5(b)(ii)	<i>estimate biodiversity:</i> <u>Simpson's index</u> (of biodiversity) ; <i>test relationship:</i> Pearson's linear correlation coefficient / Spearman's rank correlation ;	2

Question	Answer	Marks
5(c)	any three from: <i>negative</i> 1 smaller crop area so lower yield ; 2 prairie strip insects may feed on crop ; 3 (so) less, profit / income ; <i>must be linked to mp1 or mp2</i> <i>positive</i> 4 (soil) more fertile / described, so higher yield ; 5 less / no, fertiliser / phosphorus compounds / nitrogen compounds, used ; ignore minerals 6 (so) more, profit / income or reduction in expenses ; <i>must be linked to mp4 or mp5</i>	3