

Question number	Answer	Additional guidance	Mark
2(a)(i)	pain and swelling / pain and loss of function / swelling and loss of function (1)	ACCEPT hurts / tender / aches / throbbing / dolor oedema / blistering	(1)

Question number	Answer	Additional guidance	Mark
2(a)(ii)	An explanation that includes two of the following points: - because (an increase in / high) {temperature / heat} speeds up {enzyme / lysozyme} activity (1) - pathogens destroyed faster by {phagocytes / lysozymes / neutrophils / macrophages} (1) (high) {temperature / heat} denatures enzymes (of pathogens) so pathogens {destroyed / inhibited / cannot reproduce} (1)	ACCEPT destroyed by phagocytosis faster increases the immune response ACCEPT infected cells damaged DO NOT ACCEPT viruses killed	(2)

Question number	Answer	Additional guidance	Mark
2(b)	A description that includes two of the following points: • interferons are secreted by infected cells (1) • they are anti-viral proteins (1) • preventing {viral replication / synthesis of viral proteins / spread of virus} (1) • involved in activation of {macrophages / T killer cells} (1)	ACCEPT prevent viruses {entering / binding to} cells ACCEPT activation of cell-mediated response	(2)

Question number	Answer	Additional guidance	Mark
(c)	An answer that includes <i>three</i> of the following with the similarity: Similarities: • concentration of antibody rises (and falls) in both (1) Differences: • antibody concentration rise {sooner / immediately} following the second infection (1) • antibody concentration rise higher following the second infection (1) • antibody concentration rise faster following the second infection (1)		(3)

