

5(a)	<i>polymer – context of a chain / strand</i> (similar) repeating, smaller molecules / subunits or repeating / many, monomers / (RNA) nucleotides ; R branching A <i>idea of</i> nucleotides joined together to form a chain A made of nucleotides to form <u>polynucleotide</u> <i>‘made of nucleotides’ ‘made of monomers’ not enough</i> <i>macromolecule (in context of RNA)</i> large (biological) molecules / 1000 or more atoms / high molecular mass ; A giant / huge, structure I long	2												
5(b)	add Benedict’s (solution / reagent) and, boil / heat to 95 °C ; A temperature 80 °C and above precipitate / (change from clear blue to) green / yellow / orange / red / brown ; R if a wrong colour included e.g. black / purple	2												
5(c)	<table border="1"> <thead> <tr> <th>feature</th><th>DNA nucleotide</th><th>RNA nucleotide</th></tr> </thead> <tbody> <tr> <td>sugar component</td><td>deoxyribose</td><td>ribose ;</td></tr> <tr> <td>purine bases</td><td>adenine / A guanine / G</td><td>adenine / A guanine / G } ;</td></tr> <tr> <td>pyrimidine bases</td><td>cytosine / C thymine / T</td><td>cytosine / C uracil / U } ;</td></tr> </tbody> </table> R <i>thiamine for thymine</i>	feature	DNA nucleotide	RNA nucleotide	sugar component	deoxyribose	ribose ;	purine bases	adenine / A guanine / G	adenine / A guanine / G } ;	pyrimidine bases	cytosine / C thymine / T	cytosine / C uracil / U } ;	3
feature	DNA nucleotide	RNA nucleotide												
sugar component	deoxyribose	ribose ;												
purine bases	adenine / A guanine / G	adenine / A guanine / G } ;												
pyrimidine bases	cytosine / C thymine / T	cytosine / C uracil / U } ;												