

2(a)(i)	<i>any 3 of:</i> 1 habitat / tree species / broad-leaved trees, good for grey squirrels, has increased (overall) or habitat / tree species / broad-leaved trees, good for grey squirrels, has increased more in Scotland than England ; 2 habitat / tree species, good for red squirrels, has decreased or habitat / tree species, good for red squirrels, has decreased more in England than in Scotland ; 3 habitat / tree species, good for both squirrel species, has decreased ; 4 habitat / tree species, poor for both squirrel species, has increased or habitat / tree species, poor for both squirrel species, has increased more in Scotland than in England ;	3 <i>1 simple data quotes unqualified</i> 2 could be in terms of (large) decrease in European Larch or could be in terms of the Japanese Larch increase in Scotland 3 could be in terms of decrease in Norway spruce 4 could be in terms of the large increase in Sitka Spruce or much larger increase in Sitka Spruce in Scotland
---------	--	--

Question	Answer	Marks	Guidance
2(a)(ii)	<i>any 2 of:</i> 1 less, habitat / suitable woods / places to live (for red squirrel) ; 2 less food (for red squirrels) ; 3 less, cover / places, to hide from predators ; 4 <i>ref. to</i> disease in red squirrels ;	2	2 A fewer nesting sites for reds I shelter A in terms of habitat / competition R if state <u>same</u> niche 3 A changed habitat conditions favour more, predators / predation I <i>ref. to</i> interbreeding
2(b)(i)	<i>any 2 of:</i> trap density or same trap density (in each / either type of woodland) ; trap size / type or same sized traps / humane steel traps ; test for antibodies or standard test for antibodies ; time of sampling or <i>idea of</i> sampling between the same months / year / AW ;	2	A quoted densities 1 per 0.01 km² (broad-leaved) / 2 per 0.01 km² (narrow-leaved) A 'number in a given area' as description of density A 'same time of sampling' I <i>ref. to</i> regular sampling
2(b)(ii)	(between 2002 and 2010 / over time) the percentage of squirrels with, immunity / antibodies / testing positive, has decreased or (in 2010) compared to control group the percentage of squirrels with, immunity / antibodies / testing positive is (much) lower ;	1	I <i>ref. to</i> no. of squirrels (killed) I unqualified data quotes

Question	Answer	Marks	Guidance
2(b)(iii)	<i>idea that</i> on the mainland the squirrels can (rapidly) re-invade or <i>idea that</i> the mainland area, will be larger / has more areas to 'hide', so less easy to remove them (all) / so more survive post cull or <i>idea that</i> survivors post cull provide a breeding population to build up the population (rapidly) ;	1	A ora throughout A in terms of no barrier to the migration of the grey squirrels A in terms of <i>idea of</i> (red) squirrels being isolated on the island