

Question number	Answer	Additional guidance	Mark
4(a)	A description that includes the following points: - CVD includes all diseases affecting heart and blood vessels (1) - CHD is when the <u>coronary artery</u> is {blocked / affected (only)} (1)	ACCEPT (whole) circulatory system IGNORE cardiovascular system ACCEPT atheroma in the CA DO NOT ACCEPT heart / blood vessels	(2)

Question number	Answer	Additional guidance	Mark
4(b)(i)	25 / 25.0 / 24.98	DO NOT ACCEPT 24.97 any other values	(1)

Question number	Answer	Additional guidance	Mark
4(b)(ii)	0.8 / 0.84 / 0.842 (:1)	DO NOT ACCEPT any other values	(1)

Question number	Answer	Additional guidance	Mark
4(c)(i)	An explanation that includes two of the following points: • (high blood pressure could) damage the {endothelial lining / endothelial cells / lining of the blood vessels} (1) • which would cause {an inflammatory response / inflammation} (1) • therefore {cholesterol may accumulate (in the blood vessel) / formation of blood clots} (1)	IGNORE walls of blood vessels ACCEPT white blood cells accumulate in the damaged area ACCEPT {plaque / atheroma} may form IGNORE atherosclerosis	(2)

Question number	Answer	Additional guidance	Mark
4(c)(ii)	An answer that includes two of the following: diet / {salt / fibre / fats / cholesterol} (intake) exercise family history / genetic predisposition / genetics (of CVD / CHD) other diseases smoking alcohol (intake) ethnicity sex / gender age	e.g. diabetes	(1)

Question number	Answer	Additional guidance	Mark
4(c)(iii)	An answer that includes three of the following points: • suitable comment about BMI and CVD (1) • suitable comment about WHR and CVD (1) • suitable comment about BMI and CHD (1) • suitable comment about WHR and CHD (1) • (overall graphs show) WHR more useful (than BMI) (1) • not useful as no {error bars / indication of sample size / other factors affect risk} (1)	e.g. only useful in men (above 24.9 / 29.9) only useful in women above 39.9 limited in women as no correlation e.g. correlation in (men / women) (more) useful in {men / women} above 0.79 e.g. limited use in women as no correlation useful in men above 24.9 not useful in men with higher BMI as no data e.g. correlation (overall) in {men / women} (more) useful in women above 0.79 (more) useful in men above 0.79	(3)