

Question number	Answer	Mark
8(a)	The only correct answer is A <i>B is incorrect because age is not influenced by lifestyle = 1</i> <i>C is incorrect because age, is not influenced by lifestyle = 1</i> <i>D is incorrect because age is not influenced by lifestyle = 1</i>	(1)

Question number	Answer	Mark
*8(b)	Aspect 1 - Explanation of factors listed: • as age increases so does the risk because {arteries stiffen / increase in time for other risk factors} • high blood pressure causes damage to the endothelial lining of the arteries which triggers plaque formation • smoking raises blood pressure • the more cholesterol in the blood the more for plaque build up • HDL levels allow calculation of the HDL : LDL ratio which affects the risk of CVD Aspect 2 - Explanation of factors not listed: • high salt increases blood pressure / excessive alcohol reduces liver metabolism of cholesterol / low fibre increases stool transit time / antioxidants reduce endothelial damage so plaque not triggered • high mass / BMI increases strain on heart • lack of exercise results in a less healthy heart and may influence mass • men are at a higher risk until the woman goes through menopause • family history as {genetic predisposition / family members who have had CVD} increases risk • LDL / saturated fats increase cholesterol available to be deposited in the arteries • stress as this increases blood pressure • number of cigarettes as this affects the {damage / blood pressure} Aspect 3 – Explaining / comparing effectiveness of RAC-1 and RAC-2: • RAC-1 missing information on HDL cholesterol and RAC-2 missing information on smoking because they are both important risk factors – piece together • RAC-1 possibly more effective as it includes smoking • both are missing other important factors therefore {will not be accurate / calculation will be an underestimate} • effectiveness depends on accurate responses • people may not know their {cholesterol / HDL / blood pressure} so guess	(6)

Level 1 : some explanation for any aspect(s)

1 mark = simple description

2 marks = 1 explanation

Level 2 : explanations covering more than one of the aspects

3 marks = 2 explanations

4 marks = 3 explanations

Level 3 : detailed explanations covering all three aspects of the question

5 marks = 3 explanations

6 marks = 4 explanations

Question number	Answer	Additional guidance	Mark
8(c)(i)	An explanation that makes reference to two of the following points: - calculator does not include {number of cigarettes / how long person has smoked} - a person {may not know / have guessed} their {blood pressure / cholesterol level / HDL level} (1) (other) {risk factors / named risk factor} not on calculator (1) - their {LDL levels / LDL : HDL ratio} may be very high (1)	ACCEPT people {underestimate / guess / lie} about {the number of cigarettes they smoke / how long they have smoked} ACCEPT a person may have estimated their {blood pressure / cholesterol level / HDL level} ONLY if it is clear that the word estimate has been used as an alternative to guess	(2)

Question number	Answer	Additional guidance	Mark
8(c)(ii)	An answer that makes reference to two of the following points: • a person may not know all the information (1) • a person may have a high risk condition already (1) • person {cannot use the technology / do not have access to the internet} (1)	ACCEPT blood pressure, total cholesterol, HDL ACCEPT named condition e.g. CVD, diabetes, obesity, genetic predisposition, family history of CVD, disease that increases risk IGNORE CVD caused by genes	(2)

Question number	Answer	Additional guidance	Mark
8(c)(iii)	• CVD takes a while to develop / lifestyle may change (as the person gets older) / age affects the risk (1)	ACCEPT named example of factor that might change	(1)