

Question number	Answer	Additional guidance	Mark
8(a)	A calculation which: - measured widths of wall as 10 mm and 30 mm (1) - shows the difference between widths, divided by smaller value (1) $\times 100\%$ (1) Example of calculation: $(30 - 10) = 20 \text{ mm}$ $(20 \div 10)$ $\times 100 = 200\%$	Accept measurements consistent with printed image Correct answer with no working gains all 3 marks	(3)

Question number	Answer	Mark
8(b)	An explanation that includes the following points: - formation of blood clot / thickening of artery wall (1) - therefore {blocks / narrows} coronary arteries (1) - therefore reduces blood flow (1) - therefore deprives heart muscle of {oxygen / nutrients} (1)	(4)

Question number	Answer	Additional guidance	Mark
8(c)	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme. The indicative content below is not prescriptive and candidates are not required to include all the material indicated as relevant. Additional content included in the response must be scientific and relevant. Indicative content • increased cholesterol increases chance of dying from CVD • cholesterol concentrations are different in different countries • same cholesterol level does not confer same risk in different countries • greater the cholesterol to HDL ratio, the greater the risk of CVD • the smaller the diameter the LDL, the greater the risk of CVD • individuals at greatest risk of CVD are those with a large cholesterol to HDL ratio and small LDL diameter and a high cholesterol concentration • not possible to say if different risks for a particular cholesterol concentration in the first study are due to differences in cholesterol to HDL ratio / diameter of LDL	Allow differences in the first study may be due to differences in cholesterol to HDL ratio / diameter of LDL	(6)

Level	Marks	Descriptor
	0	No awardable content.
1	1-2	A scientific assessment is made of a factor, supported by the application of limited relevant evidence from the scientific information provided. No conclusion is attempted.
2	3-4	A scientific assessment is made of some of the factors, supported by the application of some relevant evidence from the analysis and with some interpretation of the scientific information. A conclusion, where needed, is made, demonstrating linkages to elements of biological knowledge and understanding, with some evidence to support the assessment being made.
3	5-6	A scientific assessment is made of the factors, supported throughout by sustained application of relevant evidence from the analysis and interpretation of the scientific information. A conclusion, where needed, is made, demonstrating sustained linkages to biological knowledge and understanding, with sufficient evidence to support the assessment being made.