

Question	Marking Guidance	Mark	Comments
06.1	1. Reduced surface area; 2. Increased distance for <u>diffusion</u> ; 3. Reduced rate of gas exchange;	3	1 and 2. Accept description of efficient gas exchange in healthy alveolar epithelium as long as reference made to the damaged tissue changing this.

06.2	See appendix 1 for a flow chart (No) EITHER 1. 9 (percent per 5 $\mu\text{g cm}^{-3}$); 2. 1.42/1.8 (percent per 5 $\mu\text{g cm}^{-3}$); OR 3. 1.8 (percent per 1 $\mu\text{g cm}^{-3}$); 4. 0.28/0.36 (percent per 1 $\mu\text{g cm}^{-3}$); OR 5. 9% and 36/27% increase here; 6. (To be linear) 100 ($\mu\text{g cm}^{-3}$) would be 180/171% (increase) OR (To be linear) 5 ($\mu\text{g cm}^{-3}$) would be 1.8% (increase) OR % increase is x4 (0-5 $\mu\text{g cm}^{-3}$ compared with 0-100 $\mu\text{g cm}^{-3}$) but 5-100 is more than x4 OR % increase is x3 (0-5 $\mu\text{g cm}^{-3}$ compared with 5-100 $\mu\text{g cm}^{-3}$) but 5-100 is more than x3; OR 7. (Using $y = mx + c$) at 5 ($\mu\text{g cm}^{-3}$) $m = 1.8$; 8. (Using $y = mx + c$) at 100 ($\mu\text{g cm}^{-3}$) $m = 0.36$; 9. At 100 ($\mu\text{g cm}^{-3}$) y would be 186%; 10. At 5 ($\mu\text{g cm}^{-3}$) y would be 7.8%;; If no correct answers accept for one mark Evidence of incorrect graph reading but division by 19 OR Evidence of incorrect graph reading but division by 95	2	Accept any number of significant figures as long as rounding correct, full answer for mp2 is 1.42105263, for mp4 is 0.28421053. Accept 1 and 2 OR 3 and 4 OR 5 and 6 OR 7 and 8 OR 7 and 9 OR 8 and 10
--------------------	---	----------	---

