

- 8 The risk of developing cardiovascular disease (CVD) is influenced by a number of factors.

Risk assessment calculators allow a person to calculate their own risk of developing CVD.

The person completes a questionnaire about their health and lifestyle. This information is then used to calculate the risk of the person developing CVD within the next ten years.

The table shows the information required by two different risk assessment calculators, RAC-1 and RAC-2.

Information	Information required by the calculators	
	RAC-1	RAC-2
Age	✓	✓
Blood pressure	✓	✓
Smoking	✓	x
Total cholesterol	✓	✓
HDL cholesterol	x	✓

- (a) How many of the risk factors listed in the table are **not** influenced by lifestyle?

(1)

- ☐ **A** 1
- ☐ **B** 2
- ☐ **C** 3
- ☐ **D** 4



(6)

This image shows a full page of white paper with horizontal dotted lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

(c) The calculators work out the risk of a person developing CVD in the next 10 years.

- (i) Explain why the information entered by a person may lead to an underestimate of their 10-year risk of developing CVD.

(2)

- (ii) Suggest why these two risk calculators may not be suitable for everybody to use.

(2)

- (iii) Suggest why these risk calculators estimate the **10-year** risk of developing CVD.

(1)

(Total for Question 8 = 12 marks)

