

Question	Marking Guidance	Mark	Comments
08.1	1. (Smooth) muscle absorbs/resists/withstands high (blood) pressure; 2. Elastic (tissue/layer) stretches and recoils maintains/smooths blood pressure; 3. (Smooth) endothelium reduces friction; 4. Protein (coat) prevents (artery) wall splitting OR Protein (coat) absorbs/resists/withstands high (blood) pressure;	2 max (2 x AO1)	1. Ignore contraction 1. Ignore maintains pressure 2. Reject contracts/relaxes for recoils 2. Accept dilate OR expand for stretch 4. Accept fibrous OR collagen for protein

Question	Marking Guidance	Mark	Comments
08.2	1. Small diameters are low risk of tears so unlikely to/do not have aneurysms OR As diameter increases, risk of tears increases and (risk of developing) aneurysms increase; 2. Few people have/at high risk of tear OR Few people have/at high risk of aneurysms; 3. Diameters > / above 4.5 (cm) at high risk (of tears) so may have aneurysms; 4. (High risk of) tear does not mean aneurysm will/has occurred;	3 max (3 x AO3)	1. Accept the converse 1. Accept ≤ 4.5 for small 2. Accept the converse, eg most people at low risk of tear/aneurysm 2. Accept 7/98/105 for few 3. Accept 'increases significantly'

Question	Marking Guidance	Mark	Comments
08.3	1. and 2. Correct answer of 35 / 35.1 / 35.3 / 35.7 / 36 / 40(%) = 2 marks ;; Accept for 1 mark , incorrect answer but shows: Evidence of 45 (correct stroke volume for diseased heart) OR Evidence of 69.6 OR 70 (correct stroke volume for healthy heart) OR	3 (3 x AO3)	Accept positive or negative values

	Evidence of 24.6 OR 25 (correct difference between stroke volumes) OR Evidence of 48.6 to 50 (correct calculated volume change, not percentage change) 3. (Mathematical error) incorrect rounding;		
--	--	--	--

