

Question Number	Answer	Mark
9(a)	The only correct answer is B endemic <i>A is not correct because the answer is endemic</i> <i>C is not correct because the answer is endemic</i> <i>D is not correct because the answer is endemic</i>	(1)

Question Number	Answer	Additional guidance	Mark
9(b)(i)	An answer that makes reference to the following: • anatomical (1) • anatomical (1) • behavioural (1)		(3)

Question Number	Answer	Additional guidance	Mark
9(b)(ii)	An answer that makes reference to one of the following points: • competition for a {mate / territory} (1) • competition for food / height of food (1)	ignore mutation ACCEPT predators e.g. more food sources above height of shell	(1)

Question Number	Answer	Additional guidance	Mark
9(c)(i)	A calculation in which: • calculation of percentage using correct data (1)	<u>Example of calculation:</u> $(18 \div 27) \times 100 = 66.67\% / 66.7\% / 67\%$	(1)

Question Number	Answer	Additional guidance	Mark
9(c)(ii)	A calculation in which: • calculation of increase in population (1) • calculation of percentage increase using correct data (1)	<u>Example of calculation:</u> $1800 - 15 = 1785$ $(1785 \div 15) \times 100 = 11900.0\%$	(2)

Question Number	Answer	Additional guidance	Mark
9(c)(iii)	An explanation that makes reference to three of the following points: • analysis of molecular evidence (of the zoo tortoise) (1) • comparison (of molecular evidence) to a <i>C. hoodensis</i> tortoise (to see how similar the sequences are) (1) • comparison of {phenotype /anatomy/physiology} to a <i>C. hoodensis</i> tortoise (1) • breeding the tortoise with a <i>C. hoodensis</i> tortoise to see if fertile offspring are produced (1)	e.g. DNA / RNA / proteins ACCEPT molecular phylogeny ACCEPT comparison of bands (from gel electrophoresis) with <i>C. hoodensis</i> tortoise ACCEPT identification of features {exclusive/similar} to <i>C. hoodensis</i>	(3)

Question Number	Answer	Additional guidance	Mark
9(d)	An explanation that makes reference to two of the following points: • DNA analysis to identify different alleles (1) • use of Hardy-Weinberg equation / $p^2+2pq+q^2$ (1) • (in order to) compare (recessive) allele frequency in previous generation(s) with current generation (1)		(2)