

6(a)	any four from: 1 variable thickness of cell wall described ; 2 no plasmodesmata (between guard cell and other epidermal cells) ; 3 many, chloroplasts / mitochondria ; 4 chloroplasts have few grana ; 5 mitochondria have many cristae ; 6 cell surface membrane, often folded / contains many transport proteins ; 7 AVP ; e.g. cellulose microfibrils arranged in bands / shape description has several small vacuoles nucleus is relatively larger than in mesophyll cells	4																		
6(b)(i)	1 (more) stomata open at (mid)day <u>and</u> (more) stomata closed, at (mid)night / in darkness – ora ; 2 data quote – two values of time of day and percentage of stomata open ; <table border="1"> <thead> <tr> <th>time of day</th><th>percentage of stomata open ($\pm$ 0.5)</th><th>mean percentage</th></tr> </thead> <tbody> <tr> <td>06:00</td><td>90 / 80 / 64</td><td>78</td></tr> <tr> <td>12:00 / midday</td><td>93 / 70 / 90</td><td>84.3</td></tr> <tr> <td colspan="3"><u>and</u></td></tr> <tr> <td>18:00</td><td>25 / 35</td><td>30</td></tr> <tr> <td>24:00 / midnight</td><td>10 / 15 / 10</td><td>11.7</td></tr> </tbody> </table>	time of day	percentage of stomata open ($\pm$ 0.5)	mean percentage	06:00	90 / 80 / 64	78	12:00 / midday	93 / 70 / 90	84.3	<u>and</u>			18:00	25 / 35	30	24:00 / midnight	10 / 15 / 10	11.7	2
time of day	percentage of stomata open ($\pm$ 0.5)	mean percentage																		
06:00	90 / 80 / 64	78																		
12:00 / midday	93 / 70 / 90	84.3																		
<u>and</u>																				
18:00	25 / 35	30																		
24:00 / midnight	10 / 15 / 10	11.7																		

Question	Answer	Marks
6(b)(ii)	any two from: 1 water stress / drought ; 2 <u>high</u> temperature ; 3 <u>low</u> humidity / <u>dry</u> (atmosphere); 4 <u>high</u> carbon dioxide concentration in leaf (air spaces) ; 5 <u>low</u> light intensity ; 6 <u>high</u> wind speed ;	2

Question	Answer		Marks
6(c)	correct order	letter of event	4
	1	D	
	2	E	
	3	G	
	4	B	
	5	F	
	6	J	
	7	I	
	8	A	
	9	H	
	10	C	
	E G B between D and F ; E G B in correct order throughout table ;		
	J I A H between F and C ; J I A H in correct order throughout table ;		