

Question	Marking Guidance	Mark	Comments
04.1	2;	1 (1 x AO1)	Accept glucose and fructose

Question	Marking Guidance	Mark	Comments
04.2	1. Heat with Benedict's (solution/reagent); 2. Red (colour/precipitate); 3. (Because) glucose/fructose is/are reducing sugars OR (Because) glucose/fructose is/are detected;	3 (3 x AO1)	1. Ignore water bath unqualified 1. Ignore warm 1. Accept Fehling's for Benedict's 1. Reject if heat with acid 2. Accept green OR orange OR brown OR yellow 2. Ignore emulsion 3. Reject if sucrose is detected

Question	Marking Guidance	Mark	Comments
04.3	1.6 / 1.62;	1 (1 x AO2)	Accept 2

Question	Marking Guidance	Mark	Comments
04.4	1. Molasses/solution has a lower water potential OR Water (in beaker) has higher water potential; 2. Water moves in (across) partially/selectively permeable <u>bladder</u>; 3. Increased (molasses/solution) <u>volume</u> OR Decreased air <u>volume</u>;	3 (3 x AO2)	1. Accept more negative for lower OR less negative for higher 1. Accept Ψ for water potential 2. Accept semi-permeable
Question	Marking Guidance	Mark	Comments
04.5	Suggested change 1. Diluted (molasses) OR Decreased (molasses) concentration OR Increased (molasses) water potential OR Decreased water potential gradient; 2. (Reduction by) 80% / 5 times OR (Reduction to) 20% OR (Used) 1 in 5 molasses to water OR (Used) 1 : 4 molasses to water;	2 (2 x AO3)	Ignore reduced temperature 1. Accept less negative for increased 1. Accept Ψ for water potential 2. Accept description of 1 : 4 ratio, eg 20 (cm³) molasses (added) to 80 (cm³) water OR 2. Accept fivefold OR factor of 5 for 5 times dilution

