

Question	Marking Guidance	Mark	Comments
06.1	1. Remove shading/hatching; 2. Have the same number of ribs on each side OR Make the sizes of the muscles/ribs more accurate on each side; 3. Use single/continuous/joined line OR Do not use sketching OR No crossing or hanging lines; 4. Not have the label line (for B) crossing/obscuring the drawing; 5. (Add a) scale (bar); 6. Simplify the trachea/bronchus/bronchioles/alveoli/structure OR Draw (only) the outline of tissues;	2 max (2 x AO3)	5. Ignore (add) magnification 6. Accept reduce the amount of detail

Question	Marking Guidance	Mark	Comments
06.2	1. A contracts and pulls ribs up/out; 2. B contracts and moves down;	2 (2 x AO1)	If 'contracts' is not mentioned, allow 1 mark for correct movement of both structures 1. For A accept (external) intercostal muscle 1. For A reject internal intercostal muscle 2. For B accept diaphragm 2. For moves down accept 'flattens'

Question	Marking Guidance	Mark	Comments
06.3	Answer of 5(.347883598) = 2 marks ;; Evidence of correct answer but incorrect rounding e.g. 5.34 = 1 mark OR Evidence of 5347.883598 (answer in cm ³) = 1 mark OR Evidence of numbers 5347883598 (ignore position of decimal point, incorrect order of magnitude) = 1mark OR Evidence of 20 215/20.215 (calculated the numerator) = 1 mark ;	2 (2 x AO2)	Accept any correct rounding

Question	Marking Guidance	Mark	Comments
06.4	1. (Known) contact with asbestos; 2. A latency period of 15–40 years OR A long latency period OR (Diagnosis) at least 15 years after;	2 (2 x AO3)	1. Accept descriptions of contact with e.g. exposure to 1. Accept '(fibrous) mineral' for 'asbestos' 2. Accept a long time between exposure and symptoms 2. Accept any number of given years between 15 and 40 for latency period/diagnosis

Question	Marking Guidance	Mark	Comments
06.5	1. Less painful/invasive; 2. Less (risk of further) lung damage OR Less (risk of more) scar tissue; 3. Less risk of infection/death; 4. Cheaper; 5. Quicker (procedure/results/recovery);	2 max (2 x AO3)	Accept converse for all mark points in the context of a biopsy 1. Accept no surgery (needed)

Question	Marking Guidance	Mark	Comments
06.6	Unethical not to treat (control group);	1 (1 x AO3)	

Question	Marking Guidance	Mark	Comments
06.7	Max 3 for reasons FOR or AGAINST FOR (no mark) 1. Both (diseases) involve the formation of scar tissue OR Both (diseases) have similar symptoms OR (Drug/s) can slow the formation of scar tissue OR (Drug/s) can slow the symptoms/progression; 2. Both drugs equally as effective; 3. (Investigated) in humans/people; 4. Long-term effects are known OR (It is) a long-term investigation; AGAINST (no mark) 5. Is not a cure OR Only reduces the formation of scar tissue; 6. Neither drug affects the cause/DNA damage; 7. Formation of scar tissue might not be the same (for asbestosis) OR (Only) investigated in IPF OR Not investigated in asbestosis OR Needs investigating in asbestosis; 8. No control (group) to compare with OR No group without treatment/drugs to compare with	4 max (4 x AO3)	Ignore answers relating to sample size 9. Accept any reference to side effects for or against for 1 mark 2. Must be clearly stated and not inferred 8. Accept descriptions of this, e.g. do not know percentage of patients still alive without treatment.