

Question	Marking Guidance	Mark	Comments																				
2.1	<table><tr><th>Cell wall component</th><th>Plants</th><th>Algae</th><th>Fungi</th><th>Prokaryotes</th></tr><tr><td>Cellulose</td><td>✓</td><td>✓</td><td></td><td></td></tr><tr><td>Murein</td><td></td><td></td><td></td><td>✓</td></tr><tr><td>Chitin</td><td></td><td></td><td>✓</td><td></td></tr></table> ; ; ;	Cell wall component	Plants	Algae	Fungi	Prokaryotes	Cellulose	✓	✓			Murein				✓	Chitin			✓		3	1st 2 columns correct (Plants and Algae) = 1 mark 3rd column correct (Fungi) = 1 mark 4th column correct (Prokaryotes) = 1 mark Accept alternative symbols that clearly indicate the box but are not ticks eg X. If answer clearly crossed out read box as blank.
Cell wall component	Plants	Algae	Fungi	Prokaryotes																			
Cellulose	✓	✓																					
Murein				✓																			
Chitin			✓																				

Question	Marking Guidance	Mark	Comments
2.2	1. Negative <u>correlation</u> (between fibre eaten per day and risk of cardiovascular disease); 2. Original/current fibre intake (of student) not known; 3. (Idea of) significance linked to (2x) standard deviation overlap (at 10 g day⁻¹ change); 4. If current intake between 5 and 30 (g day⁻¹) then (eating 10g more results in a significant) decrease in risk OR If current intake between 30 and 50 (g day⁻¹) then (eating 10g more results in) no significant decrease in risk; 5. Correlation does not mean causation OR Another named factor may be involved; 6. Little evidence/data for higher mass of fibre per day; 7. Large (2x) standard deviation at high/low mass of fibre makes (mean) less precise OR Large (2x) standard deviation at high/low amounts of fibre means there is a greater uncertainty; 8. No statistical test (to show if differences are significant);	4 max	1. Accept positive <u>correlation</u> with reduced risk 2. Accept 'it depends on original/current fibre intake'. 3. This is for the correct concept, ignore stated values. 3. Ignore reference to probability and chance. 4. Accept stated values between 5 and 30 for (significant) decrease in risk. 4. Accept stated values between 30 and 50 for no significant decrease in risk. 4. Ignore stated values less than 5 or more than 50. 5. Examples of named factors - smoking, exercise, age, sex, genes, other aspects of diet. 7. For 'precise' accept reliable or description of precise/reliable.

Question	Marking Guidance	Mark	Comments
2.3	(Advantage) 1. Over longer period so more representative OR Diet over 24 hr may not be representative OR Diet may vary during the year/from day to day OR Person more likely to be honest on questionnaire (rather than speaking to nurse) OR More cost effective because fewer people/nurses required; (Disadvantage) 2. Relies on (long term) memory so may not be accurate OR Recall of 24 hr diet likely to be more accurate OR Estimation (from FFQ) may be less accurate (than details of last 24hrs) OR Person may be more honest when being interviewed;	2	Only credit reference to 'honesty' once. 2. For 'accurate' accept only 'valid' or 'close to true value'. 2. Accept examples of 'estimation (from FFQ)' eg frequency of eating may not give mass of fibre, type of food may not give mass of fibre, no information on portion size to give mass of fibre. These must all be accompanied by idea of reduced accuracy.

