

|      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 6(a) | <p>any <b>five</b> from:</p> <p><b>1</b> inject (non-self / foreign / specific) antigen into small mammal ;<br/><b>A</b> named e.g. mouse</p> <p><b>2</b> <i>ref. to</i> leave time for immune response to occur (over several weeks) ;<br/><b>A</b> immune response described</p> <p><b>3</b> remove splenocytes from the spleen (of mice) ;<br/><b>A</b> plasma cells / B-lymphocytes / B-cells, <i>for splenocytes</i></p> <p><b>4</b> fuse, splenocytes / AW, and, myeloma / tumour / cancer, cells ;</p> <p><b>5</b> screen and select hybridoma cells ;</p> <p><b>6</b> clone selected hybridoma cells ;</p> <p><b>7</b> AVP ; e.g. use of fusogen / polyethylene glycol<br/>separate hybridoma cells into separate wells<br/><i>ref. to</i> HAT medium<br/><i>ref. to</i> humanising monoclonal antibody</p> | <b>5</b> |
| 6(b) | <p><b>T / S ;</b></p> <p><b>Q ;</b></p> <p><b>R ;</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>3</b> |
| 6(c) | <p>right atrium ;</p> <p>Purkyne , tissue / fibres ;<br/><b>A</b> Purkinje, tissue / fibres<br/><b>A</b> Bundle of His</p> <p>ventricular systole ;</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>3</b> |