

Supplementary Materials

Section A. Data processing and variable definitions

Protected area data

Protected area boundaries and attributes are drawn from the World Database on Protected Areas (WDPA), May 2021 release (UNEP-WCMC and IUCN 2023). The following WDPA fields are used, with definitions drawn from the WDPA User Manual (UNEP-WCMC 2024):

- **STATUS:** The legal or established status of a protected area. We retain only sites with STATUS equal to “Designated”, “Established”, or “Inscribed”, which correspond to sites that have been formally recognized through legal or other effective means.
- **STATUS_YR:** The year in which the protected area was designated or established. A value of **0 indicates that the designation year was not reported** by the data provider. It does not mean the PA was created in year zero, nor that its existence is uncertain – it simply reflects missing temporal metadata. In the May 2021 WDPA release, a non-negligible number of PAs carry STATUS_YR = 0.
- **IUCN_CAT:** The IUCN management category assigned to the protected area. Categories Ia, Ib, II, and III correspond to strict protection regimes (nature reserves, wilderness areas, national parks). Categories IV, V, and VI correspond to less restrictive management (habitat management areas, protected landscapes, sustainable-use areas). Many PAs in the WDPA carry a category of “Not Reported”, “Not Applicable”, or “Not Assigned” – we group these as “unknown IUCN category”.
- **DESIG_ENG:** The designation type in English. UNESCO-MAB Biosphere Reserves are excluded, as is standard practice, because they often encompass large areas with minimal legal protection (Hanson 2022).
- **MARINE:** Indicates whether the PA is terrestrial, coastal, or marine. We exclude purely marine PAs (MARINE = “2”).

Temporal classification of protected areas

Because STATUS_YR = 0 is common in the WDPA, we distinguish two sets of PAs:

1. **PAs with recorded designation year:** used for the 2000–2020 comparison. For 2000, we retain PAs with $1 \leq \text{STATUS_YR} \leq 2000$. For 2020, we retain PAs with $1 \leq \text{STATUS_YR} \leq 2020$.
2. **All PAs in 2020:** includes all PAs from set (1) above plus those with STATUS_YR = 0. These PAs are known to exist because they appear in the May 2021 WDPA release –

their designation year is simply not recorded. This is the set used for the main 2020 cross-section (Table 1, Figure 1).

The 2000–2020 comparison is restricted to set (1) because PAs with missing designation year cannot be reliably assigned to the 2000 period.

Spatial processing in R

Population counts inside and near protected areas were computed in R (R Core Team 2023) for each country and each first-level administrative unit (ADM1) from geoBoundaries v6.0.0 (Runfola et al. 2020), using the terra (Hijmans 2025) and exactextractr (Baston 2023) packages for raster extraction and sf (Pebesma 2018) for vector operations, run on the SSP Cloud data-science platform (Avouac et al. 2025). All geometries were processed in an equal-area projection (EPSG:6933), and protected areas were filtered to each country by ISO3 code so that PAs in neighbouring countries are not attributed across borders. For each administrative unit, the following steps were performed:

1. **Classification:** PAs were assigned to one of three IUCN groups (strict, non-strict, unknown) and dissolved into one geometry per group.
2. **Hierarchical assignment:** Where PA categories overlap spatially, area was assigned to the highest-priority category using an exclusive hierarchy: strict > non-strict > unknown. Each location belongs to at most one category.
3. **Buffer construction:** For each category, a 10 km buffer was computed and reduced to the ring lying within 10 km of the PA boundary but outside any PA interior. Buffer rings are also assigned exclusively – an area already claimed by a higher-priority PA interior or buffer is not counted again. Combined with a single joint treatment of PAs with and without a recorded designation year, this exclusive construction avoids double counting of overlapping buffer zones.
4. **Zonal aggregation:** Population (from GHSL or WorldPop) and land area were summed within each interior and ring, clipped to national boundaries. Buffer zones are truncated at international borders.

We also computed total PA boundary length by IUCN category from the same filtered WDPA polygons. Multipart geometries belonging to the same WDPAID were dissolved in EPSG:6933, and their perimeters were summed by category. This provides a category-level measure of potential boundary exposure that complements the area-based standardization reported in the main text.

Output dataset structure

The R computation produces one CSV file per country and population source (GHSL or WorldPop), with one row per ADM1 unit and temporal subset. Key variables in the output:

Variable	Definition	Unit
pop_total	Total population within the administrative unit	persons
pop_strict	Population inside strict PAs (IUCN Ia-III)	persons
pop_nonstrict	Population inside non-strict PAs (IUCN IV-VI)	persons
pop_unknowncat	Population inside PAs of unknown IUCN category	persons
pop_strict10	Population in the 10 km buffer ring around strict PAs (exclusive of inside)	persons
pop_nonstrict10	Population in the 10 km buffer ring around non-strict PAs (exclusive)	persons
pop_unknowncat10	Population in the 10 km buffer ring around unknown-category PAs (exclusive)	persons
area_strict	Land area inside strict PAs	km ²
area_nonstrict	Land area inside non-strict PAs	km ²
area_unknowncat	Land area inside unknown-category PAs	km ²
scenario	Temporal subset: Confirmed_2000, Confirmed_2020, Unknown_Year, or All_2020	–
source	Population dataset: GHSL or WP (WorldPop)	–

a mis en forme : Anglais (États-Unis)

a mis en forme : Anglais (États-Unis)

1 The All_2020 subset (PAs with $1 \leq \text{STATUS_YR} \leq 2020$ or $\text{STATUS_YR} = 0$) is computed
2 directly with a single joint mask, rather than by summing Confirmed_2020 and Unknown_Year;
3 this is what removes the double counting of overlapping buffer zones. A separate national-
4 level aggregation file per country provides total PA area and distinct PA counts (all
5 categories, All_2020 set).

6 In the R analysis, “inside or within 10 km” is computed as the sum of the inside population
7 and the buffer-ring population (e.g., pop_strict + pop_strict10). Percentage shares are
8 computed relative to pop_total, which represents the total national population from the
9 same gridded dataset.

10 For the reviewer-requested 2020 standardization table by PA category, PA counts are the
11 number of distinct WDPAID in the May 2021 WDPA snapshot after the filters above (the count
12 basis requested by the reviewer), while inside-PA areas are taken from the per-country
13 national aggregation files (National_PA_Totals_Refactored_<ISO3>.csv). Inside and 10 km

1 ring populations and ring areas come from the reviewed ADM-based GHSL outputs
2 described above. Country land-area denominators are taken from the geoBoundaries-based
3 country areas to express PA area as a share of the combined land area of the 75-country
4 sample.

5 References

6 Avouac, Romain, Thomas Faria, and Frédéric Comte. 2025. "A Cloud-Native Data Science
7 Platform for Official Statistics." In *Foundations and Advances of Machine Learning in
8 Official Statistics*, edited by Florian Dumpert. Springer Nature Switzerland.
9 https://doi.org/10.1007/978-3-032-10004-7_8.

10 Baston, Daniel. 2023. *Exactextractr: Fast Extraction from Raster Datasets Using Polygons*.
11 <https://isciences.gitlab.io/exactextractr/>.

12 Hanson, Jeffrey O. 2022. "Wdpar: Interface to the World Database on Protected Areas."
13 *Journal of Open Source Software* 7 (78): 4594. <https://doi.org/10.21105/joss.04594>.

14 Hijmans, Robert J. 2025. *Terra: Spatial Data Analysis*. <https://rspatial.org/>.

15 Pebesma, Edzer. 2018. "Simple Features for R: Standardized Support for Spatial Vector
16 Data." *The R Journal* 10 (1): 439–46. <https://doi.org/10.32614/RJ-2018-009>.

17 R Core Team. 2023. *R: A Language and Environment for Statistical Computing*. R
18 Foundation for Statistical Computing. <https://www.R-project.org/>.

19 Runfola, Daniel, Austin Anderson, Heather Baier, et al. 2020. "geoBoundaries: A Global
20 Database of Political Administrative Boundaries." *PLOS ONE* 15 (4): e0231866.
21 <https://doi.org/10.1371/journal.pone.0231866>.

22 UNEP-WCMC. 2024. *World Database on Protected Areas (WDPA) [WDOECM] User Manual*
23 *1.6*. UNEP World Conservation Monitoring Centre.
24 [https://wdpa.s3.amazonaws.com/WDPA_Manual/English/WDPA_WDOECM_Manual_1_6.](https://wdpa.s3.amazonaws.com/WDPA_Manual/English/WDPA_WDOECM_Manual_1_6.pdf)
25 [pdf](https://wdpa.s3.amazonaws.com/WDPA_Manual/English/WDPA_WDOECM_Manual_1_6.pdf).

26 UNEP-WCMC, and IUCN. 2023. *Protected Planet: The World Database on Protected Areas*
27 *(WDPA)*. UNEP-WCMC and IUCN. Cambridge, UK. www.protectedplanet.net.

28

a mis en forme : Anglais (États-Unis)

a mis en forme : Anglais (États-Unis)

a mis en forme : Anglais (États-Unis)

Code de champ modifié

1 Section B. Country-level detail

2 Table S1: Protected area coverage and population proximity (2000–2020)

3 Warning: package 'dplyr' was built under R version 4.5.3


Country	PA area (km²)		% pop. inside PAs		% pop. inside or within 10 km	
	2000	2020	2000	2020	2000	2020
Afghanistan	0	21,798	0.0	1.0	0.0	13.3
Angola	82,206	82,206	1.5	1.7	2.4	3.1
Bangladesh	4,120	3,857	0.3	0.4	3.8	9.3
Benin	24,730	24,730	1.6	1.7	15.2	15.8
Bhutan	12,959	17,123	2.8	3.0	43.8	45.9
Bolivia	212,372	236,250	7.1	13.5	47.7	52.1
Burkina Faso	34,942	39,973	3.1	3.7	27.0	38.7
Burundi	1,172	1,174	0.1	0.1	25.4	28.0
Cabo Verde	0	21	0.0	0.1	0.0	39.5
Cambodia	24,745	62,639	1.9	4.5	10.8	27.6
Cameroon	23,657	48,085	0.1	2.1	3.9	21.6
Central African Republic	67,995	67,995	0.2	0.3	13.1	14.2
Chad	143,131	173,459	3.7	3.6	10.8	10.6
Comoros	12	529	0.5	11.8	33.6	98.6
Congo, Dem. Rep.	161,685	282,122	1.5	4.7	18.3	22.4
Congo, Rep.	31,032	117,639	0.5	12.1	48.0	70.0
Côte d'Ivoire	20,929	21,171	0.1	0.3	21.8	26.4
Djibouti	0	201	0.0	0.0	0.0	1.3
Egypt, Arab Rep.	59,135	126,749	0.3	0.4	10.4	10.8
El Salvador	14	1,402	0.0	2.5	1.0	81.5
Eritrea	5,807	5,807	1.1	1.4	7.5	5.3
Eswatini	695	715	0.2	0.1	26.9	34.1
Ethiopia	103,155	165,408	2.7	6.4	6.6	12.5
Gambia, The	313	462	0.1	0.4	51.0	73.2
Ghana	28,703	29,074	0.9	0.8	62.8	63.8
Guinea	11,087	54,567	2.0	14.1	40.7	52.5
Guinea-Bissau	3,251	5,535	1.8	4.9	9.3	15.0
Haiti	548	1,761	0.8	2.8	8.5	43.8
Honduras	21,586	23,726	3.2	4.1	60.0	68.9
Indonesia	41,090	64,140	0.1	0.3	2.6	4.5
Kenya	54,913	55,891	3.0	3.2	47.8	47.9
Kiribati	0	0	0.0	0.0	0.0	0.0
Korea, Dem. Rep.	0	0	0.0	0.0	0.0	0.0
Kyrgyz Republic	5,332	5,332	0.4	0.4	16.3	15.8
Lao PDR	25,375	41,418	1.6	3.3	20.8	29.3
Lesotho	69	69	0.0	0.0	0.2	0.3
Liberia	1,551	3,413	0.0	0.9	0.8	6.1
Madagascar	30,133	42,528	1.0	3.8	8.2	24.8
Malawi	16,530	17,114	1.3	1.4	42.9	42.0
Mali	41,179	82,426	3.2	9.3	32.6	45.4

Country	PA area (km²)		% pop. inside PAs		% pop. inside or within 10 km	
	2000	2020	2000	2020	2000	2020
Mauritania	6,014	6,014	0.4	0.1	0.7	0.2
Micronesia, Fed. Sts.	0	0	0.0	0.0	0.0	0.0
Moldova	0	0	0.0	0.0	0.0	0.0
Mongolia	219,208	286,375	1.6	1.9	37.7	56.8
Morocco	11,474	17,548	0.5	1.2	30.4	38.4
Mozambique	74,133	137,400	0.8	5.2	2.5	20.4
Myanmar	10,544	42,542	0.2	0.4	7.6	10.9
Nepal	23,738	28,745	0.7	3.0	20.3	32.9
Nicaragua	15,659	23,454	2.3	4.1	62.1	67.4
Niger	80,125	192,502	1.9	4.5	3.2	8.2
Nigeria	32,942	41,860	0.2	0.5	1.9	3.7
Pakistan	80,228	80,228	2.9	2.9	19.2	19.2
Palestine (West Bank and Gaza)	0	0	0.0	0.0	0.0	0.0
Papua New Guinea	12,950	16,674	0.9	1.0	8.6	9.4
Philippines	22,795	39,240	3.0	3.2	33.9	49.7
Rwanda	2,019	2,120	0.0	0.1	15.5	21.7
Senegal	21,853	23,063	1.2	1.3	12.9	30.9
Sierra Leone	2,473	3,386	0.5	0.9	24.8	29.6
Solomon Islands	122	247	0.2	0.3	0.9	4.2
Somalia	0	0	0.0	0.0	0.0	0.0
Sudan	8,334	8,751	0.1	0.1	0.2	0.2
Syrian Arab Republic	0	0	0.0	0.0	0.0	0.0
São Tomé and Príncipe	0	314	0.0	0.0	0.0	37.8
Tajikistan	25,313	25,705	0.6	0.6	10.5	10.7
Tanzania	192,871	226,066	2.0	3.2	37.5	38.9
Togo	6,289	6,264	2.5	2.8	45.9	58.5
Tunisia	7,469	11,581	0.1	0.2	25.9	55.7
Uganda	27,642	30,414	1.7	2.1	80.5	81.1
Ukraine	15,866	17,937	1.1	1.1	45.4	46.4
Uzbekistan	12,307	19,245	0.1	0.3	2.9	6.6
Vanuatu	54	54	0.1	0.1	12.5	15.8
Viet Nam	5,674	21,180	0.6	1.0	8.4	17.7
Yemen, Rep.	0	2,801	0.0	0.0	0.0	0.2
Zambia	239,426	243,563	8.2	8.2	66.0	64.5
Zimbabwe	49,208	78,860	0.6	4.2	12.3	31.2

Source: WDPA May 2021, GHSL.

1 **Section C. Net change in population near protected areas, 2000–2020**

2 Figure S1 shows the net change (2020 minus 2000) in population inside protected areas and
3 within 10 km of their boundaries, for the 75 LMICs combined, decomposed by IUCN
4 management category. This figure is restricted to protected areas with recorded designation
5 years in the WDPA.




6
7 **Figure S1: Net change in population inside protected areas and inside or within 10 km of**
8 **their boundaries, 2000 to 2020, for the 75 low- and lower-middle-income countries**
9 **combined, decomposed by IUCN management category. Estimates are restricted to**
10 **protected areas with recorded designation years in the WDPA.**

11

1 Section D. Effect of including PAs with missing designation year

2 Figure S2 displays, for each country, the share of the national population residing inside PAs
3 or within 10 km under two counts: one restricted to PAs whose designation year is recorded
4 as falling on or before 2020 (“Recorded year”), and one that also includes PAs with missing
5 designation year (“Incl. missing year”). The gap between the two bars represents the
6 uncertainty attributable to incomplete temporal metadata in the WDPa.



1
2 **Figure S2: Effect of including protected areas with missing designation year on the**
3 **estimated share of the national population living inside protected areas or within 10 km,**
4 **by country. The figure compares counts based only on protected areas with recorded**

- 1 designation year with counts that also include protected areas whose designation year
- 2 is missing.
- 3

1 **Section E. Largest GHSL-WorldPop discrepancies**

2 Figure 3 in the main text shows that the inside-PA comparison is systematically shifted
3 upward, with most country estimates above the 1:1 line, whereas the broader inside-or-
4 within-10-km perimeter is closer to parity. Table S2 lists the largest country-level
5 discrepancies under the threshold rule used in the paper.

6 **Table S2: Largest differences between GHSL and WorldPop estimates**

Country	Perimeter	GHSL (%)	WorldPop (%)	Abs. diff. (pp)	Rel. diff.
São Tomé and Príncipe	Inside or within 10 km	37.8	70.2	32.4	86%
Comoros	Inside PAs	11.8	38.2	26.3	223%
Congo, Rep.	Inside PAs	12.1	24.5	12.4	103%
São Tomé and Príncipe	Inside PAs	0.0	8.7	8.6	17,346%
Bhutan	Inside or within 10 km	45.9	53.8	7.9	17%
Nepal	Inside or within 10 km	32.9	40.3	7.3	22%
Bhutan	Inside PAs	3.0	9.2	6.2	204%
Guinea-Bissau	Inside or within 10 km	21.0	27.0	6.0	29%
Bolivia	Inside PAs	30.6	25.1	5.4	18%
Djibouti	Inside or within 10 km	1.3	6.7	5.4	426%
Zambia	Inside PAs	8.8	14.2	5.4	61%
Haiti	Inside or within 10 km	43.8	48.9	5.1	12%
Senegal	Inside PAs	2.8	7.8	5.0	180%

Source: WDPa May 2021, GHSL & WorldPop 2020.

a mis en forme : Corps de texte