Name:	
J#:	Dr. Clontz
Date:	

Math 237 – Linear Algebra Fall 2017

Version 1 Fall 2017 Show all work. Answers without work will not receive credit. You may use a calculator, but you must show all relevant work to receive credit for a standard.

Standard	d <b>V2</b> .	Mark:				
Determine if	$\begin{bmatrix} 0 \\ -1 \\ 2 \\ 6 \end{bmatrix} $ can l	oe writte	en as a linear combination of the vectors	$\begin{bmatrix} 3 \\ -1 \\ -1 \\ 0 \end{bmatrix}$	and	$\begin{bmatrix} -1\\0\\1\\2 \end{bmatrix}.$

Standard S1.	Mark:		
Determine if the vectors	$\begin{bmatrix} 1 \\ 1 \\ -1 \end{bmatrix},$	$\begin{bmatrix} 3 \\ -1 \\ 1 \end{bmatrix}$ , and $\begin{bmatrix} 2 \\ 0 \\ -2 \end{bmatrix}$	are linearly dependent or linearly independent

Standard S3.

Mark:

Let W be the subspace of  $\mathcal{P}_2$  given by  $W = \text{span}\left(\left\{-3x^2 - 8x, x^2 + 2x + 2, -x + 3\right\}\right)$ . Find a basis for W.

Standard S4.  $\begin{bmatrix} & & & \\ & & & & \\ & &$ 

Additional Notes/Marks

Name:	
J#:	Dr. Clontz
Date:	

Math 237 – Linear Algebra Fall 2017

Version 2 Fall 2017 Show all work. Answers without work will not receive credit. You may use a calculator, but you must show all relevant work to receive credit for a standard.

Standar		Mark:						
Determine if	$\begin{bmatrix} 1 \\ 4 \\ 3 \end{bmatrix}$ is a lin	ear com	bination of the vectors	$\begin{bmatrix} 2\\3\\-1 \end{bmatrix},$	$\begin{bmatrix} 1 \\ -1 \\ 0 \end{bmatrix}$	, and	$\begin{bmatrix} -3\\-2\\5 \end{bmatrix}$	

Standard S1. 
$$\begin{bmatrix} 1 \\ 1 \\ -1 \end{bmatrix}, \begin{bmatrix} 3 \\ -1 \\ 1 \end{bmatrix}, \text{ and } \begin{bmatrix} 2 \\ 0 \\ -2 \end{bmatrix} \text{ are linearly dependent or linearly independent}$$

Standard S3.

$$\begin{bmatrix}
Mark: \\
Mark: \\
\end{bmatrix}$$
Let  $W = \operatorname{span} \left( \left\{ \begin{bmatrix} 1 \\ 1 \\ 2 \\ 1 \end{bmatrix}, \begin{bmatrix} 3 \\ 3 \\ 6 \\ 3 \end{bmatrix}, \begin{bmatrix} 3 \\ -1 \\ 3 \\ -2 \end{bmatrix}, \begin{bmatrix} 7 \\ -1 \\ 8 \\ -3 \end{bmatrix} \right\} \right)$ . Find a basis for  $W$ .

Standard S4. Mark:
$$\text{Let } W = \text{span} \left( \left\{ \begin{bmatrix} -3 \\ -8 \\ 0 \end{bmatrix}, \begin{bmatrix} 1 \\ 2 \\ 2 \end{bmatrix}, \begin{bmatrix} 0 \\ -1 \\ 3 \end{bmatrix} \right\} \right). \text{ Compute the dimension of } W.$$

 ${\bf Additional\ Notes/Marks}$ 

Name:	
J#:	Dr. Clontz
Date:	

### ${\bf MASTERY~QUIZ~DAY~15}$

Math 237 – Linear Algebra Fall 2017

Version 3 Fall 2017 Show all work. Answers without work will not receive credit. You may use a calculator, but you must show all relevant work to receive credit for a standard.

Standard V2.	Mark:			
Determine if $\begin{bmatrix} 4 \\ -1 \\ 6 \\ -7 \end{bmatrix}$	belongs to th	e span of the set	$ \begin{cases} \begin{bmatrix} 2 \\ 0 \\ -1 \\ 5 \end{bmatrix} $	$\left. \right], \begin{bmatrix} 4 \\ -1 \\ 4 \\ 3 \end{bmatrix} \right\}.$

Standard S1.

Mark:

Determine if the set of matrices  $\left\{ \begin{bmatrix} 3 & -1 \\ 0 & 4 \end{bmatrix}, \begin{bmatrix} 1 & 2 \\ -2 & 1 \end{bmatrix}, \begin{bmatrix} 3 & -8 \\ 6 & 5 \end{bmatrix} \right\}$  is linearly dependent or linearly independent.

Standard S3.

$$\begin{bmatrix}
\begin{bmatrix} 2 \\ 0 \\ -2 \\ 0 \end{bmatrix}, \begin{bmatrix} 3 \\ 1 \\ 3 \\ 6 \end{bmatrix}, \begin{bmatrix} 0 \\ 0 \\ 1 \\ 1 \end{bmatrix}, \begin{bmatrix} 1 \\ 2 \\ 0 \\ 1 \end{bmatrix} \\
\end{bmatrix}$$
Let  $W = \operatorname{span} \left( \left\{ \begin{bmatrix} 2 \\ 0 \\ -2 \\ 0 \end{bmatrix}, \begin{bmatrix} 3 \\ 1 \\ 3 \\ 6 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 1 \end{bmatrix}, \begin{bmatrix} 1 \\ 2 \\ 0 \\ 1 \end{bmatrix} \right\} \right)$ . Find a basis of  $W$ .

Standard S4. 
$$\begin{bmatrix} & & & \\ & & & & \\ & &$$

Name:	
J#:	Dr. Clontz
Date:	

Math 237 – Linear Algebra Fall 2017

Version 4

Show all work. Answers without work will not receive credit. You may use a calculator, but you must show all relevant work to receive credit for a standard.

Determine if 
$$\begin{bmatrix} 0 \\ -1 \\ 6 \\ -7 \end{bmatrix}$$
 belongs to the span of the set  $\left\{ \begin{bmatrix} 2 \\ 0 \\ -1 \\ 5 \end{bmatrix}, \begin{bmatrix} 4 \\ -1 \\ 4 \\ 3 \end{bmatrix} \right\}$ .

Standard S1.

Mark:

Determine if the set of vectors  $\left\{ \begin{bmatrix} 3\\-1\\0\\4 \end{bmatrix}, \begin{bmatrix} 1\\2\\-2\\1 \end{bmatrix}, \begin{bmatrix} 3\\-8\\6\\5 \end{bmatrix} \right\}$  is linearly dependent or linearly independent.

Standard S3.	Mark:
--------------	-------

Let W be the subspace of  $\mathcal{P}_2$  given by  $W = \text{span}\left(\left\{-3x^2 - 8x, x^2 + 2x + 2, -x + 3\right\}\right)$ . Find a basis for W.

# Standard S4. Mark:

Let W be the subspace of  $\mathcal{P}_3$  given by  $W = \mathrm{span}\left(\left\{x^3-x^2+3x-3,2x^3+x+1,3x^3-x^2+4x-2,x^3+x^2+x-7\right\}\right)$ . Compute the dimension of W.

Additional Notes/Marks

Name:	
J#:	Dr. Clontz
Date:	

Math 237 – Linear Algebra Fall 2017

Version 5

Show all work. Answers without work will not receive credit. You may use a calculator, but you must show all relevant work to receive credit for a standard.

Standard V2.	Mark:								
Determine if $\begin{bmatrix} 3 \\ -2 \\ 4 \end{bmatrix}$ below	ngs to the	span of the set	$\left\{ \right.$	$\begin{bmatrix} 1 \\ 2 \\ -3 \end{bmatrix}$	,	$\begin{bmatrix} 2\\4\\-6 \end{bmatrix}$	,	$\begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$	}.

	Mark:
Standard S1.	

Determine if the set of polynomials  $\{x^2 + x, x^2 + 2x - 1, x^2 + 3x - 2\}$  is linearly dependent or linearly independent

Standard S3.	Mark:
--------------	-------

Let W be the subspace of  $\mathcal{P}_2$  given by  $W = \text{span}\left(\left\{-3x^2 - 8x, x^2 + 2x + 2, -x + 3\right\}\right)$ . Find a basis for W.

# Standard S4. Mark:

Let W be the subspace of  $\mathcal{P}_3$  given by  $W = \mathrm{span}\left(\left\{x^3-x^2+3x-3,2x^3+x+1,3x^3-x^2+4x-2,x^3+x^2+x-7\right\}\right)$ . Compute the dimension of W.

Additional Notes/Marks

Name:	
J#:	Dr. Clontz
Date:	

Math 237 – Linear Algebra Fall 2017

Version 6

Show all work. Answers without work will not receive credit. You may use a calculator, but you must show all relevant work to receive credit for a standard.

Standard V2.	Mark:	
Determine if $\begin{bmatrix} 0 \\ 0 \\ 2 \end{bmatrix}$ can be	e written as a linear combination of the vector	rs $\begin{bmatrix} -1\\ -9\\ 15 \end{bmatrix}$ and $\begin{bmatrix} 1\\ 5\\ -5 \end{bmatrix}$ .

Standard S1.

independent.

Mark:

Determine if the set of matrices  $\left\{ \begin{bmatrix} 3 & -1 \\ 0 & 4 \end{bmatrix}, \begin{bmatrix} 1 & 2 \\ -2 & 1 \end{bmatrix}, \begin{bmatrix} 3 & -8 \\ 6 & 5 \end{bmatrix} \right\}$  is linearly dependent or linearly

Standard S3. 
$$\begin{bmatrix} & & & & \\ & & & & \\ & & & \\ & & & \end{bmatrix}$$
 Let  $W = \operatorname{span}\left(\left\{\begin{bmatrix} -3 \\ -8 \\ 0 \end{bmatrix}, \begin{bmatrix} 1 \\ 2 \\ 2 \end{bmatrix}, \begin{bmatrix} 0 \\ -1 \\ 3 \end{bmatrix}\right\}\right)$ . Find a basis for  $W$ .

Let 
$$W = \operatorname{span}\left(\left\{\begin{bmatrix}2\\0\\-2\\0\end{bmatrix},\begin{bmatrix}3\\1\\3\\6\end{bmatrix},\begin{bmatrix}0\\0\\1\\1\end{bmatrix},\begin{bmatrix}1\\2\\0\\1\end{bmatrix}\right\}\right)$$
. Compute the dimension of  $W$ .