

C++ Assignment Name: Jawad Ali Reg No: BF25NWELE0691 (All Programs)

i. Program:

```
#include <iostream>
using namespace std;
int main() {
    double voltage, current, resistance;
    return 0;
}
```

ii. Program:

```
#include <iostream>
using namespace std;
int main() {
    cout << "Welcome to Object Oriented Programming in C++!";
    return 0;
}
```

iii. Program:

```
#include <iostream>
using namespace std;
int main() {
    int age;
    cin >> age;
    return 0;
}
```

iv. Program:

```
#include <iostream>
using namespace std;
int main() {
    double temperature;
    cin >> temperature;
    if (temperature > 100)
        cout << "Overheating detected!";
    return 0;
}
```

v. Program:

```
#include <iostream>
using namespace std;
int main() {
    double r, area;
    cin >> r;
    area = 3.14159 * r * r;
    cout << area;
    return 0;
}
```

vi. Program:

```
#include <iostream>
using namespace std;
int main() {
    int x, y, z;
    cin >> x >> y >> z;
    cout << x << ", " << y << ", " << z;
    return 0;
}
```

vii. Program:

```
#include <iostream>
using namespace std;
int main() {
    double voltage, current, total;
    cin >> voltage >> current;
    total = voltage + current;
    cout << total;
    return 0;
}
```

viii. Program:

```
#include <iostream>
using namespace std;
int main() {
    int denominator;
    cin >> denominator;
    if (denominator == 0)
        cout << "Error: Division by zero";
    return 0;
}
```

ix. Program:

```
#include <iostream>
using namespace std;
int main() {
    int count;
    cin >> count;
    count++;
    cout << count;
    return 0;
}
```

x. Program:

```
#include <iostream>
using namespace std;
int main() {
    float a, b, c;
    cin >> a >> b >> c;
    return 0;
}
```

xi. Program:

```
#include <iostream>
using namespace std;
int main() {
    double r1, r2, r3, total;
    cin >> r1 >> r2 >> r3;
    total = r1 + r2 + r3;
    cout << total;
    return 0;
}
```

xii. Program:

```
#include <iostream>
using namespace std;
int main() {
    double r1, r2, r3, total;
    cin >> r1 >> r2 >> r3;
    total = 1 / ((1/r1) + (1/r2) + (1/r3));
    cout << total;
    return 0;
}
```

xiii. Program:

```
#include <iostream>
using namespace std;
int main() {
    double R1, R2, V, V2;
    cin >> R1 >> R2 >> V;
    V2 = (R2 / (R1 + R2)) * V;
    cout << V2;
    return 0;
}
```

xiv. Program:

```
#include <iostream>
using namespace std;
int main() {
    double R1, R2, I, I2;
    cin >> R1 >> R2 >> I;
    I2 = (R1 / (R1 + R2)) * I;
    cout << I2;
    return 0;
}
```

xv. Program:

```
#include <iostream>
using namespace std;
int main() {
    int n;
    cin >> n;
    double grade, credit, totalPoints = 0, totalCredits = 0;
    for (int i = 0; i < n; i++) {
        cin >> grade >> credit;
        totalPoints += grade * credit;
        totalCredits += credit;
    }
}
```

```
double gpa = totalPoints / totalCredits;  
cout << "GPA: " << gpa;  
return 0;  
}
```