


Integrating Google Sign-in Into Your Web App



Create authorization credentials

Any application that uses OAuth 2.0 to access Google APIs must have authorization credentials that identify the application to Google's OAuth 2.0 server. The following steps explain how to create credentials for your project. Your applications can then use the credentials to access APIs that you have enabled for that project.

1. Go to the [Credentials page](#).
2. Click Create credentials > OAuth client ID

Google Cloud Platform

APIs & Services

Credentials

Create credentials to access Google APIs

API key

OAuth client ID

Service account

Help me choose

Name	Creation date	Type	Client ID	Actions
Web client 2	Feb 25, 2022	Web application	152889815268-uhd1...	
Web client 1	Feb 11, 2022	Web application	152889815268-cqu2...	

Service Accounts

Manage service accounts

No service accounts to display

Click Here

3. Select the Web application application type.

Google Cloud Platform

APIs & Services

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *

- Web application
- Android
- Chrome app
- iOS
- TVs and Limited Input devices
- Desktop app
- Universal Windows Platform (UWP)

Select web application

4. Name your OAuth 2.0 client and click Create

Google Cloud Platform

Client ID for Web application

NAME *
Web client 2

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

Client ID
152809815260-cqjhtpab771m45d3p1h0np6b3g745.apps.googleusercontent.com

Client secret
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6

Creation date
February 25, 2022 at 2:56:36 PM GMT+5

The domains of the URIs you add below will be automatically added to your OAuth consent screen as authorized domains.

Authorized JavaScript origins

For use with requests from a browser

URIs 1 *
https://demo.test.com

+ ADD URI

Authorized redirect URIs

For use with requests from a web server

URIs 1 *
https://demo.test.com/callback/google

+ ADD URI

Note: It may take 5 minutes to a few hours for settings to take effect

SAVE CANCEL

Authorized JavaScript origins :- <https://demo.test.com>

Authorized redirect URIs:- <https://demo.test.com/callback/google>

Google Cloud Platform

Credentials

Create credentials to access your enabled APIs. [Learn more](#)

API Keys

<input type="checkbox"/>	Name	Creation date ↓	Restrictions	Key	Actions
No API keys to display					

OAuth 2.0 Client IDs

<input type="checkbox"/>	Name	Creation date ↓	Type	Client ID	Actions
<input type="checkbox"/>	Web client 2	Feb 25, 2022	Web application	152809815260-cqjhtpab771m45d3p1h0np6b3g745.apps.googleusercontent.com	
<input type="checkbox"/>	Web client 1	Feb 11, 2022	Web application	152809815260-cqjhtpab771m45d3p1h0np6b3g745.apps.googleusercontent.com	

Service Accounts

<input type="checkbox"/>	Email	Name ↑	Actions
No service accounts to display			

[Manage service accounts](#)

Click Here

Google Cloud Platform **form-builder**

APIs & Services **Client ID for Web application** [DOWNLOAD JSON](#) [RESET SECRET](#) [DELETE](#)

Name *
Web client 2
The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

Client ID 152899815260-sgthtbgab7f1m45dtp1h2np6b3a/745.apps.googleusercontent.com
Client secret 2ACSPXrc0318jnb7_RhT688K947Ea5V2Ue
Creation date February 25, 2022 at 2:56:36 PM GMT+5

Authorized JavaScript origins
For use with requests from a browser
URIs 1 * https://demo.test.com
[+ ADD URI](#)

Authorized redirect URIs
For use with requests from a web server
URIs 1 * https://demo.test.com/callback/google
[+ ADD URI](#)

Note: It may take 5 minutes to a few hours for settings to take effect

[SAVE](#) [CANCEL](#)

Copy Client Id and Client secret


- Prime Laravel**
- Dashboard
 - Admins
 - Roles
 - Admin Request
 - Application Settings
 - Landing Page
 - Plans
 - Transactions
 - Manage Language

Overview
Organize and adjust all settings about this site.

App Setting Logo & App Name Setting Change Setting >	Storage Setting AWS, S3 Storage Configuration Change Setting >
Chat Setting Pusher Setting Change Setting >	Social Setting Social Login Setting Change Setting >
Email Email SMTP settings, notifications and others related to email. Change Setting >	General General Setting Change Setting >
Payment Payment Setting Change Setting >	

Open setting

© 2022 Prime Laravel Form Builder Saas


-  **Reze Laravel**
- Dashboard
 - Admins
 - Roles
 - Admin Request
 - Application Settings
 - Landing Page
 - Plans
 - Offline Payment
 - Transactions
 - Chat
 - Manage Language

Jump To

- App Setting
- Storage
- Chat
- Social**
- Email
- General
- Payment

Social setting

Google Setting
How To Enable Login With Google [Document](#)


Turn on 


Google Client Id
152809815260-cqu2c582bzj6diuk7ipqun03qle0gtl.apps.googleusercontent.com


Google Client Secret
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

Google Redirect Uri
<https://demo.test.com/callback/google>

Set Client Id, Client Secret And Redirect Uri

Facebook Setting
How To Enable Login With Facebook [Document](#) 

Github Setting
How To Enable Login With Github [Document](#) 

Linkedin Setting
How To Enable Login With Linkedin [Document](#) 

Last save 