

Online Project Management System

Use Case Specification: New Task

Version 1.0

[Note: The following template is provided for use with the Rational Unified Process. Text enclosed in square brackets and displayed in blue italics (style=InfoBlue) is included to provide guidance to the author and should be deleted before publishing the document. A paragraph entered following this style will automatically be set to normal (style=Body Text).]

[To customize automatic fields (which display a gray background when selected), select File>Properties and replace the Title, Subject and Company fields with the appropriate information for this document. After closing the dialog, automatic fields may be updated throughout the document by selecting Edit>Select All (or Ctrl-A) and pressing F9, or simply click on the field and press F9. This must be done separately for Headers and Footers. Alt-F9 will toggle between displaying the field names and the field contents. See Word help for more information on working with fields.]

<Project Name>	Version: <1.0>
Use Case Specification: <Use-Case Name>	Date: <dd/mmm/yy>
<document identifier>	

Revision History

Date	Version	Description	Author
<dd/mmm/yy>	<x.x>	<details>	<name>

<Project Name>	Version: <1.0>
Use Case Specification: <Use-Case Name>	Date: <dd/mm/yy>
<document identifier>	

Table of Contents

1.	Use Case Name	1
1.1	Brief Description	1
2.	Flow of Events	1
2.1	Basic Flow	1
2.2	Alternative Flows	1
2.2.1	< First Alternative Flow >	1
2.2.2	< Second Alternative Flow >	2
3.	Special Requirements	2
3.1	< First special requirement >	2
4.	Preconditions	2
4.1	El usuario debe de tener privilegios para poder añadir una nueva tarea.	2
4.2	El usuario debe estar identificado en el sistema.	2
5.	Post Conditions	2
5.1	La tarea creada queda almacenada en el sistema.	2
6.	Extension Points	¡Error! Marcador no definido.
6.1	<name of extension point>	¡Error! Marcador no definido.

<Project Name>	Version: <1.0>
Use Case Specification: <Use-Case Name>	Date: <dd/mm/yy>
<document identifier>	

Use Case Specification: <Use-Case Name>

1. Use Case Name

1.1 Brief Description

[The description should briefly convey the role and purpose of the use case. A single paragraph should suffice for this description.]

2. Flow of Events

2.1 Basic Flow

Paso	Acción
1	El sistema muestra un formulario en blanco, con una serie de campos a rellenar: <ul style="list-style-type: none"> • nombre de la tarea (string), Descripción (string), • Descripción(String) • Proyecto al que pertenece (string) dando opción a una búsqueda de los mismos • Participantes (string) (aparecerá una con las personas del proyecto elegido), • FechaInicio (Date), • FechaFin Estimado(Date), • FechaFin Real(Date)
2	El usuario rellena los campos y confirma.
3	El sistema muestra un recopilatorio de los datos introducidos para que sean revisados. El usuario comprueba que son correctos.
4	El sistema guarda la tarea y muestra un mensaje de confirmación.
5	El sistema retorna al área de trabajo.

2.2 Alternative Flows

2.2.1 < First Alternative Flow >

Paso	Acción
1,2,3	El usuario cancela la acción y el sistema retorna al área de trabajo
2	El usuario confirma sin haber cumplimentado la solicitud de alta El sistema avisa del fallo y vuelve al paso 1.
2	El sistema detecta que la tarea ya se ha registrado en el sistema. El sistema muestra un mensaje informando de ello y retorna al paso 1.
3	El usuario, al comprobar el recopilatorio de datos, no

<Project Name>	Version: <1.0>
Use Case Specification: <Use-Case Name>	Date: <dd/mm/yy>
<document identifier>	

	confirma. El sistema retorna al paso anterior.
--	---

2.2.1.1 < An alternative sub-flow >

[Alternative flows may in turn be broken down into sub-sections if it improves clarity.]

2.2.2 < Second Alternative Flow >

[There may be, and most likely will be, a number of alternative flows in a use case. Keep each alternative separate to improve clarity. Using alternative flows improves the readability of the use case, as well as preventing use cases from being decomposed into hierarchies of use cases. Keep in mind that use cases are just textual descriptions, and their main purpose is to document the behavior of a system in a clear, concise and understandable way.]

3. Special Requirements

[A Special Requirement is typically a non-functional requirement that is specific to a use case but is not easily or naturally specified in the text of the use case's event flow. Examples of special requirements include legal and regulatory requirements, application standards, and quality attributes of the system to be built, including usability, reliability, performance or supportability requirements. Additionally, other requirements such as operating systems and environments, compatibility requirements, and design constraints should be captured in this section.]

3.1 < First special requirement >

4. Preconditions

4.1 El usuario debe de tener privilegios para poder añadir una nueva tarea.

4.2 El usuario debe estar identificado en el sistema.

5. Post Conditions

5.1 La tarea creada queda almacenada en el sistema.

6. Priority

Prioridad: Alta