

Figure 1 Kaplan-Meier Survival Curve

Friday, May 29, 2026 11:32:27 AM 1

The LIFETEST Procedure

Stratum 1: Planned Treatment = Combination

Product-Limit Survival Estimates						
AVAL		Survival	Failure	Survival Standard Error	Number Failed	Number Left
0.000		1.0000	0	0	0	34
203.000		0.9706	0.0294	0.0290	1	33
208.000		0.9412	0.0588	0.0404	2	32
224.000		0.9118	0.0882	0.0486	3	31
235.000		0.8824	0.1176	0.0553	4	30
249.000		0.8529	0.1471	0.0607	5	29
252.000		0.8235	0.1765	0.0654	6	28
291.000		0.7941	0.2059	0.0693	7	27
292.000		.	.	.	8	26
292.000		0.7353	0.2647	0.0757	9	25
295.000		0.7059	0.2941	0.0781	10	24
305.000		0.6765	0.3235	0.0802	11	23
306.000		0.6471	0.3529	0.0820	12	22
309.000	*	.	.	.	12	21
315.000		0.6162	0.3838	0.0836	13	20
320.000		0.5854	0.4146	0.0849	14	19
333.000		0.5546	0.4454	0.0859	15	18
342.000		0.5238	0.4762	0.0865	16	17
350.000		0.4930	0.5070	0.0867	17	16
367.000		0.4622	0.5378	0.0866	18	15
371.000		0.4314	0.5686	0.0861	19	14
384.000		0.4006	0.5994	0.0853	20	13
396.000		0.3697	0.6303	0.0841	21	12
410.000		0.3389	0.6611	0.0826	22	11
414.000		0.3081	0.6919	0.0806	23	10
429.000		0.2773	0.7227	0.0782	24	9
448.000		0.2465	0.7535	0.0753	25	8
459.000	*	.	.	.	25	7
481.000	*	.	.	.	25	6
485.000	*	.	.	.	25	5
492.000		0.1972	0.8028	0.0747	26	4
730.000	*	.	.	.	26	3
747.000	*	.	.	.	26	2

Figure 1
Kaplan-Meier Survival Curve

The LIFETEST Procedure

Stratum 1: Planned Treatment = Combination

Product-Limit Survival Estimates						
AVAL		Survival	Failure	Survival Standard Error	Number Failed	Number Left
762.000	*	.	.	.	26	1
791.000	*	.	.	.	26	0

Note: The marked survival times are censored observations.

Summary Statistics for Time Variable AVAL

Quartile Estimates				
Percent	Point Estimate	95% Confidence Interval		
		Transform	[Lower	Upper)
75	448.000	LOGLOG	384.000	.
50	350.000	LOGLOG	305.000	410.000
25	292.000	LOGLOG	235.000	320.000

Mean	Standard Error
364.317	16.586

Note: The mean survival time and its standard error were underestimated because the largest observation was censored and the estimation was restricted to the largest event time.

Figure 1 Kaplan-Meier Survival Curve

Friday, May 29, 2026 11:32:27 AM 3

The LIFETEST Procedure

Stratum 2: Planned Treatment = Monotherapy

Product-Limit Survival Estimates					
AVAL	Survival	Failure	Survival Standard Error	Number Failed	Number Left
0.000	1.0000	0	0	0	206
201.000	.	.	.	1	205
201.000	0.9903	0.00971	0.00683	2	204
206.000	0.9854	0.0146	0.00835	3	203
207.000	0.9806	0.0194	0.00961	4	202
209.000	.	.	.	5	201
209.000	0.9709	0.0291	0.0117	6	200
211.000	0.9660	0.0340	0.0126	7	199
214.000	0.9612	0.0388	0.0135	8	198
217.000	0.9563	0.0437	0.0142	9	197
220.000	.	.	.	10	196
220.000	.	.	.	11	195
220.000	0.9417	0.0583	0.0163	12	194
223.000	0.9369	0.0631	0.0169	13	193
225.000	.	.	.	14	192
225.000	0.9272	0.0728	0.0181	15	191
227.000	0.9223	0.0777	0.0186	16	190
230.000	0.9175	0.0825	0.0192	17	189
231.000	0.9126	0.0874	0.0197	18	188
232.000	.	.	.	19	187
232.000	0.9029	0.0971	0.0206	20	186
233.000	0.8981	0.1019	0.0211	21	185
234.000	.	.	.	22	184
234.000	0.8883	0.1117	0.0219	23	183
235.000	.	.	.	24	182
235.000	.	.	.	25	181
235.000	0.8738	0.1262	0.0231	26	180
238.000	.	.	.	27	179
238.000	0.8641	0.1359	0.0239	28	178
240.000	0.8592	0.1408	0.0242	29	177
241.000	0.8544	0.1456	0.0246	30	176
243.000	0.8495	0.1505	0.0249	31	175
247.000	.	.	.	32	174

Figure 1 Kaplan-Meier Survival Curve

Friday, May 29, 2026 11:32:27 AM 4

The LIFETEST Procedure

Stratum 2: Planned Treatment = Monotherapy

Product-Limit Survival Estimates						
AVAL		Survival	Failure	Survival Standard Error	Number Failed	Number Left
247.000		0.8398	0.1602	0.0256	33	173
251.000		.	.	.	34	172
251.000		0.8301	0.1699	0.0262	35	171
257.000		0.8252	0.1748	0.0265	36	170
260.000		0.8204	0.1796	0.0267	37	169
261.000		.	.	.	38	168
261.000		.	.	.	39	167
261.000		.	.	.	40	166
261.000		0.8010	0.1990	0.0278	41	165
266.000		.	.	.	42	164
266.000		0.7913	0.2087	0.0283	43	163
268.000		0.7864	0.2136	0.0286	44	162
269.000		.	.	.	45	161
269.000		0.7767	0.2233	0.0290	46	160
276.000		.	.	.	47	159
276.000		0.7670	0.2330	0.0295	48	158
279.000		.	.	.	49	157
279.000		0.7573	0.2427	0.0299	50	156
284.000		0.7524	0.2476	0.0301	51	155
285.000		0.7476	0.2524	0.0303	52	154
286.000		0.7427	0.2573	0.0305	53	153
288.000		0.7379	0.2621	0.0306	54	152
289.000		0.7330	0.2670	0.0308	55	151
292.000		0.7282	0.2718	0.0310	56	150
294.000		0.7233	0.2767	0.0312	57	149
296.000		0.7184	0.2816	0.0313	58	148
300.000		.	.	.	59	147
300.000		0.7087	0.2913	0.0317	60	146
301.000		0.7039	0.2961	0.0318	61	145
304.000		0.6990	0.3010	0.0320	62	144
304.000	*	.	.	.	62	143
305.000		0.6941	0.3059	0.0321	63	142
307.000		0.6893	0.3107	0.0322	64	141

Figure 1 Kaplan-Meier Survival Curve

Friday, May 29, 2026 11:32:27 AM 5

The LIFETEST Procedure

Stratum 2: Planned Treatment = Monotherapy

Product-Limit Survival Estimates						
AVAL		Survival	Failure	Survival Standard Error	Number Failed	Number Left
309.000		.	.	.	65	140
309.000		0.6795	0.3205	0.0325	66	139
313.000		.	.	.	67	138
313.000		.	.	.	68	137
313.000		.	.	.	69	136
313.000		.	.	.	70	135
313.000		0.6550	0.3450	0.0331	71	134
315.000		.	.	.	72	133
315.000		0.6453	0.3547	0.0334	73	132
316.000		0.6404	0.3596	0.0335	74	131
317.000		0.6355	0.3645	0.0336	75	130
319.000		0.6306	0.3694	0.0337	76	129
320.000		0.6257	0.3743	0.0338	77	128
324.000		.	.	.	78	127
324.000		0.6159	0.3841	0.0339	79	126
326.000		.	.	.	80	125
326.000		0.6062	0.3938	0.0341	81	124
328.000		0.6013	0.3987	0.0342	82	123
329.000		0.5964	0.4036	0.0342	83	122
336.000		0.5915	0.4085	0.0343	84	121
336.000	*	.	.	.	84	120
338.000		0.5866	0.4134	0.0344	85	119
343.000		0.5816	0.4184	0.0344	86	118
345.000		0.5767	0.4233	0.0345	87	117
347.000		.	.	.	88	116
347.000		0.5668	0.4332	0.0346	89	115
348.000		.	.	.	90	114
348.000		0.5570	0.4430	0.0347	91	113
349.000		0.5521	0.4479	0.0347	92	112
352.000		.	.	.	93	111
352.000		0.5422	0.4578	0.0348	94	110
356.000		0.5373	0.4627	0.0348	95	109
358.000		0.5323	0.4677	0.0349	96	108

Figure 1 Kaplan-Meier Survival Curve

Friday, May 29, 2026 11:32:27 AM 6

The LIFETEST Procedure

Stratum 2: Planned Treatment = Monotherapy

Product-Limit Survival Estimates						
AVAL		Survival	Failure	Survival Standard Error	Number Failed	Number Left
359.000		0.5274	0.4726	0.0349	97	107
363.000		0.5225	0.4775	0.0349	98	106
364.000		0.5176	0.4824	0.0349	99	105
365.000		0.5126	0.4874	0.0349	100	104
368.000		0.5077	0.4923	0.0349	101	103
371.000		0.5028	0.4972	0.0349	102	102
372.000		0.4978	0.5022	0.0350	103	101
373.000		0.4929	0.5071	0.0350	104	100
376.000		.	.	.	105	99
376.000		0.4830	0.5170	0.0349	106	98
377.000		.	.	.	107	97
377.000		0.4732	0.5268	0.0349	108	96
381.000		.	.	.	109	95
381.000		0.4633	0.5367	0.0349	110	94
386.000		0.4584	0.5416	0.0349	111	93
386.000	*	.	.	.	111	92
391.000		0.4534	0.5466	0.0348	112	91
396.000		0.4484	0.5516	0.0348	113	90
397.000		.	.	.	114	89
397.000		.	.	.	115	88
397.000		0.4335	0.5665	0.0347	116	87
398.000		0.4285	0.5715	0.0347	117	86
400.000		0.4235	0.5765	0.0346	118	85
401.000		0.4185	0.5815	0.0346	119	84
404.000		.	.	.	120	83
404.000		.	.	.	121	82
404.000		0.4036	0.5964	0.0344	122	81
406.000		.	.	.	123	80
406.000		0.3936	0.6064	0.0342	124	79
409.000	*	.	.	.	124	78
412.000		0.3886	0.6114	0.0342	125	77
415.000		0.3835	0.6165	0.0341	126	76
416.000		.	.	.	127	75

Figure 1 Kaplan-Meier Survival Curve

Friday, May 29, 2026 11:32:27 AM 7

The LIFETEST Procedure

Stratum 2: Planned Treatment = Monotherapy

Product-Limit Survival Estimates						
AVAL		Survival	Failure	Survival Standard Error	Number Failed	Number Left
416.000		0.3734	0.6266	0.0339	128	74
419.000		.	.	.	129	73
419.000		0.3633	0.6367	0.0338	130	72
422.000		0.3583	0.6417	0.0337	131	71
426.000		0.3533	0.6467	0.0336	132	70
427.000		0.3482	0.6518	0.0335	133	69
427.000	*	.	.	.	133	68
429.000		0.3431	0.6569	0.0334	134	67
430.000		0.3380	0.6620	0.0333	135	66
432.000		0.3328	0.6672	0.0332	136	65
436.000	*	.	.	.	136	64
439.000		.	.	.	137	63
439.000		0.3224	0.6776	0.0329	138	62
440.000		0.3172	0.6828	0.0328	139	61
440.000	*	.	.	.	139	60
445.000		.	.	.	140	59
445.000		.	.	.	141	58
445.000		0.3014	0.6986	0.0324	142	57
446.000		0.2961	0.7039	0.0323	143	56
446.000	*	.	.	.	143	55
448.000		.	.	.	144	54
448.000		0.2853	0.7147	0.0320	145	53
452.000		0.2799	0.7201	0.0318	146	52
454.000		0.2746	0.7254	0.0317	147	51
455.000	*	.	.	.	147	50
456.000		0.2691	0.7309	0.0315	148	49
460.000		0.2636	0.7364	0.0313	149	48
462.000		.	.	.	150	47
462.000		0.2526	0.7474	0.0310	151	46
466.000		0.2471	0.7529	0.0308	152	45
466.000	*	.	.	.	152	44
466.000	*	.	.	.	152	43
468.000		.	.	.	153	42

Figure 1 Kaplan-Meier Survival Curve

Friday, May 29, 2026 11:32:27 AM 8

The LIFETEST Procedure

Stratum 2: Planned Treatment = Monotherapy

Product-Limit Survival Estimates						
AVAL		Survival	Failure	Survival Standard Error	Number Failed	Number Left
468.000		0.2356	0.7644	0.0304	154	41
469.000		0.2299	0.7701	0.0302	155	40
478.000		0.2241	0.7759	0.0300	156	39
479.000		0.2184	0.7816	0.0298	157	38
481.000		0.2126	0.7874	0.0295	158	37
484.000		0.2069	0.7931	0.0293	159	36
486.000		.	.	.	160	35
486.000		0.1954	0.8046	0.0288	161	34
487.000		0.1896	0.8104	0.0285	162	33
488.000		.	.	.	163	32
488.000		0.1781	0.8219	0.0279	164	31
489.000		.	.	.	165	30
489.000		0.1667	0.8333	0.0273	166	29
490.000		0.1609	0.8391	0.0269	167	28
490.000	*	.	.	.	167	27
491.000		0.1549	0.8451	0.0266	168	26
493.000		.	.	.	169	25
493.000		0.1430	0.8570	0.0258	170	24
494.000		0.1371	0.8629	0.0254	171	23
495.000	*	.	.	.	171	22
497.000		0.1308	0.8692	0.0250	172	21
512.000	*	.	.	.	172	20
540.000	*	.	.	.	172	19
563.000	*	.	.	.	172	18
577.000	*	.	.	.	172	17
584.000	*	.	.	.	172	16
621.000	*	.	.	.	172	15
622.000	*	.	.	.	172	14
625.000	*	.	.	.	172	13
645.000	*	.	.	.	172	12
647.000	*	.	.	.	172	11
669.000	*	.	.	.	172	10
687.000	*	.	.	.	172	9

Figure 1 Kaplan-Meier Survival Curve

Friday, May 29, 2026 11:32:27 AM 9

The LIFETEST Procedure

Stratum 2: Planned Treatment = Monotherapy

Product-Limit Survival Estimates						
AVAL		Survival	Failure	Survival Standard Error	Number Failed	Number Left
697.000	*	.	.	.	172	8
701.000	*	.	.	.	172	7
706.000	*	.	.	.	172	6
726.000	*	.	.	.	172	5
736.000	*	.	.	.	172	4
747.000	*	.	.	.	172	3
774.000	*	.	.	.	172	2
778.000	*	.	.	.	172	1
794.000	*	.	.	.	172	0

Note: The marked survival times are censored observations.

Summary Statistics for Time Variable AVAL

Quartile Estimates				
Percent	Point Estimate	95% Confidence Interval		
		Transform	[Lower	Upper)
75	466.000	LOGLOG	445.000	487.000
50	372.000	LOGLOG	347.000	398.000
25	285.000	LOGLOG	261.000	307.000

Mean	Standard Error
369.143	6.787

Note: The mean survival time and its standard error were underestimated because the largest observation was censored and the estimation was restricted to the largest event time.

Summary of the Number of Censored and Uncensored Values					
Stratum	TRT01P	Total	Failed	Censored	Percent Censored
1	Combination	34	26	8	23.53
2	Monotherapy	206	172	34	16.50
Total		240	198	42	17.50

Figure 1 Kaplan-Meier Survival Curve

Friday, May 29, 2026 11:32:27 AM 10

The LIFETEST Procedure

Testing Homogeneity of Survival Curves for AVAL over Strata

Rank Statistics		
TRT01P	Log-Rank	Wilcoxon
Combination	-0.81163	112.00
Monotherapy	0.81163	-112.00

Covariance Matrix for the Log-Rank Statistics		
TRT01P	Combination	Monotherapy
Combination	22.9995	-22.9995
Monotherapy	-22.9995	22.9995

Covariance Matrix for the Wilcoxon Statistics		
TRT01P	Combination	Monotherapy
Combination	538523	-538523
Monotherapy	-538523	538523

Test of Equality over Strata			
Test	Chi-Square	DF	Pr > Chi-Square
Log-Rank	0.0286	1	0.8656
Wilcoxon	0.0233	1	0.8787
-2Log(LR)	0.2687	1	0.6042

Figure 1
Kaplan-Meier Survival Curve

The LIFETEST Procedure

