```c
#include <stdio.h>
#include <string.h>

#define MAX_TEAMS 100

struct Coach {
   char name[50];
   int age;
   int experience;
};

struct Team {
   char teamName[50];
   char sportType[30];
   struct Coach coach;
};

int isDuplicate(char *teamName, struct Team teams[], int teamCount) {
   for (int i = 0; i < teamCount; i++) {
      if (strcmp(teams[i].teamName, teamName) == 0)
         return 1;
   }
   return 0;
}

void addTeam(struct Team teams[], int *teamCount) {
   if (*teamCount >= MAX_TEAMS) {
      printf("Team list is full\n");
      return;
   }
   struct Team newTeam;
   printf("Enter team name: ");
   scanf(" %[^\n]", newTeam.teamName);
```

```
  if (isDuplicate(newTeam.teamName, teams, *teamCount)) {
    printf("This team already exists\n");
    return;
  }
  printf("Enter sport type: ");
  scanf(" %[^\n]", newTeam.sportType);
  printf("Enter coach name: ");
  scanf(" %[^\n]", newTeam.coach.name);
  printf("Enter coach age: ");
  scanf("%d", &newTeam.coach.age);
  printf("Enter coach experience: ");
  scanf("%d", &newTeam.coach.experience);

  teams[*teamCount] = newTeam;
  (*teamCount)++;
  printf("Team added successfully\n");
}

void searchTeam(struct Team teams[], int teamCount) {
  char keyword[50];
  int found = 0;
  printf("Enter team name or sport to search: ");
  scanf(" %[^\n]", keyword);
  for (int i = 0; i < teamCount; i++) {
    if (strcmp(teams[i].teamName, keyword) == 0 || strcmp(teams[i].sportType,
 keyword) == 0) {
      printf("Team: %s\nSport: %s\nCoach: %s\nAge: %d\nExperience: %d year
s\n",
          teams[i].teamName, teams[i].sportType,
          teams[i].coach.name, teams[i].coach.age,
          teams[i].coach.experience);
      found = 1;
```

```
        }
    }
    if (!found) printf("No team found\n");
}

void displayTeams(struct Team teams[], int teamCount) {
    if (teamCount == 0) {
        printf("No teams to display\n");
        return;
    }
    for (int i = 0; i < teamCount; i++) {
        printf("Team %d\nName: %s\nSport: %s\nCoach: %s\nAge: %d\nExperienc
e: %d years\n\n",
               i + 1, teams[i].teamName, teams[i].sportType,
               teams[i].coach.name, teams[i].coach.age, teams[i].coach.experience);
    }
}

int main() {
    struct Team teams[MAX_TEAMS];
    int teamCount = 0, choice;
    printf("BHARGAV GUJJAR \n");
    while (1) {
        printf("1. Add Team\n2. Search Team\n3. Display Teams\n4. Exit\nEnter choic
e: ");
        scanf("%d", &choice);
        switch (choice) {
            case 1: addTeam(teams, &teamCount); break;
            case 2: searchTeam(teams, teamCount); break;
            case 3: displayTeams(teams, teamCount); break;
            case 4: return 0;
            default: printf("Invalid choice\n");
        }
```

```
    }
}
```