



DEFI FOR THE REAL WORLD.

Whitepaper // 2022

Updated on January, 10th 2022



ABSTRACT	4
Business overview	4
SMEs' challenges in getting funding	4
Some features of the BHoldus blockchain network	4
More on BHoldus financial infrastructure	4
What is the BHoldus blockchain network?	4
What is NFT?	5
How NFTs work on BHoldus network	5
BHoldus Token (BHO)	5
Community Driven Organization	6
BHoldus DAO	6
General Foundation and Expertise Councils	6
Staking	7
Strategies and execution	7
Non-custodial and custodial staking services	7
Understand the Black Hole Pool	8
Lending	9
Black Hole Stablecoin	9
Tokenizing and financing a real-world asset or a digital asset	9
Custody	9
Our community	10
Technological background	11
A. Blockchain	11

B. Decentralized Exchanges (DEXs)	11
C. Web3.0 and Polkadot	13
D. Substrate	14
Our technology - The proposed solution	14
A. System architecture	14
1. Digital assets	14
2. Accounts	15
3. Governance	17
4. Consensus	17
5. Staking	18
6. Smart Contract	19
7. Cross chain	22
B. Economic model	24
1. Token overview	24
2. Token detail	25
3. Token allocation	26
4. Token Unlocking Schedule	28
Roadmap & Milestones	30
Competitive Analysis	32
Team	33
Leadership	33
Engineering & Design	33
Compliance & Internal Control	34
Community and Marketing Communication	34
Advisors	35
Disclaimers	36
References	36

Abstract

BHoldus Chain is a blockchain dedicated to decentralized financial (DeFi) applications and non-fungible tokens (NFTs). Our chain not only offers unprecedented high transaction throughput, reduced risk of errors but also provides intelligent feature creation explicitly for the fulfillment of financial services for both fungible token and non-fungible token (NFT) by exploiting the unique features of the blockchain

Business overview

SMEs' challenges in getting funding

Globally, SMEs face challenges in getting financing. The problem is even more so in emerging markets such as Southeast Asia, as a lack of banking infrastructure makes it harder for SMEs to access credits from the banks.

Some features of the BHoldus blockchain network

- BHoldus is a multichain network, and BHO token is not only issued on the BHoldus chain but also multiple blockchains like BSC, Ethereum...The BHO token serves as a intermediary for the transfer of digital assets between interconnected networks.
- The BHO represents its owner voting rights over economic factors such as inflation and deflation levels.
- BHoldus provides a seamless user interface that allows anyone to manage all their property including digital assets and coinbase.
- Through the BHoldus staking mechanism, stakeholders can earn the rewards corresponding to either validator or nominator roles.
- High speed and low fees - BHoldus will provide native coins in BHoldus Network for low transaction fees and fast settlement.

More on BHoldus financial infrastructure

What is the BHoldus blockchain network?

BHoldus is interoperable, cross chained with various digital asset economies with direct integration with the other Defi networks such as Binance, Ethereum, and Polkadot. In addition, BHoldus also acts as a hybrid model to accelerate traditional finance, allowing network players to record their real-world assets on-chain with NFTs.



What is NFT?

NFTs are unique, non-replicable cryptographic tokens that exist on a blockchain. NFTs can represent real-world tangible assets such as artworks or real estate, allowing them to be bought, sold, and traded more efficiently while reducing the probability of fraud. NFTs can also be used to represent personal identities, property rights, amongst others.

How NFTs work on BHoldus network

BHoldus uses NFTs to represent real-world assets and evidence for creditworthiness, such as audited financial statements, invoices, or audited mortgages.

Issuing NFTs to represent these assets and information helps open doors for individuals and businesses to access new financing channels on DeFi space.

BHoldus Token (BHO)

1. The intrinsic value of the BHO token

BHoldus token (BHO) incentivizes desired behaviors on the BHoldus interoperable blockchain network. Owning BHO tokens provides users a stake in the BHoldus network. Participants use BHO to pay for transaction fees, stake as validators, and participate in BHoldus on-chain governance. In addition, the BHO token helps ensure chain security by rewarding BHO holders in the Parachain loan offering and by distributing a block reward to Validators and Nominators.

As the ecosystem of BHoldus token owners grows, the BHO token will capture the increasing value provided to token owners via each of its utilities.

The total supply of the BHO tokens will be minted at the launch of the main net and kept in the BHO reserve Pool for distribution amongst users, contributors, and participants to the network.

2. The benefit of owning and using BHO token

Users can benefit from the BHO token by

- Staking BHO tokens to earn attractive Rewards
- Submitting & voting on different programs that help grow the BHO Ecosystem.
- Access staking reward, higher interest rates, loyalty programs, amongst others.



Community Driven Organization

BHoldus DAO

A BHoldus Decentralised Autonomous Organization (BHoldus DAO) is a blockchain-based organization that enables individuals and businesses to coordinate and govern themselves via a set of self-executing rules deployed on a public blockchain. Members of BHoldus DAOs use BHO tokens to vote on the rules that govern the decentralized system.

General Foundation and Expertise Councils

The overall BHoldus network governance operates via a general foundation and expertise councils. Expertise councils would govern specific areas of the network. For example, the Financial Council would handle the financial and compliance management of the network, and the BHoldus Council would oversee the BHoldus protocol.

The BHoldus Council or public BHO token owners can raise requests. In a decentralized way, the community will make decisions to approve or reject them through a predetermined process and framework.

Any network update would be under the governance of the general foundation. BHO token holders are eligible to govern BHoldus core technologies requests through the BHoldus council. The general foundation would have oversight of the BHoldus council to ensure the efficiency and productivity of the BHoldus blockchain network. BHO token owners can participate in voting for or against BHoldus protocol-related request programs.

BHoldus's governance responsibilities are as follows:

- Execute emergency shutdown of BHoldus Orderbook and oversee its actions
- Oversees the expenditure of BHoldus Treasury Funds to grow the ecosystem
- Fund innovative projects built on top of the BHoldus blockchain network.
- Manage inflation of BHoldus (BHO) token
- Advance economic models
- Advance Black Hole Pool reserve and its infrastructure
- Update staking strategies and implementation.
- Amongst others



Staking

Strategies and execution

Besides staking BHO tokens for validating or nominating within the BHoldus network, the BHoldus Protocol would also aggregate the supply of each user and allow them to participate in staking collectively. For example, BNBs supplied to the staking pool are represented as BHO_BNB account balance, which entitles the owner to an increased quantity of underlying assets. The BNBs being used to stake would earn block reward and be subject to slashing (punishment) in cases of misbehavior (e.g., when a validator fails to maintain required uptime).

The balance of the two is the profit/loss that would increase/decrease the amount of the underlying asset of BHO-BNB. Hence, earning a staking reward is as simple as holding an BHO_BNB token, while BHO-BNB is cross-chain capable and can be used to participate in other network activities.

Non-custodial and custodial staking services

BHoldus plans to support non-custodial staking in the near-to-mid-term and add custodial staking-as-a-service for other PoS assets, such as ETH 2.0. The rules will vary by the chain and by the assets. The BHO governance can allow for voting to determine the staking fee structure for specific DPoS assets.

Understand the Black Hole Pool

1. Black Hole Pool overview

Black Hole Pool is an open, smart contract-based infrastructure of different digital asset pools bringing together Assets Originators and Defi users who seek to utilize the full potential of Decentralised Finance. Black Hole will become a fully decentralized financing protocol that interoperates with different blockchains and leverages various funding sources. Through multiple Black Hole Pools, Businesses or Asset Originators will have opportunities to access DeFi financing using real-world assets such as audited invoices, mortgages, audited financial statements, et cetera. They do this by tokenizing their financial assets into Non-Fungible Tokens (NFTs) and use these NFTs as collateral in their Black Hole Pool.

2. The functionality of the Black Hole Pools

For every Black Hole Pool, Defi users can experience with different digital assets in the form of tokens such as BHO, BTC, BNB, ETH, DOT, and the other valuable crypto assets accepted by the governance structure.



Every Asset Originator has an opportunity to establish a Black Hole Pool for their assets.

Black Hole Pools are “revolving” or open-ended pools where Defi users can join and leave at any time, and the provided funds can be on-going deployed by the Asset Originator unless the users redeem it.

3. Revolving Black Hole pools - Continuous liquidity

Revolving Black Hole Pool contains different valuable digital assets that allow Defi Users to purchase/ redeem independently at any time. A decentralized algorithm under the BHoldus blockchain network matches exchanges and redemptions. It ensures that certain requirements are considered, such as redemption requests and the pool’s risk metrics. Assets Originators should have regular liquidity resources while Defi users can have the flexibility to purchase and redeem.

4. Participate in Black Hole Pool

Users are required to complete their KYC process. To join, BHO users lock their accounts in different digital assets such as BTC, ETH, USDT, et cetera, into Black Hole Pools during an Epoch. Exchanges and Redemptions automatically execute at the end of an epoch with advance notice to the users. A decentralized algorithm calculates the rules for exchange and redemptions, ensuring the pool’s proper risk control.

Lending

- In Phase 1, we’ll build cross-chain bridges to existing open-source DeFi lending protocols to offer our users access to lending interests.
- In Phase 2, we’ll use third-party lending providers to provide access to high-interest savings options and stable coin loans. This platform-agnostic approach allows us to cooperate with industry leaders across multiple blockchains and protocols, giving users access to a full suite of services within a single, easy-to-use interface. We will take a reasonable spread on these integrated products.
- In Phase 3, we’ll be developing a proprietary lending algorithm & stablecoin system, but with cross-chain collateralized assets rather than single-chain ones. Using tokenized derivatives, such as BHO_BNB, as collateral, we’ll allow users to generate staking rewards even while taking out stablecoin loans.

Black Hole Stablecoin

Black Hole USD is the native stablecoin of the BHoldus infrastructure. Similar to DAI stablecoin in MakerDAO, Black Hole USD is generated through Collateralized Debt positions (CDPs) in an over



collateralized manner and pegged 1:1 with US Dollar. While DAI uses ERC-20 Ethereum-based assets to back it, Black Hole USD can use various crypto currencies supported by the BHoldus ecosystem and its cross-chain network. It may be BNB, ETH, DOT, BTC, ADA, or ERC-20 based tokens.

Tokenizing and financing a real-world asset or a digital asset

The Asset Originator can utilize digital asset funding provided by Defi users. To facilitate this, the user locks an NFT representing a "Real World Asset" into a set of smart contracts as collateral. The NFT is minted based on audited documents created and shared via the BHO BHoldus blockchain network. Auditing providers will determine the structure of these financing offers through an on-chain "Pricing Oracles." Upon repayment, the NFT is unlocked and transferred back into the Asset Originator's wallet.

Custody

As BHoldus will be dealing with hundreds of millions of dollars worth of digital assets, the security of our users' assets is the most crucial factor. BHoldus DAO will have an opportunity to integrate with both non-custodial and custodial wallet's existing solutions depending on the specific service offerings. We will select the most prominent digital asset firms such as Coinbase Custody or similar enterprise-grade security solutions to provide the most robust encryption technology solution. In the long term, BHoldus DAO will focus on delivering non-custodial services for the initial staking business line through Delegated Proof of Stake (DPOS) token. This significantly reduces the risk as users' tokens remain at all times in the users' custody.

Our community

We use several growing social media platforms to communicate and collaborate with the public and core team members. The channels include but not limited to

- Telegram Chat
- Telegram Announcements
- Forum
- Discord
- Slack
- Facebook
- Twitter
- Newsletter



You can take a more active role in the BHoldus community by

- Invest in BHoldus
- Originate Assets
- Hold BHoldus tokens (BHO)
- Become a validator
- Get funded for a project



Technological background

A. Blockchain

A blockchain is a decentralized ledger that records the provenance of digital assets across a peer-to-peer network. It is ideal for the delivery of such information since it provides immediate, shared, and completely transparent information that can only be accessed by permitted network members on a ledger. Participants can confirm transactions without a central clearing authority.

A blockchain includes the following key elements:

- **Distributed ledger technology:** The distributed ledger and its immutable transaction records are available to all network participants. Transactions are recorded only once when using a shared ledger, helping eliminate the duplication of effort that is common in traditional business networks.
- **Immutable records:** After recorded in a shared ledger, the transaction cannot be modified or tampered by any participant. If a transaction record includes an error, it must be reversed by adding a new transaction, and both transactions will be visible.
- **Smart contracts:** A set of rules, known as a smart contract, is stored on the blockchain to speed up transactions. When a set of predefined conditions are fulfilled, the agreements are automatically executed and the involved parties can immediately see the outcome, without any intermediary's involvement or delay. Additionally, when certain conditions are met, subsequent actions are automatically triggered which make the entire workflow automated.

B. Decentralized Exchanges (DEXs)

With centralized exchanges (CEXs), people can deposit their money (i.e., fiat or cryptocurrency). However, when they deposit their crypto, they also give up the control over it. Not in terms of usability, as people can still trade or withdraw it, but from a technical perspective: they can no longer do anything else on the blockchain. They don't have access to their private keys to the funds, so they must ask the exchange to sign the transactions on their behalf when making the withdrawals. Transactions do not occur on-chains when people are trading – instead, the exchange allocates balances to them in its own database. This comes at the cost of independence: they have to trust the exchanges. In this way, people face certain counterparty risks (e.g., crashing the system by hackers).

In theory, any peer-to-peer swapping could be considered as a decentralized trade. With Decentralized Exchanges (DEXs), transactions are executed on-chain (with smart contracts). You do not sacrifice custody of their funds at any point and do not need to trust the exchange.



- **On-chain Transactions:** Transactions will be considered valid if the transactions on the distributed public ledger are reflected in the blockchain. This requires authentication and validation by a certain number of participants of a transaction. The different details of a transaction are recorded on the block and distributed to the entire blockchain making the transaction irreversible because it cannot be changed. On-chain transactions take longer due to the various steps that have to happen before a transaction is considered successful. Furthermore, the potentially high cost of a transaction may deter some of the members in the network.
- **Off-chain Transactions:** These are transactions that deal with values outside of the blockchain and also use a payment mechanism based on the code. The participant purchases redeemable codes here to exchange them with the crypto assets. They then pass the codes to a third party who redeems them. Depending on the service provider of a code, the third party may choose to redeem the codes in the same crypto assets or others. In comparison to on-chain transactions that may have significant delays depending on the number of transactions waiting to happen on the same network as well as the network load and the transactions on the queue not confirmed, off-chain transactions are performed instantly.
- **Automated Market Makers (AMMs):** By using liquidity pools rather than a traditional market of buyers and sellers, AMMs allow digital assets to be traded in a permissionless and automatic way. AMM users provide liquidity pools with crypto tokens, the prices are determined by a constant mathematical formula. Liquidity pools can be optimized for various purposes and are an important tool of DeFi.

Here are the comparisons between DEXs and CEXs

	CEXs	DEXs
KYC/AML (Know Your Customer and Anti-Money Laundering)	Yes	No
No counterparty risk	No	Yes
Unlisted tokens	No	Yes



Usability	<ul style="list-style-type: none"> • Friendly • Real-time trade • More forgiving experience (e.g., forget your password, it is simple to reset) 	<ul style="list-style-type: none"> • Not nearly as user-friendly as traditional exchanges • Need to custodial cryptocurrency wallets • Losing seed phrase or private key means that you also lose control of your wallet and your money.
Trading volumes and liquidity	<ul style="list-style-type: none"> • Greater liquidity: easy to buy or sell assets at a reasonable price 	<ul style="list-style-type: none"> • Still relatively niche: not always supply or demand for the crypto assets wishing to trade. • Assets might not be able to trade if no trading pair is found.
Fees	Fixed	Not always higher, but when congested, the network charges hundreds of dollars for a single transaction

Theoretically, DEXs are ideal exchanges. All rights and ownership are delegated to the community, and all processes are entirely carried out by smart contracts. Furthermore, their non-custodial aspect provides a safe space for fervorous crypto enthusiasts.

In a perfect world, DEXs will be the only kinds of trading platforms available in not only crypto but also other markets. However, their limitations prevent them from becoming a dominant force.

C. Web3.0 and Polkadot

Web3.0 will bring us a more equitable internet by allowing the individual to be a sovereign. Web3.0's decentralized blockchain protocol will enable everyone's control over all their personal values in the digital world, such as their data, identity, and assets. It eclipses an exploitative and unjust web, where giant, centralized repositories own and profit from their information. Finally, it will bring a truly transparent and credible internet economic model to the world.

Polkadot was founded by Gavin Wood, co-founder and former CTO of Ethereum, to realize the vision of Web3.0 and solve the current problem of "data islands" in the blockchain. It is dedicated to developing a network protocol similar to the Internet TCP/IP protocol by defining and developing a set of fragmented multi-chain structures of parallel chains and relay chains. Allow all blockchains connected to this



architecture to better complete the information interaction between each other, and finally, realize the “all chain interconnection.”

D. Substrate

Polkadot has revolutionized the Substrate development framework for blockchain developers worldwide. Instead of wasting time and effort, all teams create a new blockchain that must implement the entire network and consensus code from scratch (not to mention the cryptographers, security researchers, etc); the Substrate framework modularized the basic low-layer design of the blockchain, allowing developers to call it with one click, reducing the original complicated workload.

The blockchain gains unprecedented features thanks to the Substrate framework:

- **Scalability:** An isolated blockchain can only handle a limited amount of traffic. But with Substrate, it supports multiple blockchains via a parachain/parathread mechanism, allowing transactions to be processed efficiently and in parallel.
- **Interoperability:** The interoperability design and compatibility between chains allow different blockchains and applications to share information and functions.
- **For-free Upgrade:** It can be upgraded without time consuming and split hard forks. New features can be added without transforming the network completely.
- **Specialization:** Each parachain can be customized based on particular use cases or applications.
- **Autonomy:** Polkadot’s community can manage its network according to its own wishes, and it has transparent rights and interests in the governance of the entire Polkadot network in the future. The team can customize and optimize its governance to meet specific requirements, experiment with new ideas, or deploy pre-built modules for faster deployment.

Our technology - The proposed solution

A. System architecture

1. Digital assets

Besides the native token (BHO), BHoldus blockchain can issue new assets on-demand to facilitate different business use cases and purposes. BHoldus plans to build not only a solid but also flexible asset system with the following capabilities:

- New assets issuance (minting) can be done in both permissioned and permissionless manners



- Assets can be easily moved between holders
- System administrators (special privileged accounts) have the ability to freeze account balances as well as mint and burn (destroy) assets
- And many more to be added in the future

The above features are supported natively and out-of-the-box throughout the BHoldus ecosystem.

2. Accounts

Users interact with the BHoldus chain using their blockchain key pairs. Within BHoldus, an account is identified by the public key and authorized by the corresponding private key.

Public key is the address on-chain, which is applied SS58 address encoding format ⁽¹⁾ (e.g, 5Gv8YYFu8H1btvmrJy9FjjAWfb99wrhV3uhPFoNEr918utyR). A balance on each address can be sent to any other address.

Users can sign Transaction Requests using their private key and submit them to the BHoldus chain using Substrate Extrinsics ⁽²⁾.

BHoldus plans to build a user hot wallet that can keep users' key pairs so that those key pairs can be used for activity authorization within the BHoldus chain. Since the wallet provided is a hot wallet, the keys are kept in an online device which puts the security at higher risk compared to cold wallets. A typical hot wallet would generate a new deposit address for each new user by generating a new key pair. However, this approach seems to make managing those keys tedious in the long run. BHoldus chooses to follow another approach introduced by Parity to build a more scalable and secure wallet ⁽³⁾. The hot wallet comprised of 3 main parts:

- **Multisig Accounts:** in some other blockchain networks, multisig works in a way that multiple keys must be used to sign a single transaction off-chain before submitting the transaction on-chain. BHoldus multisig accounts follow a different approach: an account ID which is used to uniquely identify an account (it can either be the public key corresponding to a private key or simply a 32-byte number) is generated based on a pre-processed set of information including the individual accounts involved in the multisig and the requisite threshold needed to dispatch from the generated account. The created account intuitively does not have a corresponding private key. So in order to authorize

⁽¹⁾ [https://github.com/paritytech/substrate/wiki/External-Address-Format-\(SS58\)](https://github.com/paritytech/substrate/wiki/External-Address-Format-(SS58))

⁽²⁾ <https://substrate.dev/docs/en/knowledgebase/learn-substrate/extrinsics>


⁽³⁾ <https://www.parity.io/building-a-hot-wallet-with-substrate-primitives>



a transaction originating from the newly created account, the members of the multisig “must mutually agree” on the function that the multisig account will make. By leveraging hash functions, such process follows a manner where only one account needs to submit a transaction on-chain with the actual function while other members submit the hash of that function without submitting the same transaction again. By doing this, the space occupied on the chain could significantly reduce.

- **Proxy Accounts:** by introducing a new concept, proxy account, multisig address now has the ability to delegate authority to another account. This means, a proxy account can give some privileges from one account to another to make function calls on its behalf. The given authorities can be specific and tailored depending on the use cases. The functions dispatched are then marked with origin being the proxied account after the chain verifies that the proxy has the right to make the function calls. To achieve a higher security level, a time delay is added to the proxy where the actual function call only happens after the time delay is over. Prior to the delay, the proxied account’s owner can optionally reject the function call by submitting a transaction before the time delay is over.
- **Derivative Accounts:** each account can have its own set of derivative accounts. Again, by leveraging hash functions, a derivative account ID can be created based on the combination of calling account ID, derivative account index and some other special information such as derivative prefix. Deposit address for each new user can then be generated for effective and clear accounting. To access the funds of these accounts, proxy accounts come into play.

The following image shows the BHoldus hot wallet built up from the above listed components:



3. Governance

BHoldus aims to build a decentralized network that will be governed by a widely distributed set of token holders, including BHoldus core team, users, collators, and other contributors. Our ecosystem will facilitate the engagement of these stakeholders throughout the launching and developing phases of the network. Any network upgrade decision should be administered by active token holders and collators.

4. Consensus

Consensus protocol is an essential part of every blockchain network. Consensus protocol allows every participant in the distributed network to coordinate and agree on the state of the system. With a robust consensus mechanism, one network can achieve overall system reliability in the presence of a number of faulty actors. Consensus protocol can be broken down into two main parts: Block authoring and Finality.

Disclaimer: Most people often mistake Proof of Work (PoW), Proof of Stake (PoS) as a shorthand to refer to the consensus mechanism but they are actually just a part of the complete consensus protocol. For example, PoW is the method for agreeing on a block authority and part of the fuller Nakamoto consensus that also encompasses a chain selection algorithm (longest chain rule in Bitcoin). Similarly, PoS is a set of rules for selecting the validator set and does not specify a chain selection rule or how a chain might reach finality.

In the PoS blockchain network, participants holding native tokens (stakeholders) of the network can become maintainers of the network called validators forming a validator set. The chance users are selected is proportional to the number of tokens they hold. PoS have several benefits over traditional PoW:

- **Less energy consumption:** In a PoW system, all participants compete with each other to solve the puzzle but only winners are allowed to produce a block and receive the reward. While in a PoS network, only predetermined validators need to produce blocks at a time.
- **Lower risk of network attack in the long term:** In a PoW system, when there is little or no reward for miners, the network is highly vulnerable to 51% attack since users don't have incentives to become miners. While in a PoS system, the attackers need to hold 51% stake of the network which is expensive. Also, attackers will be disadvantageous in attacking the network where they hold a large stake of it since they also attack themselves.



- **Higher transaction throughput:** With PoS systems, since there is no puzzle to solve, blocks are produced much faster than PoW networks.

At BHoldus, we use an extension of PoS called Nominated Proof of Stake (NPoS).

In NPoS, the following roles are highlighted:

- **Nominators:** Stakeholders of network
- **Validators:** A set of participants responsible for maintaining the network and nominated by Nominators
- We decide to support NPoS instead of PoS because of following improvements:
- **Higher security:** Since validators are not selected proportionally to the amount of stake they hold and more participants are involved in network governance, there is less chance for attackers to act.
- **Higher performance:** Too many validators has a side effect of underperformance, since the network cost of gossiping can be overwhelmed (Gossiping is the communication between nodes in the network. The network cost of this includes the time and data size. The more nodes the more time and data size it takes to deliver to all the nodes). The NPoS system has the number of validators bound resulting in higher network performance.

While some blockchains couple the block production with finality, i.e to produce block N+1, block N must be finalized, BHoldus uses Hybrid Consensus. Hybrid consensus separates finality gadget from block authoring mechanism.

Hybrid consensus has both the benefits of:

- **Probabilistic finality of Block Authoring:** Ability to always produce new blocks
- **Provable finality of Finality Gadget:** Having a universal agreement on canonical chain with no chance for reversion

By combining these mechanisms, BHoldus allows slower universal finality to happen while high block production, high transaction throughput is guaranteed.

BHoldus uses BABE (Blind Assignment for Blockchain Extension) as Block Authoring Protocol and GRANDPA (GHOST-based Recursive ANcestor Deriving Prefix Agreement) as Finality Gadget.



5. Staking

Staking is a process of locking users' funds for specific purposes. At BHoldus, we currently support staking for governance of the network such as nominating or becoming validators.

Basically, an account in a blockchain network comprises a private key and a public key derived from the private key, or shorthand, a key pair (keys). In Staking, BHoldus supports various types of keys to minimize the security risks for users:

- **Account Keys:** Their purpose is to manage funds
 - ✦ **Stash Account Keys:** A Stash Account is a cold wallet, whose private key is stored safely and entirely offline on a hardware device. This is where users can safely store a large amount of funds. Think of it as "Saving Bank Accounts"
 - ✦ **Controller Account Keys:** A Controller Account is a semi hot wallet, whose private key is stored in a device connected to the internet. Controller Keys are usually used to interact with the network. In the context of Staking, Controller keys signal non-spending decisions on behalf of Stash Keys. Only small amount of funds should be allocated to Controllers Keys to pay transaction fees
- **Session Keys:** Used in signing consensus messages between validators. To create session keys, controller keys must sign generated session keys to create a certificate which is published to the network. Therefore, Session Keys act as a link between users and their validator nodes.

Disclaimer: Account Keys and Session Keys actually use the same cryptography techniques. They are differently classified based on their specific uses.

In order to participate in network maintenance, a user must go through a process of bonding. In the bonding process, the user's stash keys are paired with the user's controller keys and become a staker. The purpose of this process is to protect users from revealing their Stash Keys where large funds are stored and use Controller Keys to interact with the network instead. After becoming a staker, users can stake their funds to nominate or to become a validator. In return, BHoldus will reward validators and nominators with native tokens for correctly playing their roles and punish them when malicious behavior is detected.

Slashing is reducing stash accounts funds due to their invalid behavior when maintaining a network as a punishment. Controller Keys can't spend funds from Stash Keys but attackers can leverage it and open a slashing attack since Controller Keys are used in most Staking operations. Therefore, it is recommended for users to keep Controller Keys as secure as possible and rotate it frequently.



6. Smart Contract

In general, smart contracts are simply a collection of code and data stored in the blockchain that run when certain conditions are met. They simulate real world contracts where a set of rules and actions that have been mutually agreed between parties are included and guaranteed to execute when predefined conditions are fulfilled and verified by the blockchain. Smart contracts have the advantages of automated execution without any intermediary's involvement and the involved parties can immediately see the outcomes without any delay. Once smart contracts are completely executed, permanent changes are made to the blockchain state and thus makes all transactions happening on the blockchain irreversible and transparent. Records of smart contracts are stored in a distributed and decentralized blockchain network where the contracts' information and results are shared across participants of the network. Given those characteristics, modern blockchain smart contracts have benefits of speed, efficiency, accuracy, trust and transparency while saving significant time and costs involved.

BHoldus blockchain has built-in, performance efficient runtime smart contracts thanks to the powerful and highly customizable Substrate framework. BHoldus smart contracts run directly in its blockchain to serve specific business logics and purposes.

In addition, community blockchain players and developers can also build smart contracts on top of BHoldus blockchain. Since BHoldus is built using Substrate and Substrate supports WebAssembly smart contracts, any language that can compile to Wasm can be used to write smart contracts.

ink! which is a Rust-based embedded domain-specific language provided by Parity can be used to build Wasm smart contracts. By being built based on Rust, a programming language that has gained significant popularity and continues to mature over the past few years, ink! has benefits of type safety, memory safety, small binaries, protection against underflow/overflow and many other good characteristics and supports available from Rust ecosystem. Furthermore, as Rust continues to grow, ink! developers and users can automatically gain access to new updates for free.

Contracts written by community developers and users are put under some essential safeguards to prevent malicious, bad actors as well as inexperienced developers. The followings are some safeguard examples:

- **Fees:** fees are charged upon usage of computer resources such as memory and storage to prevent bad behaviors and uncontrolled implementations.
- **Sandbox:** the contracts only have the ability to modify its own state, but not other contracts as well as the blockchain's storage. Besides, to provide additional safety to the blockchain state, safeguards support revertible transactions when they fail by rolling back any state changes that



have not completed successfully.

- **State rent:** a contract is charged for using space on the blockchain. This prevents the users from taking advantage of free storage on the blockchain.


Since BHoldus smart contracts run in the runtime of the blockchain itself, it intuitively has better performance and more flexible customizability compared to contracts written by the community, which run in the layer above the runtime and have extra safeguard overheads.

Disclaimer: there are clear different sets of business logics and use cases that can only be solved by only one of the above two approaches or by either of them. Depending on the requirements, scalability and many other aspects, a suitable approach will be chosen. The following table can give a brief overview on which approach should be used on different scenarios:

Built-in, runtime logics	Smart contract	Either
<ul style="list-style-type: none">• Business-use case-tailored fee tokens• Decentralized Exchange (DEX)• Stable coins	<ul style="list-style-type: none">• Multisig user wallet	<ul style="list-style-type: none">• dApp<ul style="list-style-type: none">✧ Small scale (smart contract)✧ Large scale (runtime)• Decentralized Autonomous Organizations (DAO)<ul style="list-style-type: none">✧ Community driven (smart contract)✧ Protocol driven (runtime)• Treasury<ul style="list-style-type: none">✧ Community driven (smart contract)✧ Protocol driven (runtime)



7. Cross chain



Cross-chain communication is communication between a network and another network through messages (events). There are several ways to enable cross-chain communication

a. Bridge

One approach to enable cross-chain communication is through a bridge.

One-way communication is communication that a source network (source chain) sends messages (events) to a target network (target chain). BHoldus tackles two-way communication by switching the roles of source chain and target chain and applying one-way communication

BHoldus uses Substrate Framework to build our blockchain network and also our bridge, therefore, any Substrate-based cross-chain integration with BHoldus should be seamless. However, this doesn't mean BHoldus only limits bridging to Substrate-based networks, any integration with other blockchain technologies like Bitcoin, Ethereum, Binance Smart Chain also works in the same manner.

Unlike communication between centralized systems where trust is established, a bridge between distributed networks must be a trustless bridge. Trustless bridge must come up with a consensus protocol for events to ensure the target chain receives events that really happened on the source chain, in other words, the source chain must give the target chain a Proof of Event to verify.

Our bridge is composed of these layers:

- **Trust layer:** A layer where consensus protocol on events takes place. Specifically, we have a pallet for target chain to verify GRANDPA finality on source chain (BHoldus) and a Relayer sitting in the middle of two chains and act as a messenger forwarding finality synchronization events.
- **Message layer:** This layer is built on top of the Trust layer and handles message queueing, delivery



and doesn't care about specific message format. BHoldus currently supports both sequential and parallel message delivery and acknowledgement

- Dispatch layer: This layer is built on top of the Message layer and its job is to decode the message into expected format and dispatch a side effect corresponding to the decoded message. Usually, the message is decoded into the extrinsic calls of target chain
- Application layer: This layer is built on top of the Dispatch layer. All specialized business logic is added in this layer. This layer helps to hide all the complexity of lower layers and streamline the application development process.

b. Parachain

Polkadot's cross-chain composability allows any type of data or asset to be sent between parachains. Polkadot's parachain model was designed with the belief that the internet of the future will have many different types of blockchains working together.

For this reason, Polkadot places no criteria on the design of the parachain other than it must be an application-specific data structure (usually in the form of a blockchain) that is globally coherent and validatable by the validators of the Relay Chain (Polkadot validators). Polkadot's cross-chain composability also has the flexibility meaning that each parachain can have its own design, token and governance process, optimized for its specific use case(s).

The name "parachain" derives from the concept of parallelized chains that run parallel to the Relay Chain. Thanks to their parallel and flexible nature, they are able to parallelize transaction processing so as to achieve scalability of the system.

Parachains are maintained by a network maintainer known as a collator whose role is to maintain a full-node of the parachain, retaining all necessary information of the parachain, and producing new block candidates to pass to the Relay Chain validators for verification and inclusion in the shared state of Polkadot.

Polkadot's cross-chain composability allows communities to have full control and sovereignty over their own blockchain, while being able to engage in free trade with other parachains and external networks. Therefore, users now can do the exchange of not only tokens, but also any type of data, including smart contracts calls, verifiable credentials, and off-chain information from oracles such as stock market price feeds.

Because Polkadot only supports a limited number of parachains, currently estimated to be about 100. In order to run as a parachain on Polkadot, Beholdus is planning to win a parachain slot auction to lease a slot on the Relay Chain for a minimum of six months to a maximum of two years.



c. Parathread

Parathreads are an idea for parachains to temporarily participate in Polkadot security without the need to lease a dedicated parachain slot, thereby also known as pay-as-you-go Parachains.

By lowering the barrier to gaining the benefits of shared security and connectivity, Polkadot is now even more accessible to projects that may not have the capital to secure a dedicated parachain slot.

Although dedicated parachain slots offer high throughput, it requires a large bond for up to two years, which also means the capital to set aside upwards of 20,000 DOTs for two years. With the minimal bond of only 50-100 DOTs, parathreads allow chains to submit a block to the relay chain whenever they have a full batch of transactions, while reaping the full security and connectivity benefits.

In particular, parathreads are ideal for three types of applications:

- Applications seeking an on-ramp to Polkadot
- Applications worried about losing parachain slots, and
- Applications that have more reads than writes.

Moreover, Polkadot allows switching between being parachains and parathreads effortlessly depending on the needs as well as the capabilities of maintaining a parachain slot. Therefore, parathread seems to be an appropriate choice in BHoldus' early stage.

B. Economic model

1. Token overview

BHO is the token of the Bholdus ecosystem. The main features of the BHO tokens are:

- **Reward:** There will be many pools for farming like other DeFi platforms. The amount of BHO earned by liquidity providers will be proportional to the total amount of liquidity added.
- **Governance:** BHO holders have the rights including voting, proposing referenda, electing council members, etc
- **Operations:** Paying for network transaction fees and supporting the gas metering of smart contract execution.
- **Lending fee:** Using BHO for fees to borrow on Bholdus Lending, the user will receive a discount, and the remaining will be used to support the operation of the system.



- **Launchpad:** To participate in future projects on Bholdus LaunchPad.

Moreover, BHO will also play a major role in further developing and expanding the Bholdus ecosystem. Marketing strategies, bounties, listing exchanges, and more will all use BHO as rewards and fees.

2. Token detail

Total supply will be 10,000,000,000 (10B) BHO.


Because Bholdus is a multichain platform, BHO tokens are issued not only on the Bholdus native chain, but also on other chains such as Binance Smart Chain, Tron Network, Ethereum, etc.

At the moment, the BHO token will be published on Binance Smart Chain first, and will be shifted to Bholdus Network in December 2021.

Token Name	Bholdus Token
Token Symbol	BHO 
Token Decimal	18
Token Type	BEP-20
Platform	Binance Smart Chain
Max Total Supply	10,000,000,000 (10B)
Initial Circulating Supply	454,000,000 (454M)
Contract	0x8717e80eff08f53a45b4a925009957e14860a8a8
Token Audit	



3. Token allocation



Allocation detail


Allocation	Amount	%	Description
Private Sales	380M	3.8%	
Early Bird	785M	7.85%	
Public Sales	210M	2.1%	
Liquidity	200M	2%	To provide liquidity on exchanges
Marketing	1,200M	12.0%	
Ecosystem	2,000M	20.0%	To be used primarily for staking rewards on the platform



Strategic Business Partnerships	1,105M	11.1%	To support enterprises that are building businesses using the Bholdus technology and network. Examples can be a studio launching a new NFTs game on our platform or financial institutions looking to tokenize assets on our network.
Strategic Tech Innovation	1,000M	10.0%	<ul style="list-style-type: none"> To support tech innovators that are developing core tooling and infrastructure on Bholdus, as well as projects and startups that participate in the Bholdus developer program. To secure future Polkadot/Kusama parachain slot leases (e.g., continued parachain slot occupancy)
Community Treasury	500M	5.0%	Community initiatives (e.g., liquidity incentives, strategic program rewards, etc.).
Talent acquisition & Advisor bonus	600M	6.0%	Talent acquisition, team and advisor bonus
Legal & Compliance	0.52B	5.2%	To fund legal framework research, custodial services, license and other regulatory related requirements, government relations and public affairs.
Founding Team	1.5B	15.0%	



4. Token Unlocking Schedule



Unlocking Schedule Detail

Day Zero (Day 0) is the date of exchange listing: Saturday, 25th September

	Smart Contract	Vesting Period
Private Sales		20% quarterly vesting starting at Day 30
Early Bird		25% quarterly vesting starting at Day 30
Public Sales	None	100% Unlocked at Day 0
Marketing	0x6eBA46d539f497f-1Fe85C50018AD7450e47DD67d	12% unlocked at Day 0, then 8% quarterly vesting in 11 quarters
Liquidity	0x5B5797Aa0ed8d2cB-44873C409e45e205dBe5d788	50% unlocked at Day 0, then 5% monthly vesting in 10 months



Ecosystem	0x16495f4564797F83059676861eA191217711Cf3F	5% unlocked at Day 0, then monthly vesting starts at Day 120, with 3% per month in 31 months, and 2% for the last month.
Strategic business partnership	0xf3f4Ec0FFe775a4bb1670e-9105363b4E13F901c4	30% unlocked at Day 30, then 2% monthly vesting in 35 months
Strategic Tech Innovation	0x8494cB587A76a6D162DFc1B-7921FB0a7Fbf88960	30% unlocked at Day 30, then 2% monthly vesting in 35 months
Treasury	0x0a2AA7A5C6368603Cc86ee-a4978480Edcd64a8C3	Monthly vesting starts from Day 30, with 3% per month for 32 months, then 4% for the last month
Talent acquisition & Advisor bonus	0x084eF3844DeD35bE0ae34424F-03Dc87f65FD9287	30% unlocked at Day 30, then 2% monthly vesting in 35 months
Legal & Compliance	0xA1BcEf3fcdFf75902DE64B-8094f9e950F56E9242	Monthly vesting starts from Day 30, with 3% per month for 32 months, then 4% for the last month
Founding team	0x134DDBacA964d991f619F-2588256d3A434442a1a	Monthly vesting starts from Day 30, with 3% per month for 32 months, then 4% for the last month



Roadmap & Milestones

Q2 2021	<ul style="list-style-type: none">• May: Whitepaper 1.0• June:<ul style="list-style-type: none">✧ Publish website✧ Launch BHoldus Testnet
Q3 2021	<ul style="list-style-type: none">• July:<ul style="list-style-type: none">✧ Mobile wallet integration✧ Testnet: Digital Assets✧ Private sales• Aug:<ul style="list-style-type: none">✧ Testnet: Staking native asset✧ Early bird IMO 1• Sep:<ul style="list-style-type: none">✧ IMO 2&3✧ Testnet: Cross-chain BSC, ETH✧ BHO Exchange Listing
Q4 2021	<ul style="list-style-type: none">• Oct: Testnet: Staking BEP20• Nov:<ul style="list-style-type: none">✧ Pentest (Penetration Testing)✧ Security Audit✧ Masternodes Alpha• Dec: Launch Mainnet



Q1 2022	<ul style="list-style-type: none"> • Update Roadmap 2.0 • Whitepaper version 2.0 (Jan) • Audit parachain slot (Feb - Mar) • Testnet: <ul style="list-style-type: none"> ✧ Implement DEX (Jan - Mar) ✧ Cross chain Bitcoin (Jan), Tron (Feb), Solana (Mar) • Applications: <ul style="list-style-type: none"> ✧ Release Bholdus mobile app on testflight (Mar)
Q2 2022	<ul style="list-style-type: none"> • Testnet: <ul style="list-style-type: none"> ✧ Launch DEX (May) ✧ Parachain Rococo (Apr-May) ✧ Implement Smart Contract (May-Jun) ✧ Launch Stablecoin, Staking Derivative & Multiple Pools (Jun) • Applications: <ul style="list-style-type: none"> ✧ Release Bholdus mobile app on AppStore & GooglePlay (May) ✧ Publish Bholdus extension (Jun)
Q3 2022	<ul style="list-style-type: none"> • Security Audit (July) • Mainnet v2.0 (Aug - Sep): <ul style="list-style-type: none"> ✧ Cross-chain Bitcoin/Tron/Solana ✧ Launch DEX ✧ Publish Smart Contract ✧ Launch Stablecoin, Staking Derivative & Multiple Pools ✧ Launch Parachain



Competitive Analysis

	BHO	BTC	ETH	EOS
Types	Public Chain	Public chain	Public chain	Public chain
Tamper-proof	✓	✓	✓	✓
Auditable	✓	✓	✓	✓
Safe	✓	✓	✓	✓
Consensus Algorithm	NPoS	PoW	PoW	DPoS
Transaction Per Second	Up to 3000	5	16	2000+
Block Creation	3 seconds	10 mins	16 seconds	0.5 second
Provable Finality	✓	✗	✗	✓
Smart Contract authoring language	Ink! , Solidity	Bitcoin script	Solidity	Java C++
Platform Tokens	BHO	BTC	ETH	EOS

Team

Leadership



Nhat Phan

Co-Founder, CEO

Financial/Investment Advisor. Co-founder VNbot - Capital Management System. Experienced in CryptoCurrency, Social Media, Game Online MMORPG.

[linkedin.com/in/NhatPhan](https://www.linkedin.com/in/NhatPhan)



**Duong Le**

Co-Founder, CTO

Co-founded Hawking Network, Snr AI engineer, co-founded Guu, MegaDrupal, Polariis. Experienced in building tech products from scratch. USA.

[linkedin.com/in/duongld87](https://www.linkedin.com/in/duongld87)

**Anh Vu**

CMO

Marketing & Branding Director of Bamboo Airways & Techcombank Priority. 20 years of experience in brand development & marketing strategy with MNCs


[linkedin.com/in/anh-vu-53357213](https://www.linkedin.com/in/anh-vu-53357213)

**Lily Phan**

Global Growth Director

10 years of experience in Martech / Digital Growth, directly bringing in 10 million users for Technology, Telecommunications, Media, Finance platforms in VN & Asia.

[linkedin.com/in/lyphan159](https://www.linkedin.com/in/lyphan159)

**Jamie Tran**

Investment Director

Entrepreneur. Specialised in Human Behavior & Psychology; Formerly Top50 Amazon Ecommerce Merchant based in Australia

[linkedin.com/in/jamie-ha-0b338b187](https://www.linkedin.com/in/jamie-ha-0b338b187)

Engineering & Design

**Nhi Tran**

Snr Engineer

5-year experience in Backend development

Singapore

**Khoa Nguyen**

Engineer

Top 5 CS graduate,

University of Science

**Vinh Nguyen**

Engineer

Top 5 CS graduate University of Science

**Dung Lam**

Engineer

Valedictorian, Computer Science; University of Science





Hai Vu

UI/UX

UI/UX designer at Eco Moblie

Compliance & Internal Control



Toan Nguyen

Legal Manager,
Lawyer

Former KPMG



Tho Nguyen

Finance & Internal Control
Manager

Finance manager with 8 years
experience in banking and
investment.

Master in Finance &
Accounting, UK

Community and Marketing Communication



Larry Nghiem

Communication Manager

MS, Data Science & Analytics;
8 years of experience in IT
industry



Phuc Nguyen

Head of Planning

8 years of Marketing
Communications for
Technology, Finance and FMCG
industries in Indochina

Advisor



Ramon Tisaire

US Chief Strategy Partner

Extensive startup experience.
Fintech connector. UChicago
board governor.

[linkedin.com/in/ramontisaire/](https://www.linkedin.com/in/ramontisaire/)



Becky Vo

Board Advisor

CO SAL4 AP Regional Director

Bosch BT

[linkedin.com/in/BeckyVo/](https://www.linkedin.com/in/BeckyVo/)



**Eric Mboma**

Bholdus' Representative,
Africa

Master's Degree, Harvard
University; MBA Booth.
20 years in senior executive
positions across America,
Europe, Asia & Africa markets.

[linkedin.com/in/ericmboma/](https://www.linkedin.com/in/ericmboma/)

**Hoang Duc Trung**

Strategic Advisor

Veteran venture capitalist
Over 25 years of experience in
business consultancy, corporate
operations, and venture capital in
Southeast Asia and Silicon Valley
(with DFJV)

[linkedin.com/in/trung-hoang-d-6bb33a3/](https://www.linkedin.com/in/trung-hoang-d-6bb33a3/)

**Brent Hovland**

Advisor, North America Market
GM, Dish Network (\$23 billion
market cap)

[linkedin.com/in/brenthovland/](https://www.linkedin.com/in/brenthovland/)

**Duong Vi Khoa**

Advisor, Vietnam Community

Experienced Manager with
a demonstrated history
of working 10 years in the
computer games industry.
Skilled in Strategic Planning,
Business Development
Strategy, Crisis Management,
Social Media, eSports Events.

[linkedin.com/in/vi-khoa-duong-a876513b/](https://www.linkedin.com/in/vi-khoa-duong-a876513b/)

**ViruSs**

Gamefi Community Strategic
Advisor

The New York Times' Leading
Asian Streamer. One of VN's
"Big 4" streamers. More than
4 million followers on social
platforms.

Disclaimers

Licenses and approvals may NOT be obtained in all jurisdictions. Regardless, Bholdus DAO intends to operate in full compliance with applicable laws and regulations.

Third-Party Data: This whitepaper contains data and references obtained from third-party sources. While the management believes that the data is accurate and reliable, they have not been subject to independent audit, verification, or analysis by any professional legal, accounting, engineering, or financial advisor. There is no assurance as to the accuracy, reliability, or completeness of the data.

Translations: This whitepaper and related materials are in English. Any translation is for reference



purposes only and is not certified by any person. We can make no assurance as to the accuracy and completeness of any translation. If there is any inconsistency between a translation and the English version of this whitepaper, the English version prevails.

Views of BHoldus DAO: The views and opinions expressed in this whitepaper are those of BHoldus DAO. They do not reflect any government's official policy or position, quasi-government, authority, or public body (including but not limited to any regulatory body of any jurisdiction) in any jurisdiction. This whitepaper has not been reviewed by any regulatory authority.

References

1. <https://academy.binance.com/en/articles/what-is-a-decentralized-exchange-dex>
2. https://www.linkedin.com/pulse/defi-good-small-medium-sized-enterprises-smes-david-shin/?trk=public_profile_article_view
3. https://en.wikipedia.org/wiki/Decentralized_finance
4. <https://substrate.dev/docs/en/>
5. <https://policyreview.info/glossary/DAO>

