

Package ‘BIGverse’

August 3, 2021

Title Easily Install and Load Select Packages

Version 0.1.0

Author Kim Dill-McFarland

Maintainer Kim Dill-McFarland <kadm@uw.edu>

Description The 'BIGverse' is selection of packages designed to be loaded in concert. The purpose of this package is to make it easy to install and subsequently load those packages. Created with pckverse.

Depends R (>= 3.1)

Imports cli (>= 1.0.0),
crayon (>= 1.3.4),
kimma,
dplyr (>= 0.7.4),
magrittr,
purrr (>= 0.2.4),
rstudioapi (>= 0.7),
tibble (>= 1.4.2),
RNAetc

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

License MIT + file LICENSE

Remotes BIGslu/kimma, BIGslu/RNAetc

R topics documented:

BIGverse_conflicts	2
BIGverse_deps	2
BIGverse_packages	3
BIGverse_update	3
Index	4

BIGverse_conflicts	<i>Conflicts between the BIGverse and other packages</i>
--------------------	--

Description

This function lists all the conflicts between packages in the BIGverse and other packages that you have loaded.

Usage

```
BIGverse_conflicts()
```

Details

If dplyr is one of the select packages, then the following four conflicts are deliberately ignored: intersect, union, setequal, and setdiff from dplyr. These functions make the base equivalents generic, so shouldn't negatively affect any existing code.

Examples

```
BIGverse_conflicts()
```

BIGverse_deps	<i>List all BIGverse dependencies</i>
---------------	---------------------------------------

Description

List all BIGverse dependencies

Usage

```
BIGverse_deps(recursive = FALSE)
```

Arguments

recursive	If TRUE, will also list all dependencies of BIGverse packages.
-----------	--

BIGverse_packages	<i>List all packages in the BIGverse</i>
-------------------	--

Description

List all packages in the BIGverse

Usage

```
BIGverse_packages(include_self = TRUE)
```

Arguments

`include_self` Include BIGverse in the list?

Examples

```
BIGverse_packages()
```

BIGverse_update	<i>Update BIGverse packages</i>
-----------------	---------------------------------

Description

This will check to see if all BIGverse packages (and optionally, their dependencies) are up-to-date, and will install after an interactive confirmation.

Usage

```
BIGverse_update(recursive = FALSE)
```

Arguments

`recursive` If TRUE, will also check all dependencies of BIGverse packages.

Examples

```
## Not run:  
BIGverse_update()  
  
## End(Not run)
```

Index

BIGverse_conflicts, [2](#)
BIGverse_deps, [2](#)
BIGverse_packages, [3](#)
BIGverse_update, [3](#)