



QUESTIONS

Q1

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.
10 marks

Q2

Remove Even Numbers Using Iterator
10 marks

Q3

Product Price Analysis Using Iterator
10 marks

2/3 answered

Q1

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop. 10 marks

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.

Write a Java program to:

Create an ArrayList of student names.

Read 8 student names from the user.

Traverse the list using an Iterator.

Display each student name on a separate line.

Display the total number of students stored in the list.

Your Code

```
1 import java.util.*;  
2 public class Main {  
3     public static void main(String[] args) {  
4         Scanner sc = new Scanner(System.in);  
5         ArrayList<String> students = new ArrayList<>();  
6         for (int i = 0; i < 8; i++) {  
7             students.add(sc.nextLine());  
8         }  
9         Iterator<String> it = students.iterator();  
10        while (it.hasNext()) {  
11            System.out.println(it.next());  
12        }  
13        System.out.println("Total Students: " + students.size());  
14    }  
15 }
```



Run



Save

Input

syed
bijoy
hari
samraj
naveen
ashley
harini

Output

samraj
naveen
ashley
harini
Total Students: 8

ITERATOR

[← Back](#)

QUESTIONS

Q1 
A college stores the names of students in an ArrayList. The administrator wants to display all student names using an iterator instead of a for loop.
10 marks

Q2
Remove Even Numbers Using Iterator
10 marks

Q3 
Product Price Analysis Using Iterator
10 marks

2/3 answered

Q2 Remove Even Numbers Using Iterator

10 marks

A company maintains a list of employee ID numbers. The management wants to remove all employees whose ID numbers are even, using an Iterator.

Write a Java program to:

Create an ArrayList<Integer>.

Read 10 employee ID numbers from the user.

Traverse the list using an Iterator.

Remove all even ID numbers using the remove() method of the Iterator.

Display the updated list containing only odd employee IDs.

Your Code

```
1
```

 Run Save

Input

Output

RunDebugStopShareSaveBeautify

Main.java

```
1 import java.util.*;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         ArrayList<Integer> list = new ArrayList<>();
6         for (int i = 0; i < 10; i++) {
7             list.add(sc.nextInt());
8         }
9         Iterator<Integer> it = list.iterator();
10        while (it.hasNext()) {
11            int n = it.next();
12            if (n % 2 == 0) {
13                it.remove();
14            }
15        }
16        Iterator<Integer> it2 = list.iterator();
17        while (it2.hasNext()) {
18            System.out.println(" ");
19            System.out.println(it2.next());
20        }
21    }
22 }
```

input

78

79

76

75

74

71

72

73

70

58

79

75

71

73

...Program finished with exit code 0
Press ENTER to exit console.

ITERATOR

[← Back](#)

QUESTIONS

Q1

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.

10 marks

Q2

Remove Even Numbers Using Iterator

10 marks

Q3

Product Price Analysis Using Iterator

10 marks

2/3 answered

Q3 Product Price Analysis Using Iterator

10 marks

A supermarket stores the prices of various products in an ArrayList<Double>. The manager wants to analyze the prices using an Iterator.

Write a Java program to:

Create an ArrayList<Double>.

Read the prices of 10 products from the user.

Traverse the list using an Iterator.

Calculate and display:

Total price of all products.

Average product price.

Highest product price.

Display all product prices using the Iterator.

Your Code

```
1 import java.util.*;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         ArrayList<Double> prices = new ArrayList<>();
6         for (int i = 0; i < 10; i++) {
7             prices.add(sc.nextDouble());
8         }
9         Iterator<Double> it = prices.iterator();
10        double total = 0;
11        double highest = Double.MIN_VALUE;
12        while (it.hasNext()) {
13            double price = it.next();
14            total += price;
15
16            if (price > highest) {
17                highest = price;
18            }
19        }
20        double average = total / prices.size();
21        System.out.println("Total Price: " + total);
22        System.out.println("Average Price: " + average);
23        System.out.println("Highest Price: " + highest);
24
25        System.out.println("Product Prices:");
26        Iterator<Double> it2 = prices.iterator();
27        while (it2.hasNext()) {
28            System.out.println(it2.next());
29        }
30    }
31 }
```

Input

140
250
215
469
254
48
659
5874
459
485

Output

Total Price: 8853.0
Average Price: 885.3
Highest Price: 5874.0
Product Prices:
140.0
250.0

Run

Save