



Purchase #: 00009356

Date: 11/02/2025

Suzhou Sudelan Railway Parts Co. Ltd  
No.9 Donghuan Rd.,  
Fuqiao Town  
Taicang City, Jiangsu Province  
P R CHINA

Delivery Address:  
FOB CHINA PORT

Requested Delivery Date: 7/04/2025

Page: 1

| Part No. | Description                                                        | Qty   | Unit Price | Total        | Job No. |
|----------|--------------------------------------------------------------------|-------|------------|--------------|---------|
| 2203-S   | Fe6 GAL DOUBLE HELICAL SPRING WASHERS<br>to Suit DWG# ACC-FE6-01_A | 4,136 | US\$0.38   | US\$1,571.68 | R11699  |

Drawing Number: ACC-FE6-01\_A  
QCP: R11516-QP-019\_A

Notes:

1. Packing Instructions:  
Fe6 Washers to be packed in bags of 200 in  
Wooden Crates (Heavy Duty Type).
2. Material Conformance Certificate is required
3. Delkor Rail will arrange for an inspection of  
shipment before despatching the washers
4. Bags should be labelled as follows:  
Fe6 Washer  
No. off: 200  
Weight: 20kg
5. Ex-work Date: Sudelan 07 April 2025
6. Please discuss with Kai Zhu delivery details.
7. Incoterms 2010: FOB China Port
8. As per quotation
9. Please Acknowledge Receipt of This Order
10. To provide Asbestos Due Diligence  
Declaration for Australian Customs clearance.

COMMENT

|             |              |     |
|-------------|--------------|-----|
| Sub Total   | US\$1,571.68 |     |
| Freight     | US\$0.00     | FRE |
| GST         | US\$0.00     |     |
| Order Total | US\$1,571.68 |     |




A.B.N. 16 003 769 140

T&Cs [www.delkorrail.com](http://www.delkorrail.com)


**Delkor Rail Pty Ltd**

74 Harley Crescent, PO Box CP217 Condell Park NSW 2200  
PH: +61 2 9709 2918 Fax: +61 2 9709 5934

| REV | DESCRIPTION             | DATE      | BY | CHK |
|-----|-------------------------|-----------|----|-----|
| A   | ISSUED FOR DISTRIBUTION | 12-JUN-20 | AF | RB  |



SECTION A-A



## NOTES

- DIMENSIONS ARE FOR FINISHED UNLOADED PRODUCT
- DISTANCE BETWEEN TWO SPRING WASHER ARCHES AT A LOAD OF 35kN, MIN 1.0mm AT 4mm DEPTH AS MEASURED FROM OUTSIDE. RELIEVING SPRING WAY 40-10kN = 0.75mm.
- STAND HEIGHT = 17.8mm AT 40kN AFTER 10 SECONDS
- MATERIAL - SPEC-ACC-FE6

## MARKING AND IDENTIFICATION

4mm LETTERING, 0.5mm RECESSED

- X - MANUFACTURER MARK
- YY - YEAR OF MANUFACTURE

|                |             |
|----------------|-------------|
| <b>DRAWN</b>   |             |
| AF             | 23-APR-2020 |
| <b>CHECKED</b> |             |
| RB             | 12-JUN-2020 |



**DELKOR RAIL - SPRING WASHER**  
**Fe6 - HIGH TENSION DOUBLE HELICAL**  
**MANUFACTURING DRAWING**

|                    |                   |                 |
|--------------------|-------------------|-----------------|
| <b>DRAWING No.</b> | <b>ACC-FE6-01</b> | <b>REVISION</b> |
| <b>SCALE (A4)</b>  | <b>1:1</b>        | <b>A</b>        |

# Quality Control Plan

## R11516-QP-019\_A

### Fe6-01 Spring Washer

| Revision | Date       | Author                                                                                                              | Checked by                                                                                                                          | Amendments    |
|----------|------------|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------|
| A        | 18/09/2024 |  2024.09.18<br>15:20:17<br>+10'00' |  Andrew Franklin<br>2024.09.19<br>08:23:36 +10'00' | Initial Issue |

|                      |              |                       |            |
|----------------------|--------------|-----------------------|------------|
| <b>Project</b>       | R11516       | <b>Part Number</b>    | Fe6-01     |
| <b>Specification</b> | SPEC-ACC-FE6 | <b>Drawing Number</b> | ACC-Fe6-01 |

## Quality Control Plan

|                                                                                                                               |                   |                                                 |                                            |
|-------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------------------------|--------------------------------------------|
| Sample <input type="checkbox"/> Trial-production <input type="checkbox"/> Mass production <input checked="" type="checkbox"/> | Main contact/Tel: | Prepared Date: 18/09/2024                       | Revise Date:                               |
| Core Team:                                                                                                                    |                   | Approved date about the project (if necessary): |                                            |
|                                                                                                                               |                   | Approved date about the quality (if necessary): |                                            |
| Supplier: Sudelan                                                                                                             | Supplier No.:     | Approved date (if necessary):                   | Approved date about others (if necessary): |

| No. | Description       | Characteristic |                    |                                                   |    | Method                              |                                        |                           |                      |                | FAT                  |
|-----|-------------------|----------------|--------------------|---------------------------------------------------|----|-------------------------------------|----------------------------------------|---------------------------|----------------------|----------------|----------------------|
|     |                   | Item           | Part Name          | Content                                           |    | Criteria/ Nominal Value / Tolerance | Relevant Standard / Document / Drawing | Measuring Equipment       | Min Sample Frequency | Control Method |                      |
| 1   | Fe6 Spring Washer | 1              | Raw Material 38Si7 | Chemical Composition Test                         | C  | 0.35-0.42%                          | Delkor Specification SPEC-ACC-FE6      | Various                   | 1 per batch          | Test Report    | Document Review Only |
|     |                   |                |                    |                                                   | Si | 1.50-1.80%                          |                                        |                           |                      |                |                      |
|     |                   |                |                    |                                                   | Mn | 0.50-0.80%                          |                                        |                           |                      |                |                      |
|     |                   |                |                    |                                                   | P  | ≤0.025%                             |                                        |                           |                      |                |                      |
|     |                   |                |                    |                                                   | S  | ≤0.025%                             |                                        |                           |                      |                |                      |
|     |                   |                |                    | Tensile Strength                                  |    | 1180-1370Mpa                        |                                        | Universal Testing Machine |                      |                |                      |
|     |                   |                |                    | Yield Strength                                    |    | ≥1030Mpa                            |                                        |                           |                      |                |                      |
|     |                   |                |                    | Elongation at break                               |    | ≥6.0%                               |                                        |                           |                      |                |                      |
|     |                   |                |                    | Reduction of area after break                     |    | ≥20%                                |                                        |                           |                      |                |                      |
|     |                   |                |                    | Impact energy at room temperature KU <sub>2</sub> |    | ≥9J                                 |                                        |                           |                      |                |                      |

## Quality Control Plan

|                                                     |                   |                                                 |                                            |
|-----------------------------------------------------|-------------------|-------------------------------------------------|--------------------------------------------|
| Sample [ ] Trial-production [ ] Mass production [✓] | Main contact/Tel: | Prepared Date: 18/09/2024                       | Revise Date:                               |
| Core Team:                                          |                   | Approved date about the project (if necessary): |                                            |
|                                                     |                   | Approved date about the quality (if necessary): |                                            |
| Supplier: Sudelan                                   | Supplier No.:     | Approved date (if necessary):                   | Approved date about others (if necessary): |

|   |                  |                             |                                                                                                                                                              |                                   |                   |                                                                          |             |                      |
|---|------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------------|--------------------------------------------------------------------------|-------------|----------------------|
| 2 | Finished Product | Springiness on Release Test | • Meet value on manufacturing drawing for relieving spring way<br>• Overall height after test must be within limits of manufacturing drawing                 | PROC-SWVT                         | Various           | Single Sampling Plan, Special Inspection Level S-I, AQL 2.5 (ISO 2859-1) | Test Report | Document Review Only |
|   |                  | Texture Test                | Smooth broken section without trace of internal cracking                                                                                                     | Delkor Specification SPEC-ACC-FE6 | Visual            |                                                                          |             |                      |
|   |                  | Torsion Test                | No cracks after twisting                                                                                                                                     |                                   |                   |                                                                          |             |                      |
|   |                  | Vickers Hardness            | 430 – 515 HV30                                                                                                                                               |                                   | Hardness Tester   |                                                                          |             |                      |
|   |                  | Dimensional accuracy        | Inspection dimensions shown in reference document as per example below<br> | ACC-FE6-01                        | Various           | Single Sampling Plan, General Inspection Level I, AQL 2.5 (ISO 2859-1)   |             |                      |
|   |                  | Appearance                  | Identification and Markings as per reference document                                                                                                        | ACC-FE6-01                        | Visual Inspection |                                                                          |             |                      |
|   |                  | Coating Thickness           | Minimum Average ≥ 53µm                                                                                                                                       | ISO 1461                          | Thickness Gauge   | Single Sampling Plan, Special Inspection Level S-I, AQL 2.5 (ISO 2859-1) |             |                      |