



Purchase #: 00009387

Date: 2/04/2025

Suzhou Sudelan Railway Parts Co. Ltd
No.9 Donghuan Rd.,
Fuqiao Town
Taicang City, Jiangsu Province
P R CHINA

Delivery Address:
FOB CHINA PORT

Requested Delivery Date: 2/05/2025

Page: 1

Part No.	Description	Qty	Unit Price	Total	Job No.
2108	22 Dia x 150 Long Hot Dipped Galvanised Screwspikes to UIC Code 864-1V and 5.6 Grade Dwg. No.DR.SS.T.01 QCP: STOCK-QP-010 Rev A	10,000	US\$1.40	US\$14,000.00	Stock

Note:

1. Manufactured to UIC Code 864-1V Dwg. No. DR.SS.T.01
2. Hot Dipped Galvanised to AS1214
3. Screwspikes to be in Bags of 25
4. To be in wooden Boxes of 1000 (Heavy Duty Type and 2 Timber Bottom of Crates must be less than 110 x 80 x 54cm). Timber Bottom of Crates Must Be In Between 58-62cm for Forklift Use.
5. Screwspikes must be straight.
6. Material & Conformance Certificate Required
7. Delkor Rail to Arranged Inspection Prior to Shipment (if required)
8. Please Acknowledge Receipt of This Order
9. To belabelled as Follows:
2108:
Delkor Rail
Screwspikes: 22 x 150
Stock Code: 2108
No. off: 25
Weight: 15kg
Batch: 41
10. Required delivery date: EXWorks 02/05/2025
11. Incoterms 2010: FOB China Port
12. To provide Asbestos Due Diligence Declaration for Australian Customs clearance

COMMENT



Sub Total	US\$14,000.00	
Freight	US\$0.00	FRE
GST	US\$0.00	
Order Total	US\$14,000.00	

A.B.N. 16 003 769 140

T&Cs www.delkorrail.com

Delkor Rail Pty Ltd

74 Harley Crescent, PO Box CP217 Condell Park NSW 2200
PH: +61 2 9709 2918 Fax: +61 2 9709 5934



DETAILS OF THREAD
SCALE 2 : 1

MATERIAL: AS 1442-1992 GRADE U3B
HEAT TREATMENT: NORMALISE
GALVANIZING: TO AS 1214 LATEST EDITION

		BREAK ALL SHARP EDGES AND CORNERS 0.5 MAX.						
		DATE: BY:					DELKOR RAIL PTY LIMITED	
		DESCRIPTION		SLEEPER SCREW SPIKE "T"				
				Ø22 x 150 mm SQUARE HEAD				
		DRAWN	R.T.	OCT '14	SCALE 1 : 1	DRG. NO.		REV. 
		CHECKED				DR.SS.T.01		
		APPROVED						
THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF DELKOR RAIL PTY LIMITED. IT MAY NOT BE COPIED WHOLLY OR IN PART AND IT MAY NOT BE LOANED OR DISCLOSED TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF DELKOR RAIL PTY LIMITED. ALL SUCH AUTHORISED COPIES MUST BEAR THIS NOTICE. THIS DRAWING MUST BE RETURNED AS SOON AS THE PURPOSE FOR WHICH IT WAS MADE AVAILABLE HAS BEEN SERVED.								

Quality Control Plan

STOCK-QP-010


DR.SS.T.01

Revision	Date	Author	Checked By	Amendments
A	10/07/2024			Initial Issue

Project	STOCK	Part Number	DR.SS.T.01
Specification	SPEC-ACC-Ss8 UIC 864-1	Drawing Number	DR.SS.T.01

Quality Control Plan

Sample [] Trial-production [] Mass production [✓]					Main contact/Tel:		Prepared Date: 10/07/2024		Revise Date:	
Core Team:							Approved date about the project (if necessary):			
							Approved date about the quality (if necessary):			
Supplier: FOSCO			Supplier No.:		Approved date (if necessary):		Approved date about others (if necessary):			

No.	Description	Characteristic			Method						FAT
		Item	Part Name	Content	Criteria/ Nominal Value / Tolerance	Relevant Standard / Document	Measuring Equipment	Min Sample Frequency	Control Method		
1	Material	1	Raw Material	Tensile Strength	$\geq 500 \text{ MPa}$	UIC 864-1 SPEC-ACC-Ss8	Universal Testing Machine	1 per batch of raw material	Test report	Document review only	
				Yield Strength	$\sigma \geq 300 \text{ MPa}$						
				Elongation	$\delta \geq 20\%$						
2	Finished Product	1	DR.SS.T.01	Dimensional Accuracy	Inspection dimensions shown in reference document as per example below: 	DR.SS.T.01	Various	Single Sampling Plan, General Inspection Level I, AQL 2.5 (ISO 2859-1)	Test report	Document review only	
				Identification	As per drawing		Visual Inspection				
							Coating Thickness	Mean $\geq 55 \mu\text{m}$			ISO 1461 / AS 1214