



Purchase #: ORP00905

Date: 11/02/2025

Suzhou Sudelan Railway Parts Co. Ltd
No.9 Donghuan Rd.,
Fuqiao Town
Taicang City, Jiangsu Province
P R CHINA

Delivery Address:
FOB China Port

Requested Delivery Date: 25/03/2025

Page: 1

Part No.	Description	Qty	Unit Price	Total	Job No.
OVS BP&A	Threaded Rod Assembly 335mm	3,200	US\$2.20	US\$7,040.00	OR0409
Drawing : ACC-TR24-011 Rev A QCP: OR0409-QP-007 Rev A					
Threaded Rod Assembly Consists of the following Items:					
Threaded Rod 335mm					
- Threaded Rod to be Class 5.6 according to ISO 898-1					
- Cropped to 45 degree as per drawing					
- Clear chromate finish and sealant will be applied to all parts after zinc plating					
- Coating category to be Fe/Zn25/A as per GB/T 9799-2011					
Nylon Lock Nuts					
- Material properties will be as per ISO 898-2 Class 6					
- Dimensions will be as per ISO 7040 - Table 1 and Figure 1					
- Clear chromate finish and sealant will be applied to all parts after zinc plating.					
- Coating category to be Fe/Zn25/A as per GB/T 9799-2011					
Flat Washer					
- Material to be Carbon Steel, 200-300 HV					

COMMENT

Sub Total
Freight
GST
Order Total

A.B.N. 16 003 769 140

T&Cs www.delkorrail.com

Delkor Rail Pty Ltd

74 Harley Crescent, PO Box CP217 Condell Park NSW 2200
PH: +61 2 9709 2918 Fax: +61 2 9709 5934



Purchase #: ORP00905

Date: 11/02/2025

Suzhou Sudelan Railway Parts Co. Ltd
No.9 Donghuan Rd.,
Fuqiao Town
Taicang City, Jiangsu Province
P R CHINA

Delivery Address:
FOB China Port

Requested Delivery Date: 25/03/2025

Page: 2

Part No.	Description	Qty	Unit Price	Total	Job No.
	- Dimensions will be as per ISO 7089 - Table 1 and Figure 1 - Clear chromate finish and sealant will be applied to all parts after zinc plating. - Coating category to be Fe/Zn25/A as per GB/T 9799-2011				
	Spring Lock Washer - Material for the spring washer will be Grade 1065 Carbon Steel to ASTM A682 with a hardness of 38-46 HRC - Dimensions of the spring washer will be as per ASME B18.21.2M Heavy Helical Spring Lock Washer, Table 3 - Clear chromate finish and sealant will be applied to all parts after zinc plating. - Coating category to be Fe/Zn25/A as per GB/T 9799-2011				
	Notes: 1. Incoterms 2010: FOB China Port 2. Material & Conformance Certificate required 3. Delkor to arrange inspection prior to shipment (if required) 4. Required delivery date: 25th March 2025				

COMMENT

Sub Total	US\$7,040.00	
Freight	US\$0.00	FRE
GST	US\$0.00	
Order Total	US\$7,040.00	

A.B.N. 16 003 769 140

T&Cs www.delkorrail.com


Delkor Rail Pty Ltd

74 Harley Crescent, PO Box CP217 Condell Park NSW 2200
PH: +61 2 9709 2918 Fax: +61 2 9709 5934

REV	DESCRIPTION	DATE	BY	CHK
A	ISSUED FOR DISTRIBUTION	27-OCT-22	AF	RB

NOTES

1. MATERIAL GRADE - ISO 898-1 CLASS 8.8
2. COATING - HOT DIP GALVANISED TO AS/NZS 4680
3. DEBURR ALL SHARP EDGES



DRAWN		 DELKOR DELKOR RAIL PTY LTD - SYDNEY, AUS.	M24 THREADED ROD 45 DEGREE TAPERED END MANUFACTURING DRAWING	DRAWING No. ACC-TR24-11		
AF	26-OCT-2022			SCALE (A4) 1 : 2  REVISION A		
CHECKED						
RB	27-OCT-2022					

THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF DELKOR PTY LIMITED. IT MAY NOT BE COPIED WHOLLY OR IN PART AND IT MAY NOT BE LOANED OR DISCLOSED TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF DELKOR PTY LIMITED. ALL SUCH AUTHORISED COPIES MUST BEAR THIS NOTICE. THIS DRAWING MUST BE RETURNED AS SOON AS THE PURPOSE FOR WHICH IT WAS MADE AVAILABLE HAS BEEN SERVED.

Quality Control Plan

OR0409-QP-007_A


TR24-12 M24 Threaded Rod

Revision	Date	Author	Checked By	Amendments
A	11/02/2025		 	Initial Issue

Project	OR0409	Part Number	TR24-12
Drawing Number	ACC-TR24-11	Overall Length	335mm

Quality Control Plan

Sample [] Trial-production [] Mass production [✓]	Main contact/Tel:	Prepared Date: 11/02/2025	Revise Date:
Core Team:		Approved date about the project (if necessary):	
		Approved date about the quality (if necessary):	
Supplier: Sudelan	Supplier No.:	Approved date (if necessary):	Approved date about others (if necessary):

No.	Description	Characteristic			Method					FAT
		Item	Part Name	Content	Criteria/ Nominal Value / Tolerance	Relevant Standard / Document	Measuring Equipment	Min Sample Frequency	Control Method	
1	Material	1	Raw Material	Chemical Composition	Meet specification requirements	ISO 898-1 CL5.6	Various	1 per batch of raw material	Test report	Document review only
				Mechanical Properties						
2	Finished Product	1	TR24-12	Dimensional Accuracy	Inspection dimensions shown in reference document as per example below: 	ACC-TR24-11	Various	Single Sampling Plan, Special Inspection Level I, AQL 2.5 (ISO 2859-1)	Test report	Document review only
				Overall Length	335mm					
				Coating Thickness Fe/Zn25/A as per GB/T 9799-2011	≥25μm		Thickness Gauge			
				Thread Accuracy	M24x3-6g		Thread Gauge	Single Sampling Plans, Special Inspection Level I, AQL 1.5 (ISO 2859-1)		
				Appearance	Surface smooth & even, no cracks.		Visual inspection	Single Sampling Plan, Special Inspection Level I, AQL 4.0 (ISO 2859-1)		