

苏州苏德兰铁路配件有限公司尺寸检测报告

DIMENSIONAL TEST REPORT

品名 Product Name: 螺纹道钉 Coach Screw

合同编号 Contract NO: PO-IND01356

规格 Size: 25×184

检测日期 Inspection Date: 2021.05.20

等级 Grade: UIC-864-1

发货日期 Date of shipment: 2021.05.21

标记 Mark: 195-12 SDL 21 RTI

序号 No	检测项目 Test feature	技术要求 Specification	实测数值 Actual Size	结果 Result
1	对边尺寸 opposite side	27 +0/-1	26.2~26.6	OK
2	头部厚度 head thickness	15.5±0.5	15.3~15.8	OK
3	头部R radius of head	R2	R2	OK
4	头部R radius of head	R2±0.5	R1.75	OK
5	头部总高 head total length	20 +1.5/-0	20.7~21.3	OK
6	头部角度 Head angle	15°	15°	OK
7	圆盘直径 head diameter	Φ 40 +0/-1	39.3~39.8	OK
8	圆盘直径 head diameter	Φ 42 +3/-1	42.8~43.7	OK
9	杆部直径 shank diameter	Φ 25 +0.7/-0.5	24.7~25.0	OK
10	杆部总长 shank length	184±5	181.6~185.3	OK
11	白杆长度 unthreaded shank length	80±5	77.7~82.3	OK
12	螺纹内径 Core diameter	Φ 19 +0/-1	18.1~18.5	OK
13	螺纹外径 Outside diameter	Φ 25 +0/-1	24.2~24.6	OK
14	单牙距 single screw pitch	12±0.1	11.9~12.1	OK
15	5牙距 screw pitch	60±0.5	59.7~60.2	OK
16	牙宽 screw width	3	2.7~2.9	OK
17	螺纹底部R角 Thread R angle	R1 +1/-0.5	R1	OK
18	螺纹底部R角 Thread R angle	R0.5 +0.5/-0	R1	OK
19	螺纹头部R角 Thread R angle	R1 +1/-0.5	R1	OK
20	螺纹头部R角 Thread R angle	R0.5 +0.5/-0	R1	OK
21	螺纹角度 Thread angle	30°	30°	OK
22	螺纹角度 Thread angle	30°	30°	OK
23	尖部深度 Point depth	≤8	5.2~7.1	OK
24	直线度 Straightness	≤1	OK	OK
25	镀锌厚度 Galvanization thickness	≥50um	64~98	OK
26	外观判断 Visual judgement	Ok/Not ok	OK	OK
数量 Quantity			4000件 (Pieces)	
检验 Inspector			张全恢 Zhang-QuanHui	
审核 In Charge			杨黎程 Yang-LiCheng	

苏州苏德兰铁路配件有限公司性能检测报告

PERFORMANCE TEST REPORT

品名 Product Name: 螺纹道钉 Coach Screw

规格 Size: 25×184

等级 Grade : UIC-864-1

标记 Mark : 195-12 SDL 21 RTI

合同编号 Contract NO: PO-IND01356

检测日期 Inspection date: 2021.05.20

发货日期 Date of shipment: 2021.05.21

数量 Quantity: 4000(件 Pieces)



规格 Size	材料 Material	炉批号 Raw material Heat No	化学成分 CHEMICAL COMPOSITION (%)					机械性能 MECHANICAL PROPERTIES				结果 Result
			C	Si	Mn	P	S	屈服强度 Yield Strength (Mpa)	抗拉强度 Tensile Strength (Mpa)	延伸率 Elongation δ5 %	冷弯 Bend Test 15°	
25×184	35K	G031003651	0.36	0.13	0.71	0.014	0.004	397	616	24	OK	OK
								382	606	23	OK	OK
								376	602	24	OK	OK
								385	617	23	OK	OK
								392	622	22	OK	OK

检验 Inspector: 张全恢 Zhang-QuanHui

审核 In Charge: 杨黎程 Yang-LiCheng



江苏沙钢集团有限公司
Jiangsu Shagang Group CO., LTD.

SC03B-1914E

江苏省张家港市锦丰镇 邮编: 215625

Jinfeng, Zhangjiagang, Jiangsu, P. R. CHINA

TEL: (0512) 58568866, 58568829

FAX: (0512) 58550366, 58550818

高速线材质量证明书

沙钢

High-speed Wire Rod Quality Certificate

订货单位CUSTOMER		用户代码CUSTOMER CODE		合同号CONTRACT NO.	X05D00080014
牌号STEEL GRADE	SMRCH35K	提货单号DELIVERY	JF5022	发货日期DATE OF DELIVERY	20200606
交货标准 SPECIFICATION	Q/320582 SGY303-2018	证书号CERTIFICATE NO.	JF50223561	签发日期DATE OF ISSUE	20200606
		用途USE		精炼方式REFINING METHOD	炉外精炼

序号 NO	炉批号 HEAT NO.	直径 Dia. mm	盘数 Coils	重量 kg	化学成分CHEMICAL COMPOSITION %											拉伸试验TENSILE TEST					顶端 试验 H. T.	硬度 试验 HRB	脱碳层 D. of. D	晶粒度 Micro- Grade	索氏体 Sorbite %	备注 REMARKS			
					C	Si	Mn	P	S	Cr	Ni	Cu	Al																
					2	2	2	3	3	2	2	2	3																
1= $\times 10^{-1}$ 2= $\times 10^{-2}$ 3= $\times 10^{-3}$ 4= $\times 10^{-4}$ 5= $\times 10^{-5}$																					MPa		%						
36	14	72	17	4	4	2	2	16																					
1	G031003631	26.0	17	35991	36	14	72	17	4	4	2	2	16			584	341			41.0	完好		0.01	8					
2	G031003651	26.0	24	50320	36	13	71	13	4	3	1	2	31			595	358			45.0	完好		0.01	8					
3	G031003651	26.0	34	71655	36	13	71	13	4	3	1	2	31			568	330			47.0	完好		0.01	8					
4	G031004686	26.0	15	31019	34	14	71	13	4	2	1	2	30			570	336			47.0	完好		0.01	8					
5	G032003750	26.0	1	2127	34	12	72	17	5	3	1	2	29			568	347			46.0	完好		0.01	9					
6	G032003750	26.0	33	66699	34	12	72	17	5	3	1	2	29			570	332			45.0	完好		0.01	8					
																572	340			43.0			0.01	8					
																572				45.0									

合计 Total	124	257811	说明 NOTES	本质量证明书适用于合金线材: 本产品不含有任何放射性元素。It is guaranteed that the products don't contain radiochemical impurities. *1. H. T.—Head-colding Test; *2 D. of D.—Depth of Decarburization;																			
----------	-----	--------	-------------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

综合判定 FINAL RESULT	合格 PASS	注意事项 ATTENTIVE ITEMS	1. 质量证明书复印件不作有效证明文件, 除非盖章: The copy of this Certificate is not valid except stamped. 2. 用户收货后使用如有异议应及时告知炉号、牌号, 并保留实物及标志。Please inform us the steel grade and the heat number of under quantified material(s) found in inspection on time, and keep the material(s) and the marking card 3. 高线丝组结处近端为轧制成品头部。The coil head is marked by the binding																				质检印章 SEAL	签证人 VISA
-------------------------	------------	----------------------------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--------------	-------------