

苏州苏德兰铁路配件有限公司尺寸检测报告

DIMENSIONAL TEST REPORT

品名 Product Name: 方头螺栓 Square head bolt

合同编号 Contract NO: CA2502994

规格 Size: $\varnothing 23\times 131.5$

检测日期 Inspection date: 2025.07.18

等级 Grade: Gr5.6 , GB/T3098.1

发货日期 Date of shipment: 2025.07.22

标记 Mark : PANDROL SDL T45-B5 25



序号 No	检测项目 Test feature	技术要求 Specification	实测数值 Actual Size	结果 Result
1	圆盘直径 head diameter	$\varnothing 44 +0/-1$	$\varnothing 43.4\sim 43.7$	OK
2	圆盘直径 head diameter	$\varnothing 40 +0/-1$	$\varnothing 39.4\sim 39.8$	OK
3	方头顶宽度 top of head breadth	$21 +0/-1$	$20.2\sim 20.5$	OK
4	方头底宽度 bottom of head breadth	$23 +0/-1$	$22.3\sim 22.8$	OK
5	方头高度 square head length	$20 +2/-0$	$20.5\sim 21.1$	OK
6	头部总高 head total length	$32 +2/-0$	$32.3\sim 32.9$	OK
7	头部R radius of head	R50	R50	OK
8	头部R radius of head	R10	R10	OK
9	杆部直径 shank diameter	$\varnothing 23 +0/-1$	$\varnothing 22.1\sim 22.3$	OK
10	杆部R radius of shank	R2.5	R2.5	OK
11	螺纹内径 ID	$\varnothing 17.5 +0/-0.6$	$\varnothing 17.1\sim 17.3$	OK
12	螺纹外径 OD	$\varnothing 22 +0/-0.3$	$\varnothing 21.80\sim 21.93$	OK
13	白杆长度 unthreaded shank length	$49 +0/-1$	$48.2\sim 48.9$	OK
14	杆部总长 shank length	131.5 ± 3.5	$132.6\sim 134.3$	OK
15	螺牙（通） thread (go)	T22 $\times$ 4(T)	OK	OK
16	螺牙（止） thread (stop)	T22 $\times$ 4(Z)	OK	OK
17	表面处理 surface treatment	电镀锌 $\geq 12\mu\text{m}$ Zinc plated	OK	OK
数量 Quantity			20000 件 (Pieces)	
检验 Inspector			张全恢 Zhang-QuanHui	
审核 In Charge			杨黎程 Yang-LiCheng	

苏州苏德兰铁路配件有限公司性能检测报告

PERFORMANCE TEST REPORT

品名Product Name: 方头螺栓 Square head bolt

规格 Size: $\varnothing 23\times 131.5$

等级 Grade: Gr5.6, GB/T3098.1

标记 Mark: PANDROL SDL T45-B5 25

数量 Quantity: 20000 (件 piece)



规格 Size	材料 Material	炉批号 Raw material Heat No	化学成分 Chemical composition (%)					机械性能 Mechanical properties				结果 Result
			C	S	Si	Mn	P	屈服强度 Yield strength	抗拉强度 Tensile Strength	延伸率 Elongation δ 5	冷弯30° 30° Benging	
Φ 23×131.5	35K	G532004767	0.35	0.001	0.14	0.72	0.014	≥300Mpa	≥500Mpa	Min20%		
								355	542	24	OK	OK
								363	551	24	OK	OK
								347	557	23	OK	OK
								351	544	25	OK	OK
								365	561	23	OK	OK

检验 Inspector: 张全恢 Zhang-QuanHui

审核 In Charge: 杨黎程 Yang-LiCheng



江苏沙钢集团有限公司
Jiangsu Shagang Group CO., LTD.

SG03B-1914E

高速线材质量证明书

沙钢

High-speed Wire Rod Quality Certificate

江苏省张家港市锦丰镇 邮编: 215625
Jinfeng, Zhangjiagang, Jiangsu, P. R. CHINA
TEL: (0512) 58568866, 58568829
FAX: (0512) 58550366, 58550818

订货单位CUSTOMER		用户代码CUSTOMER CODE		合同号CONTRACT NO.	X56A00640009
牌号STEEL GRADE	SWRCH35K	提货单号DELIVERY	250605148001	发货日期DATE OF DELIVERY	20250605
交货标准 SPECIFICATION	Q/320582 SCY303-2024	质证书号CERTIFICATE NO.	2506051480 013536	1 签发日期DATE OF ISSUE	20250605
		用途USE		精炼方式REFINING MATHOD	炉外精炼


序号 NO	炉号 HEAT NO.	直径 Dia. mm.	盘数 Coils	重量 kg	化学成分CHEMICAL COMPOSITION %										拉伸试验TENSILE TEST				顶锻 试验 H. T.	硬度 试验 HRB	脱碳层 D. of. D	晶粒度 Micro- Grade	索氏体 Sorbite %	备注 REMARKS				
					C	Si	Mn	P	S	Cr	Ni	Cu																
					Rm	Rel	A11.3	Z																				

1	G532004767	24.0	15	33154	35	14	72	14	1	2	1	2			587			43.0	0	81.00	0.01	9		
															587			43.0	1/3	81.00	0.01			

合计 Total				15	33154	说明 NOTES 1. 本质量证明书适用于合金线材;本产品不含有任何辐射元素。It is guaranteed that the products don't contain radiochemical impurities. 3. We, SHAGANG, hereby certify that the products specified in the present certificate have been fully processed in china. (facility angd address information is stated above. *1. H. T.—Head-colding Test; *2 D. of D.—Depth of Decarburization;																			
综合判定 FINAL RESULT	合格 PASS	注意事项 ATTENTIVE ITEMS				1. 质量证明书复印件不作有效证明文件, 除非盖章: The copy of this Certificate is not valid except stamped. 2. 用户验货后使用如有异议应及时告知炉号、牌号, 并保留实物及标志。Please inform us the steel grade and the heat number of under quanlified material(s) found in inspection on time, and keep the material(s) and the marking card																		签证人 VISA	

江苏钢铁集团
质检印章
SEAL

周海新



签证人
VISA