

SUZHOU SUDELAN RAILWAY PARTS CO., LTD

苏州苏德兰铁路配件有限公司

TEST REPORT

产品品质检验报告

Customer: Pandrol Limited

Item: Coach Screw

Size: 24*150


Mark: None

Quantity:10PCS

Draw.No. : 6164-1

PO NO:PO005457

Inspection date:2025-3-25

												
Main Dimension												
No	Dimension	Actual result-10pcs										Result
		S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	
1	Φ 44+2/-1	43.6	43.5	43.7	43.8	43.6	43.6	43.7	43.6	43.7	43.6	OK
2	19+0.5/-0.5	19.1	19.3	19.2	19.2	19.1	19.0	19.2	19.1	19.3	19.2	OK
3	21+0.5/-0.5	20.7	20.9	20.8	20.7	20.8	20.8	21.0	20.8	20.8	20.9	OK
4	26+0.5/-0.5	26.1	26.2	26.2	26.1	26.3	26.2	26.3	26.1	26.0	26.1	OK
5	28+0.5/-0.5	27.8	28.0	27.9	27.9	28.1	28.0	28.0	27.8	27.9	28.0	OK
6	R32	R32	R32	R32	R32	R32	R32	R32	R32	R32	R32	OK
7	28+1/-1	28.3	27.9	28.1	28.0	28.2	28.1	28.2	28.3	28.1	28.2	OK
8	4	4.1	4.0	3.9	3.8	4.1	4.2	4.2	4.3	4.1	4.0	OK
9	35+2/-2	35.41	35.26	35.35	35.44	35.52	35.11	35.19	35.26	35.48	35.27	OK
10	25+3/-3	24.0	25.7	26.2	27.1	24.8	25.9	26.5	23.7	24.1	25.8	OK
11	Φ 24+0.7/-0.3	24.2	23.9	24.1	24.0	24.2	24.1	24.0	24.1	23.9	24.1	OK
12	150+5/-5	148.3	149.1	150.6	149.7	149.2	149.8	148.8	149.0	150.4	147.6	OK
13	Φ 16+0.5/-0.5	16.2	16.3	16.1	16.3	16.4	16.1	16.2	16.2	16.3	16.3	OK
14	Φ 24+0.5/-0.5	23.75	23.66	23.91	23.85	23.89	24.02	23.95	23.86	24.02	23.77	OK
15	Φ 10+2/-2	11.2	11.5	11.3	10.9	11.5	11.9	11.2	11.4	10.8	10.2	OK
16	8+1/-4	5.3	4.6	6.1	5.5	5.2	4.9	4.6	5.4	5.9	6.7	OK
17	12.5	12.46	12.51	12.44	12.55	12.52	12.56	12.49	12.45	12.53	12.55	OK
18	4	3.8	3.9	3.8	3.8	3.9	3.9	3.8	3.9	3.8	3.8	OK
19	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	OK
20	40°	40°	40°	40°	40°	40°	40°	40°	40°	40°	40°	OK
21	R1.5	R1.5	R1.5	R1.5	R1.5	R1.5	R1.5	R1.5	R1.5	R1.5	R1.5	OK
22	R3	R3	R3	R3	R3	R3	R3	R3	R3	R3	R3	OK
23	Visual Inspection	Threads are clean, uniform and complete Surface of screw are trimmed and no flash / fins										OK

Inspector : Zhang Qianlin Signature and stamp



SUZHOU SUDELAN RAILWAY PARTS CO., LTD

苏州苏德兰铁路配件有限公司

INSPECTION CERTIFICATE (standard UIC-864-1)

Customer(客户): Pandrol Limited

Date(日期): 2025-3-25

Description(货名): Coach screw

Mark(标记): None


Material(材料): Steel 35K


Specification(型号): 24*150

Mechanical property Standard: UIC-864-1

Order No.(订单号): P0005457

Chemical Composition (化学元素分析)										
Heat No.	C%	Si%	Mn%	P%	S%	Cr%	Ni%	Cu%	/	/
	0.32~0.38	0.10~3.35	0.60~0.90	≤0.030	≤0.035				/	/
G533001017	0.360	0.140	0.71	0.015	0.003	0.030	0.010	0.02		
Mechanical Properties(机械性能)										
Item	Spec.		Result (实测数据)							
	Min		1	2	3	4	5			
Tensile (抗拉)		500Mpa	592	605	610	597	606			
Yield (屈服)		300Mpa	363	385	372	379	387			
Elongation (延伸)		20%	24.0	23.0	22.0	24	23			
Bend test (弯曲)		15°	OK	OK	OK	OK	OK			
Coating thickness (涂层厚度)		≥50µm	78	92	67	88	93			
Check result (结论)	Pass									





NOTE(注):

All material covered by this report has been manufactured and inspected with satisfactory results in accordance with the requirement of the above material specifications.

Inspector : (signature and stamp)

NO.9 DONGHUAN RD.,FUQIAO TOWN,TAICANG CITY,JIANGSU PROVINCE,P. R. CHINA.

Post code:215434

Tel: 0086-512-53703217

Phone: 0086-18012719858





江苏沙钢集团有限公司
Jiangsu Shagang Group CO., LTD.
高速线材质量证明书

SG03B-1914E

High-speed Wire Rod Quality Certificate

江苏省张家港市锦丰镇 邮编: 215625
Jinfeng, Zhangjiagang, Jiangsu, P. R. CHINA
TEL: (0512) 58568866, 58568829
FAX: (0512) 58550366, 58550818

沙 钢

订货单位CUSTOMER		用户代码CUSTOMER CODE		合同号CONTRACT NO.		X52A00640010
牌号STEEL GRADE	SWRCH35K	提货单号DELIVERY	250220134001	发货日期DATE OF DELIVERY		20250220
交货标准 SPECIFICATION	Q/320582 SGY303-2024	质证书号CERTIFICATE NO.	2502201340 015837	签发日期DATE OF ISSUE	1	20250220
		用途USE		精炼方式REFINING METHOD		炉外精炼

序号 NO	炉号 HEAT NO.	直径 Dia. mm.	盘数 Coils	重量 kg	化学成分CHEMICAL COMPOSITION %										拉伸试验TENSILE TEST			顶锻 试验 H.T.	硬度 试验 HRB	脱碳层 D. of. D	晶粒度 Micro- Grade	索氏体 Sorbite %	备注 REMARKS
					C	Si	Mn	P	S	Cr	Ni	Cu			Rm	Rel	A11.3	Z					
					1= $\times 10^{-1}$	2= $\times 10^{-2}$	3= $\times 10^{-3}$	4= $\times 10^{-4}$	5= $\times 10^{-5}$						MPa		%						
1	G531100697	26.0	5	11077	35	14	71	15	2	3	1	2			586			42.0	0	81.00	0.01	8	
2	G533001017	26.0	10	22338	36	14	71	15	3	3	1	2			586			42.0	1/3	84.00	0.01	8	
															578			44.0	0	81.00	0.01	8	
															578			44.0	1/3	84.00	0.01	8	

合计 Total					15	33415	说明 NOTES 1. 本质量证明书适用于合金线材; 本产品不含有任何辐射元素。It is guaranteed that the products don't contain radiochemical impurities. 3. We, SHAGANG, hereby certify that the products specified in the present certificate have been fully processed in china. (facility and address information is stated above. *1. H.T.—Head-colding Test; *2 D.of D.—Depth of Decarburization;																
----------	--	--	--	--	----	-------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

综合判定 FINAL RESULT	合格 PASS	注意事项 ATTENTIVE ITEMS	1. 质量证明书复印件不作有效证明文件, 除非盖章; The copy of this Certificate is not valid except stamped. 2. 用户验货后使用如有异议应及时告知炉号、牌号, 并保留实物及标志。Please inform us the steel grade and the heat number of under quanlified material(s) found in inspection on time, and keep the material(s) and the marking card																	签证人 VISA
-------------------------	------------	----------------------------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-------------

