EN ISO 23386/EN ISO 23387

methodology to provide an unambiguous definition of properties, using a standardized data structure through data templates, to describe the characteristics of construction objects



Espen Schulze Group VP Research, Cobuilder

Standardization activities

CEN/TC 442

- - TG 1 prEN 17412 Level Of Information Need (expert)
 - TG 3 Exchange structure for data templates (expert)
- WG 4
 - TG 1 ISO 23386 (expert)

 - TG 2 ISO/FDIS 23387 (expert, chair)
 TG 3 Semantic Modelling and Linking Standard (expert)

CEN/TC 350

• WG 3 - Products Level (expert)

ISO/TC 59/SC 13

- WG 6 ISO 12006-3 IFD (expert)
 WG 11 ISO 16757 data structure (expert)
 WG 13 ISO 19650-4 Information exchange (expert)
- JWG 14 BIM/GIS alignment (expert)

ISO/TC 59/SC 17

WG 3 – ISO/DIS 22057 - use of EPD in BIM (expert)

buildingSMART International

- Product Room Steering committee (member)
- Product Data Template WG (chair)

SN/K 257 – Norwegian BIM mirror committee (member)









Why do we need Data Templates?

One example









Everyone creates information locally





























Thermal Transmittance



Thermal conductivity



U-value



Thermal resistance










Trust in reliable information












Contractual agreement












Development of International BIM standards











CEN COMMUNITY

TECHNICAL BODIES

STANDARDS EVOLUTION AND FORECAST

SEARCH STANDARDS

Technical Bodies > CEN/TC 442

CEN/TC 442 - Building Information Modelling (BIM)

CEN/TC 442/WG 7

General Structure Work programme Published Standards

Horizontal role







ır	D.	ы
ш	ν,	

CEN/TC 442 Subcommittees and Working Groups Working group Title CEN/TC 442/WG 1 Terminology CEN/TC 442/WG 2 Exchange information CEN/TC 442/WG 3 Information Delivery Specification Support Data Dictionaries CEN/TC 442/WG 4 CEN/TC 442/WG 5 Chairperson's Advisory Group CEN/TC 442/WG 6 Infrastructure







CEN COMMUNITY


TECHNICAL BODIES

STANDARDS EVOLUTION AND FORECAST

SEARCH STANDARDS

Technical Bodies > CEN/TC 442

CEN/TC 442 - Building Information Modelling (BIM)









CEN COMMUNITY

TECHNICAL BODIES

STANDARDS EVOLUTION AND FORECAST

SEARCH STANDARDS

Technical Bodies > CEN/TC 442

CEN/TC 442 - Building Information Modelling (BIM)









CEN COMMUNITY


TECHNICAL BODIES

STANDARDS EVOLUTION AND FORECAST

SEARCH STANDARDS

Technical Bodies > CEN/TC 442

CEN/TC 442 - Building Information Modelling (BIM)









CEN COMMUNITY

TECHNICAL BODIES

STANDARDS EVOLUTION AND FORECAST

SEARCH STANDARDS

Technical Bodies > CEN/TC 442

CEN/TC 442 - Building Information Modelling (BIM)










The buildingSMART Triangle



ISO 16739 (IFC)











ISO 12006-3 - Framework for object-oriented information
















ISO 12006-3 - Framework for object-oriented information



Provides framework for

Data dictionary










ISO 12006-3 - Framework for ISO 23387



Provides framework for

Downloa

INTERNATIONAL
STANDARD

ISO/FDIS 23387

ISO/TC 59/SC 13

FINAL

DRAFT

Secretariat: SN Voting begins on: 2020-03-31

Voting terminates on:

Building information modelling (BIM) — Data templates for construction objects used in the life cycle of any built asset — Concepts and principles

Modélisation des informations de la construction (BIM) — Modèles de données pour les objets de construction utilisés durant le cycle de vie de tout bien construit — Concepts et principes

RECIPIENTS OF THIS DRAFT ARE INVITED SUBMIT, WITH THEIR COMMENTS, NOTIFICAT OF ANY RELEVANT PATENT RIGHTS OF WH THEY ARE AWARE AND TO PROVIDE SUPPORT DOCUMENTATION.

IN AUDITION TO THEIR EVALUATION AS SERVICE ACCEPTABLE FOR INDUSTRIAL, TECHNO-LOCAL, COMMERCIAL AND USER PURPOSES, DEACHT INTERNATIONAL STANDARDS MAY ON OCCUPANT OF THE POTENTIAL TO SECOME STAN-DARDS TO WHICH REFERENCE MAY SE MADE IN NATIONAL REGULATIONS. ISO/CEN PARALLEL PROCESSING

Reference nun

50

© ISO 2020










ISO 23387 – Data structure for data templates

Licensed to: Schulze Espen Mr Downloaded: 2020-04-07T12:33:26.289 FINAL INTERNATIONAL ISO/FDIS DRAFT STANDARD 23387 ISO/TC 59/SC 13 **Building information modelling** Secretariat: SN (BIM) — Data templates for construction objects used in the life cycle of any built asset — Concepts Voting terminates on: and principles Modélisation des informations de la construction (BIM) — Modèles de données pour les objets de construction utilisés durant le cycle de vie de tout bien construit — Concepts et principes ISO/CEN PARALLEL PROCESSING © ISO 2020

Provides











INTERNATIONAL STANDARD

ISO 23386

irst edition

Building information modelling and other digital processes used in construction — Methodology to describe, author and maintain properties in interconnected data dictionaries

Modélisation des informations de la construction et autres processus numériques utilisés en construction — Méthodologie de description, de création et de gestion des propriétés dans les dictionnaires de données interconnectés



Reference number ISO 23386:2020(E)

© ISO 2020









INTERNATIONAL ISO **STANDARD** 23386 **Building information modelling** and other digital processes used in construction - Methodology to describe, author and maintain properties in interconnected data dictionaries Modélisation des informations de la construction et autres processus numériques utilisés en construction - Méthodologie de description, de création et de gestion des propriétés dans les dictionnaires de données interconnectés Reference number ISO © ISO 2020

Attributes

Property

GUID:

Status:

Names in language N:

Descriptions in language N:

Connected properties :

Physical quantity:

Data type :

Units:


•••









































ISO 12006-3

This is a preview. To view the full content, please purchase this document. BS EN ISO BRITISH STANDARD 12006-3:2016 Building construction — Organization of information about construction works — Part 3: Framework for object-oriented information (ISO 12006-3:2007) ICS 91.010.01

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

ISO 23387

Licensed to: Schulze Espen Mr

FINAL DRAFT INTERNATIONAL STANDARD ISO/FDIS 23387

ISO/TC 59/SC 13

Secretariat: SN Voting begins on: 2020-03-31

Voting terminates of

Building information modelling (BIM) — Data templates for construction objects used in the life cycle of any built asset — Concepts and principles

Modélisation des informations de la construction (BIM) — Modèles de données pour les objets de construction utilisés durant le cycle de vie de tout bien construit — Concepts et principes

INVITED TO NOTIFICATION TS OF WHICH

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL TECHNO-LOGICAL, COMMERCIAL AND USER PURPOSES, DRAFF INTERNATIONAL STANDARDS MAY OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STAN-DARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL RECULATIONS. ISO/CEN PARALLEL PROCESSING



Reference numbe ISO/FDIS 23387:2020(E

© ISO 2020

ISO 23386

INTERNATIONAL STANDARD

ISO 23386

First editio

Building information modelling and other digital processes used in construction — Methodology to describe, author and maintain properties in interconnected data dictionaries

Modélisation des informations de la construction et autres processus numériques utilisés en construction — Méthodologie de description, de création et de gestion des propriétés dans les dictionnaires de données interconnectés



Reference number ISO 23386:2020(E)

© ISO 2020











































CONSTRUCTION PRODUCTS REGULATION (CPR)


- Lays down <u>harmonised rules</u> for the marketing of construction products in the EU
- Provides a <u>common technical language</u> to assess the performance of construction products
- Ensures reliable information is available to professionals, public authorities, and consumers, so they can compare the performance of products from different manufacturers in different countries



CPR - BASIC REQUIREMENTS FOR CONSTRUCTION WORKS



- 1. Mechanical resistance and stability
- 2. Safety in case of fire
- 3. Hygiene, health and the environment
- 4. Safety and accessibility in use
- 5. Protection against noise
- 6. Energy economy and heat retention
- 7. Sustainable use of natural resources











Annex ZA

Table ZA.1 — Relevant clauses and intended uses for lifting plants for wastewater containing faecal

Product: Prefabricated lifting plants and lifting plants delivered as prefabricated kits for wastewater containing faecal matter.

Intended use: Drainage of locations below flood level in buildings and sites to prevent any backflow of wastewater into the building.

	Essential characteristics	Clauses in this European Standard related to essential characteristics	Regu- latory classes	Notes		
Rea	ction to fire ^a	4.7	A1 to E	A1 WT or tested and classified in accordance with EN 13501-1		
Wat	ertightness, airtightness		1			
_	Watertightness	4.2.2	None	Test according to 5.2.1, expressed as "no leakage"		
-	Odourtightness	4.2.3	None	Test according to 5.2.2 expressed as "ne leakage"		
Effe	Effectiveness (Lifting effectiveness)					
-	Pumping of solids	4.3.1	None	Test according to 5.3, expressed as "ne accumulation of solids"		
-	Pipe connections	4.3.2, 4.3.6 and 4.3.7	None	Test according to 5.1 and 5.2.3, measured value expressed as "DN xxx"		
	Minimum dimensions of ventilating pipe system	4.3.3	None	Measure to the minimum value, expresse either as "DN 50" or "DN 70"		
-	Minimum flow velocity	4.3.4	None	Test according to 5.1.2 and 5.3, measured to the minimum value expressed as "0,7 m/s"		
_	Minimum free ball passage of the plant	4.3.5	None	Test according to 5.1 and 5.3, measure against the minimum value expressed a "40 mm"		
Effe	Effectiveness (Lifting effectiveness)					
-	Useful volume	4.3.8	None	Test according to 5.1 and 5.3, valu measured and declared either as "10 I" of "20 I"		

DoP



Declaration of performance as per Regulation (EU) No 305/2011, Annex III

Declaration of performance as per Regulation (EU) No 305/2011, Annex III

DoP2317.1-01 For the product mini-Compacta

(1) Product type Sewage lifting unit to EN 12050-1

(2) Series code

(3) Intended use For collecting and automatically lifting waste water with or without faeces above the

flood level. (4) Manufacturer KSB AG

67225 Frankenthal (Germany)

Not applicable (5) Authorised representative (6) System of assessment and System 3

verification of constancy of performance

(7) Harmonised standard The notified body, TÜV Rheinland LGA Products -0197-, performed determination of the

product type on the basis of type-testing under system 3 and issued test report

5371065-02. (8) European Technical Assessment Not relevant

(9) Declared performance

Essential characteristics	Performance	Harmonised technical specification
Effectiveness		EN 12050-1:2001
Handling of solids	Passed	
Pipe connections	Passed	
Ventilation	Passed	\neg
Minimum flow velocity	≥ 0.7 m/s	
Minimum cross-section of the system	≥ 40 mm	
Minimum cross-section of the discharge-side connection	DN 80	\neg
Fastening elements	Passed	
Electrical equipment enclosures		
Motor	IP68	
Contactor	IP68	
Corrosion resistance of materials	Passed	
Hydraulic and electric characteristic values	Passed	
Water and air-tight		
Water-tight	0.5 bar 10 min	
Odour-proof	0.5 bar 10 min	
Noise level	≤ 70 dB	

⁽¹⁰⁾ The performance of the product identified in points (1) and (2) is in conformity with the declared performance in point (9). This declaration of performance is issued under the sole responsibility of the manufacturer identified in point (4).

Frankenthal, 1 July 2013









Annex ZA

Table ZA.1 — Relevant clauses and intended uses for lifting plants for wastewater containing faecal

Product: Prefabricated lifting plants and lifting plants delivered as prefabricated kits for wastewater containing faecal matter.

Intended use: Drainage of locations below flood level in buildings and sites to prevent any backflow of wastewater into the building.

Essential characteristics	Clauses in this European Standard related to essential characteristics	Regu- latory classes	Notes VV	
Reaction to fire ^a	4.7	A1 to E	A1 WT or tested and classified in accordance with EN 13501-1	
Watertightness, airtightness				
— Watertightness	4.2.2	None	Test according to 5.2.1, expressed as "no leakage"	
Odourtightness	4.2.3	None	Test according to 5.2.2 expressed as "no leakage"	
Effectiveness (Lifting effe	ctiveness)			
 Pumping of solids 	4.3.1	None	Test according to 5.3, expressed as "no accumulation of solids"	
 Pipe connections 	4.3.2, 4.3.6 and 4.3.7	None	Test according to 5.1 and 5.2.3, measured value expressed as "DN xxx"	
Minimum dimensions of ventilating pipe system	4.3.3	None	Measure to the minimum value, expressed either as "DN 50" or "DN 70"	
Minimum flow velocity	4.3.4	None	Test according to 5.1.2 and 5.3, measured to the minimum value expressed as "0,7 m/s"	
 Minimum free ball passage of the plant 	4.3.5	None	Test according to 5.1 and 5.3, measured against the minimum value expressed as "40 mm"	
Effectiveness (Lifting effe	ectiveness)			
Useful volume	4.3.8	None	Test according to 5.1 and 5.3, value measured and declared either as "10 l" o "20 l"	

Dop



Declaration of performance as per Regulation (EU) No 305/2011, Annex III

Declaration of performance as per Regulation (EU) No 305/2011, Annex III

DoP2317.1-01 For the product mini-Compacta

(1) Product type Sewage lifting unit to EN 12050-1

celes code

For collecting and automatically lifting waste water with or without faeces above the

flood level. KSB AG

67225 Frankenthal (Germany)

(5) Authorised representative Not applicable System 3 (6) System of assessment and

verification of constancy of

performance (7) Harmonised standard

(4) Manufacturer

The notified body, TÜV Rheinland LGA Products -0197-, performed determination of the

product type on the basis of type-testing under system 3 and issued test report

5371065-02. (8) European Technical Assessment Not relevant

(9) Declared performance

Es	sential characteristics	Performance	Harmonised technical specification
Ef	fectiveness	EN 12050-1:2001	
	Handling of solids	Passed	
	Pipe connections	Passed	
	Ventilation	Passed	
	Minimum flow velocity	≥ 0.7 m/s	
	Minimum cross-section of the system	≥ 40 mm	
$\backslash \Gamma$	Minimum cross-section of the discharge-side connection	DN 80	
	Fastening elements	Passed	
N	ectrical equipment enclosures		
Г	Motor	IP68	
Г	Contactor	IP68	
C	orro ion resistance of materials Passed		
	ydrau ic and electric characteristic values	Passed	
W	ater and air-tight		
	Water-tight	0.5 bar 10 min	
	Odour proof	0.5 bar 10 min	
N	oise level	≤ 70 dB	

(10) The performance of the product identified in points (1) and (2) is in conformity with the declared performance in point (9). This declaration of performance is issued under the sole responsibility of the manufacturer identified in point (4).

Frankenthal, 1 July 2013











Essential characteristics

Watertightness

→ EN XXXXX

ISO XXXXX

Reaction to fire

► EN XXXXX

Effectiveness

► EN XXXXX

None-Essencial characteristics

Property 1

→ EN XXXXX

Property 2

► EN XXXXX











Essential characteristics

Watertightness

→ EN XXXXX

ISO XXXXX

Reaction to fire

► EN XXXXX

Effectiveness

► EN XXXXX

None-Essencial characteristics


Property 1

► EN XXXXX

Property 2

► EN XXXXX

Common European technical language in a data dictionary based on EN ISO 12006-3



Following CEN/TC 442 expert process











Essential characteristics

Watertightness

- ► EN XXXXX
- ISO XXXXX

Reaction to fire

■ EN XXXXX

Effectiveness

► EN XXXXX

None-Essencial characteristics

Property 1

→ EN XXXXX


Property 2

■ EN XXXXX

Common European technical language in a data dictionary based on EN ISO 12006-3

EN ISO 16739













Data Templates – Do they work with Linked Data?











WI 442021:

Semantic Modelling and Linking Standard (SMLS) for data integration in the built environment











WI 442021:

Semantic Modelling and Linking Standard (SMLS) for data integration in the built environment

EN ISO 23386, Methodology to create properties

EN ISO 23387, Structure for Data Templates










EXAMPLE (OWL / TURTLE)



```
ex:Doora owl:Class .
ex:height a owl:ObjectProperty;
                                                             Meta-data in bold
  rdfs:range smls:QuantityValue ;
  smls:quantityKind quantitykind:Length .
ex:clearOpeningHeight a owl:ObjectProperty;
  skos:definition "height measured from top threshold to bottom of stop"@en ;
  rdfs:subPropertyOf ex:height ;
 rdfs:domain ex:Door ;
  rdfs:seeAlso "EN12519" ; -- example external reference
 pdt:languageCode nace:FR ; -- example CEN PDT meta-data
 pdt:dateOfVersion "2019-11-06T16:10" . -- example CEN PDT meta-data
ex:Door 1 a ex:Door ;
 ex:ClearOpeningHeight [rdf:value 2.40;
                         smls:unit unit:M ;
                         ex:hasAccuracy 85.5;
                         ex:measuredBy "Somebody" ; ] .
ex:PropertyDefSet 1a rdfs:Container;
  rdfs:member ex:clearOpeningHeight .
```



ISO 12006-3 (IFD) - Framework for object-oriented information












ISO 12006-3 (IFD) - Framework for object-oriented information

















ISO 12006-3

This is a preview. To view the full content, please purchase this document. BS EN ISO BRITISH STANDARD 12006-3:2016 Building construction — Organization of information about construction works — Part 3: Framework for object-oriented information (ISO 12006-3:2007) ICS 91.010.01

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

ISO 23387

Licensed to: Schulze Espen Mr

FINAL DRAFT INTERNATIONAL STANDARD ISO/FDIS 23387

ISO/TC 59/SC 13

Secretariat: SN Voting begins on: 2020-03-31

Voting terminates of

Building information modelling (BIM) — Data templates for construction objects used in the life cycle of any built asset — Concepts and principles

Modélisation des informations de la construction (BIM) — Modèles de données pour les objets de construction utilisés durant le cycle de vie de tout bien construit — Concepts et principes

E INVITED TO NOTIFICATION TS OF WHICH ESUPPORTING

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNO-LOGICAL, COMMERCIAL AND USER PURPOSES, DRAFF INTERNATIONAL STANDARDS MAY OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STAN-DARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL RECULATIONS. ISO/CEN PARALLEL PROCESSING



Reference numbe ISO/FDIS 23387:2020(E

© ISO 2020

ISO 23386

INTERNATIONAL STANDARD

ISO 23386

2020-03-1

Building information modelling and other digital processes used in construction — Methodology to describe, author and maintain properties in interconnected data dictionaries

Modélisation des informations de la construction et autres processus numériques utilisés en construction — Méthodologie de description, de création et de gestion des propriétés dans les dictionnaires de données interconnectés

ISO

Reference number ISO 23386:2020(E)

© ISO 2020









Data Dictionary (ISO 12006-3)


Data Templates (ISO 23386 ISO 23387)











Level Of
Information Need
(LOIN)

IFC4.COD.1 Construction Objects Data View Part 1

Data Dictionary (ISO 12006-3)

Data Templates (ISO 23386 ISO 23387)




IFC4.COD.1
Construction
Objects Data View
Part 2






























Level Of Information Need (LOIN) ISO 19650 **Data Dictionary** (ISO 12006-3) **Data Templates** (ISO 23386 ISO 23387)

IFC4.COD.1
Construction
Objects Data View
Part 1

Environmental product declarations (EPD) in BIM


IFC4.COD.1
Construction
Objects Data View
Part 2







Level Of
Information Need
(LOIN)



IFC4.COD.1
Construction
Objects Data View
Part 1

Environmental product declarations (EPD) in BIM

IFC4.COD.1
Construction
Objects Data View
Part 2







Thank you for the attention!













